

Compare Datasets

Here you have the possibility to compare two different datasets. The line on top represents the first dataset, the line below the second one.

Model selection

Please choose a model and than one of its datasets.

DataCube: Scoreboard 2012 ▾

Dataset selection

% of enterprises exchanging ▾


For comparison you have to choose another model and one of its datasets.


DataCube: Scoreboard 2012 ▾


Cyprus ▾


Overall numbers:


A short summary of numbers counting important elements.


 2
Dimensions

 34
Dimension-elements

 0.987
100 1
Measures


 0
Attributes


 0
Slices

 36
Observations

 2
Dimensions

 118
Dimension-elements

 0.987
100 1
Measures

 0
Attributes

 0
Slices

 36
Observations

Measure information

Range	Median	Mean	Variance	Standard Deviation
It describes the lowest and highest values of all observed values.	The numerical value separating the higher half from the lower half.	It is the average value.	The variance is a measure of how far a list of observed values is spread out.	It shows how much variation exists from the average (mean), or expected value.
~ 0.07850613	~ 0.29790340	~ 0.29141699	~ 0.00804181	~ 0.08967615
~ 0.48370796				

Invalid numbers occur in the observations, so computed values are not exact!

Range	Median	Mean	Variance	Standard Deviation
~ 0	~ 0.14501451	~ 9123.89475	~ 1388752024	~ 37265.9633
~ 176024				

Invalid numbers occur in the observations, so computed values are not exact!

Unequal dimensions

Country

Observations are tagged with the location, where the measurement is made

 31

Indicator


Indicators of the Digital Agenda for Europe


 107

Equal dimensions

Year


Observations are tagged with the year of measurement


 0

 3

Year

Observations are tagged with the year of measurement

 8

 3