

2350 Rue de la Province - 2562.5 kW (dc)

2350 Rue de la Province, Longueuil, QC J4G 1G1

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



MECHANICAL PLAN SET BY:

KB RACKING INC.
1050 KING ST. W, SUITE 03A104
TORONTO, ON M6K 0C7

DRAWING INDEX

C-1.0 COVER SHEET

M-1.0 SITE PLAN & PROJECT SUMMARY

M-2.0 ROOF PLAN (LAYOUT)

M-3.0 LOAD REPORT

M-4.0 BALLAST PLAN

M-5.0 RAIL PLAN (IF APPLICABLE)

PROJECT NO.:	DRAWING NO.:
DATE:	2025/12/12
SHEET:	1 OF 67

COVER PAGE
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

PROVIDER	PROJECT
KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com	
WWW.KBRACKING.COM	

DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.:	DRAWING NO.:	
-		
DATE:		
2025/12/12		
SHEET:		
1 OF 67		C-1.0

Project Information		
Client Name	kWh Quebec Inc.	
Project Name	2350 Rue de la Province	
Project Address	2350 Rue de la Province, Longueuil, QC J4G 1G1	
Total Panel Count	4100	
Project Size (kW)	2562.5	
System		
Panel Name	Jinko 625W	
Panel Weight (kg)	32.4	
Panel Length (mm)	2382	
Panel Width (mm)	1134	
Panel Thickness (mm)	30	
Panel Power (W)	625	
Panel Cell Type	72	
System Orientation	Landscape	
System Tilt (deg)	10	
Racking Weight Per Panel (kg)	12.838644	
System Row Spacing (m)	1.557	
Inter-Row Spacing (m)	0.435	
Reinforcement	NO	
Environment		
Importance Category	Normal	
Terrain Type	Rough	
Wind Pressure: q50 (kPa)	0.44	
Exposure Factor: Ce	0.7	
Sea Level (ft)	0-999	
LB Factor	22.97	
Wind Load Factor: α_w	1.4	
Dead Load Factor: α_D	0.9	
Closeness Factor	1.0	
RoofType	Custom	
Friction Coefficient	0.68	
Setback (m)	1.22	
Buildings		
Building	Building Height (m)	Parapet (mm) WI (m) Ws (m)
1	7	0 224.5 135.5



SITE PLAN

LOADING INFORMATION

Array	Number of Panels	Array Area (m ²)	Area Reduction Factor	Uplift Ballast (kg)	Drag Ballast (kg)	Additional Ballast per Panel Due to Drag (kg)	Total Ballast for Array (kg)	Average PSF
1	245	916.28	0.1033	1791.38	0.00	0.00	1791.38	2.89
2	247	923.76	0.1030	1839.39	0.00	0.00	1839.39	2.89
3	274	1024.74	0.1000	1403.21	0.00	0.00	1403.21	2.77
4	264	987.34	0.1005	1920.05	0.00	0.00	1920.05	2.89
5	270	1009.78	0.1000	1667.37	0.00	0.00	1667.37	2.83
6	257	961.16	0.1016	1816.83	0.00	0.00	1816.83	2.87
7	198	740.50	0.1108	770.38	0.00	0.00	770.38	2.70
8	154	575.95	0.1239	849.90	0.00	0.00	849.90	2.78
9	193	721.80	0.1123	1011.40	0.00	0.00	1011.40	2.77
10	152	568.47	0.1245	1158.33	0.00	0.00	1158.33	2.89
11	239	893.84	0.1042	858.74	0.00	0.00	858.74	2.68
12	241	901.32	0.1039	1318.09	0.00	0.00	1318.09	2.79
13	218	815.30	0.1074	735.50	0.00	0.00	735.50	2.67
14	220	822.78	0.1071	1193.06	0.00	0.00	1193.06	2.78
15	196	733.02	0.1114	1156.02	0.00	0.00	1156.02	2.81
16	196	733.02	0.1114	1131.83	0.00	0.00	1131.83	2.80
17	236	882.62	0.1047	1449.63	0.00	0.00	1449.63	2.83
18	240	897.58	0.1041	1334.00	0.00	0.00	1334.00	2.79
19	16	59.84	0.3203	874.71	795.63	0.00	874.71	5.45
20	23	86.02	0.2768	743.74	846.80	4.48	846.80	4.48
21	21	78.54	0.2858	477.90	829.05	16.72	829.05	4.67
Total	4100	Total Ballast Weight	25955.67		Total System Weight	211433.93		

GENERAL NOTES:

1. THIS REPORT PROVIDES BALLAST AND LAYOUT INFORMATION FOR THE SOLAR SYSTEM.
2. SEE INSTALLATION DRAWINGS AND INSTALLATION LAYOUT FOR DIMENSIONS AND ARRAY INFO.
3. BALLAST SYSTEM IS DESIGNED BASED ON THE FOLLOWING REFERENCES:
 - 3.1 NATIONAL BUILDING CODE OF CANADA (NBCC) 2005, 2010 and 2015
 - Importance Category for buildings (Section 4.1.2.1)
 - I_w = Importance Factor for wind (Section 4.1.7.1)
 - C_e = Exposure Factor (Section 4.1.7.1)
 - α_w = Wind Load Factor (Section 4.1.3.2)
 - α_D = Dead Load Factor (Section 4.1.3.2)
 - 3.2 BRITISH COLUMBIA BUILDING CODE (BCBC) 2018
 - 3.3 NATIONAL BUILDING CODE - 2019 ALBERTA EDITION (2019 NBC(AE))
 - 3.4 ONTARIO BUILDING CODE (OBC) 2012
 - 3.5 KB RACKING ROOF-MOUNTED PV RACKING SYSTEMS WIND PRESSURE STUDY, RWDI #1600846, APRIL 21, 2023

*Ballast to Resist Uplift = $(\alpha_w \cdot I_w \cdot q_{50} \cdot C_e \cdot |C_p C_g| \cdot \text{uplift} \cdot \text{Auplift} - \alpha_D \cdot M) / \alpha_D$

*Ballast to Resist Drag = $[\alpha_w \cdot q_{50} \cdot C_e \cdot (1000/9.81) \cdot (|C_p C_g| \cdot \text{drag} \cdot \text{Adrag} \cdot (1/f_n) + |C_p C_g| \cdot \text{uplift} \cdot \text{Auplift}) - \alpha_D \cdot M] / \alpha_D$

4. A PROFESSIONAL STRUCTURAL ENGINEER LICENSED WHERE THE RACKING SYSTEM WILL BE INSTALLED IS REQUIRED TO APPROVE THE DESIGN.

5. THE STRUCTURAL ENGINEER OF THE BUILDING IS RESPONSIBLE TO CHECK THE ADEQUACY OF THE BUILDING'S STRUCTURAL CAPACITY TO SUPPORT THE LOADS INDICATED ON THIS DRAWING.

6. THE MOUNTING SYSTEM SHALL BE INSTALLED AS PER KB RACKING SPECIFICATIONS AND PROCEDURES.

7. INSTALL THE SPECIFIED PHOTOVOLTAIC MODULES ONLY. ANY CHANGES IN THE MODULE SIZE OR TYPE MUST BE NOTIFIED TO KB RACKING INC.

8. ANY CHANGES IN THE MOUNTING SYSTEM LAYOUT IS NOT PERMITTED UNLESS APPROVED BY KB RACKING INC.

NOTE: AVERAGE PSF LOADS REPRESENT THE UNIFORMLY DISTRIBUTED LOAD IMPOSED BY THE RACKING INSTALLATION ON THE ROOF. AVERAGE LOADS SHOULD NOT BE USED FOR THE STRUCTURAL REVIEW OF THE SUPPORTING ROOF STRUCTURE WITHOUT CONSIDERATION FOR LOCALIZED PSF LOADS WHICH MAY BE MORE SIGNIFICANT. LOCALIZED PSF LOADS PER PANEL ARE ACCOMPANIED WITHIN THIS REPORT IN THE FOLLOWING PAGES.

KB RACKING INC. HAS NO LIABILITY FOR THE USE OF THIS REPORT BY THE CUSTOMER. THE CUSTOMER MAY CHOOSE TO CERTIFY THIS REPORT WITH A LICENSED STRUCTURAL ENGINEER NOT UNDER CONTRACT TO KB RACKING. IN THIS CASE, KB RACKING WARRANTY ASSIGNMENT IS CONTINGENT ON RECEIVING THE CERTIFIED REPORT AND/OR WRITTEN CONFIRMATION THAT THE STRUCTURAL ENGINEER HAS CERTIFIED THE REPORT. IF THERE ARE ANY QUESTIONS OR CONCERN, PLEASE CONTACT KB RACKING INC.

DRAWING TITLE:
PROJECT:
PROVIDER:
CLIENT:
ENGINEER'S SEAL

D-
DATE:
SHEET:
2 OF 67
M-1.0

SITE PLAN-PROJECT SUMMARY

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:


K.P. Z.U. 1

PROJECT NO.: - DRAWING NO.:

DATE: 2025/12/12


SHEET: 2 OF 67

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



ARRAY LAYOUT

LEGEND



ENGINEER'S SEAL

ROOF PLAN

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM



DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1

PROJECT NO.:	DRAWING NO.:
--------------	--------------

DATE:	M-2.0
-------	-------

SHEET:	3 OF 67
--------	---------

OTE:
100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
ZeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND

LOAD ARRAY 1

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

Wh Quebec Inc.

PROJECT:	
CLIENT:	

050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

OLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

BY: **CHECKED BY:** **VERSION:**

Z.U. 1

DRAWING NO.

M-3.1

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 20 23 Panels

60 (5.8)	60 (5.8)	25 (3.8)	33 (4.3)	33 (4.3)	33 (4.3)	33 (4.3)	33 (4.3)	12 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	
60 (5.8)	60 (5.8)	25 (3.8)	23 (3.7)	33 (4.3)	33 (4.3)	33 (4.3)	33 (4.3)	12 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	
23 (3.7)	26 (3.9)	22 (3.7)	23 (3.7)	28 (4.0)	28 (4.0)	28 (4.0)	28 (4.0)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	10 (3.0)	10 (3.0)	
21 (3.6)	25 (3.8)	21 (3.6)	22 (3.7)	27 (4.0)	27 (4.0)	27 (4.0)	27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	10 (3.0)	10 (3.0)	
21 (3.6)	25 (3.8)	21 (3.6)	22 (3.7)	27 (4.0)	27 (4.0)	27 (4.0)	27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	10 (3.0)	10 (3.0)	
21 (3.6)	25 (3.8)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	
21 (3.6)	37 (4.5)	23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	
47 (5.1)		28 (4.0)	23 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	
60 (5.8)		27 (4.0)	22 (3.7)	22 (3.7)	27 (4.0)	27 (4.0)	27 (4.0)	27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	10 (3.0)	10 (3.0)
		27 (4.0)	22 (3.7)	22 (3.7)	27 (4.0)	27 (4.0)	27 (4.0)	27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	10 (3.0)	10 (3.0)
		33 (4.3)	33 (4.3)	14 (3.2)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)
		33 (4.3)	18 (3.5)	25 (3.8)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)
		25 (3.8)	18 (3.5)	22 (3.7)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)
		10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)

Array 21 21 Panels

49 (5.2)	49 (5.2)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
35 (4.4)	42 (4.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
35 (4.4)	38 (4.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
33 (4.3)	38 (4.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
33 (4.3)	38 (4.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
33 (4.3)	38 (4.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
42 (4.6)	42 (4.6)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)

LOAD ARRAY 2
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.


ENGINEER'S SEAL

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA
TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com
WWW.KBRACKING.COM


DRAWN BY: CHECKED BY: VERSION:
K.P. Z.U. 1
PROJECT NO.: - DRAWING NO.
DATE: 2025/12/12
SHEET: 5 OF 67
M-3.2

OTE:
100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
ZeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



kWh Quebec Inc.

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1



PROJECT:
CLIENT:

RACKING®

KING ST. W, SUITE 03A104
ONTARIO, ONTARIO M6K 0C7
CANADA

- FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
E-MAIL: info@kbracking.com
WWW.KBRACKING.COM

CHECKED BY: **VERSION:**



1

DRAWING NO.

M-3.3

2 (2.6)	10 (3.0)		18 (3.0)	2.6	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	3.1	3.4	5.5
17 (3.4)	17 (3.4)		17 (3.4)	17 (3.4)	0 (2.5)	11 (3.1)	25 (4.8)	43 (4.8)							

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND

LOAD ARRAY 4
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1
kWh Quebec Inc.

DRAWING TITLE:
PROJECT:
PROVIDER:
CLIENT:

KB RACKING®


1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA
TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com
WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
K.P. Z.U. 1

PROJECT NO.: - DRAWING NO.
DATE: 2025/12/12
SHEET: 7 OF 67 M-3.4

NOTE:
100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 6 257 Panels



LEGEND

LOAD ARRAY 6

KB RACKING

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@lbrooking.com

WWW.KBRACKING.COM

LIBRARIAN CHECKED BY: VERIFIED

BY: CHECKED BY: VERSION

DRAWING NO.

12/12/13

12/12

ANSWER


OTE:
100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
ZeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 7

Array 8

8 Panels (2.7)

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 7

kWh Quebec Inc.

PROJECT:
CLIENT:

10 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

L - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

AWN BY:	CHECKED BY:	VERSION:
K.D.	Z.H.	1

K.P.	Z.U.	
CT NO.:	DRAWING NO.	
-		

M-3.7

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

(2.5)	(2.5)	(2.6)	(3.0)
0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)

(2.5)	(2.5)	(2.6)	(3.0)
17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)

(2.5)	12 (3.1)	25 (3.8)	25 (3.8)
0 (2.5)	0 (2.5)	3 (2.6)	17 (3.4)

(2.5)	0 (2.5)	3 (2.6)	17 (3.4)
23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
17 (3.4)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	17 (3.4)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

27 (4.0)	79 (6.6)		
27 (4.0)	17 (3.4)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	17 (3.4)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	17 (3.4)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

(2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 12

241 Panels

0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
------------	------------	-------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	23 (3.7)
------------	------------	------------	-------------

11 (3.1)	22 (3.7)	27 (4.0)
-------------	-------------	-------------

11 (3.1)	22 (3.7)	27 (4.0)
-------------	-------------	-------------

10 (3.0)	3 (2.6)	23 (3.7)
-------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	------------	-------------

0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
------------	------------	-------------	-------------

17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	25 (3.8)	25 (3.8)
-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

17 (3.4)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	18 (3.5)	25 (3.8)
-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	18 (3.5)	22 (3.7)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

(2.5) (3.4) (3.4)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

25 (3.8) 25 (3.8) 11 (3.1) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5)

0 (2.5) 17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5)

0 (2.5) 3 (2.6) 17 (3.4)

17 (3.4) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 17 (3.4)

17 (3.4) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

22 (3.7) 17 (3.4) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

22 (3.7) 17 (3.4) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 23 (3.7) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 23 (3.7)

10 (3.0) 3 (2.6) 0 (2.5)

17 (3.4) 29 (4.1)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

21 (3.6) 17 (3.4) 0 (2.5)

79 (6.8)

21 (3.6) 17 (3.4) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

21 (3.6) 17 (3.4) 0 (2.5)

0 (2.5) 23 (3.7) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 23 (3.7)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 17 (3.4)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5)

0 (2.5) 17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5)

LOAD ARRAY 13

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

PROJECT:	CLIENT:
DRAWING TITLE:	
PROVIDER:	
KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com WWW.KBRACKING.COM	
DRAWN BY:	CHECKED BY:
K.P.	Z.U.
VERSION:	1
PROJECT NO.:	DRAWING NO.:
-	M-3.13
DATE:	
2025/12/12	
SHEET:	16 OF 67

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 14

220 Panels

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	17 (3.4)	17 (3.4)
------------	-------------	-------------

0 (2.5)	17 (3.4)	17 (3.4)
------------	-------------	-------------

0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	23 (3.7)
------------	------------	-------------

22 (3.7)	27 (4.0)	
-------------	-------------	--

22 (3.7)	27 (4.0)	
-------------	-------------	--

0 (2.5)	3 (2.6)	23 (3.7)
------------	------------	-------------

0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------

0 (2.5)	3 (2.6)	17 (3.4)
------------	------------	-------------

0 (2.5)	17 (3.4)	17 (3.4)
------------	-------------	-------------


LOAD ARRAY 14
 2350 Rue de la Province
 2350 Rue de la Province
 Longueuil, QC J4G 1G1
 kWh Quebec Inc.

DRAWING TITLE:
 PROJECT:
 CLIENT:
 PROVIDER:
KB RACKING®
 1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA
 TOLL - FREE TEL: 1.888.661.3204
 LOCAL TEL: 416.532.2500
 EMAIL: info@kbracking.com
 WWW.KBRACKING.COM
 DRAWN BY: CHECKED BY: VERSION:
 K.P. Z.U. 1
 PROJECT NO.: DRAWING NO.
 DATE: SHEET:
 2025/12/12 17 OF 67
 M-3.14


NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------

17 (3.4)	17 (3.4)
-------------	-------------



LEGEND



LOAD ARRAY 15
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

PROJECT:	PROVIDER:	DRAWING TITLE:		
KB RACKING®			1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	CLIENT:
			TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com	
			WWW.KBRACKING.COM	
DRAWN BY:	CHECKED BY:	VERSION:		
K.P.	Z.U.	1		
PROJECT NO.:		DRAWING NO.:		
-				
DATE: 2025/12/12				
SHEET: 18 OF 67		M-3.15		

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)

17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

Array 16

196 Panels

17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	25 (3.8)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

3 (2.6)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	18 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	25 (3.8)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)
------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	25 (3.8)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

27 (4.0)	21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

27 (4.0)	21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	21 (3.6)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

3 (2.6)	10 (3.0)	10 (3.0)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	17 (3.4)
------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------


DRAWING TITLE:	PROJECT:	PROVIDER:
KB RACKING®		
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com WWW.KBRACKING.COM		
DRAWN BY:		

Array 17

12 (2.1) 236 Panels

TE:
00 Modules (Jinko 625W)
Output: 2562.50 kW (DC)
roGrid L: 10 Degree Tilt
w Spacing: 1.56m
er-Row Spacing: 0.44m
tback from edge: 1.22m

LEGEND



LOAD ARRAY 17

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

Wh Quebec Inc.

KB RACKING®

10 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

L - FREE TEL: 1.888.661.3204
OCAL TEL: 416 532 2500

EMAIL: info@kbracking.com

WWW.KBRACKING.COM

WWW.BRUTALITY.COM

: CHECKED BY: VERSION

Table 1. Summary of the main characteristics of the four groups.

Z.U. | 1

DRAWING NO.

1484







2 M-3.17

7

T |

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



33
(4.3)

33
(4.3)

28
(4.0)

27
(4.0)

27
(4.0)

27
(4.0)

27
(4.0)

ENGINEER'S SEAL

LOAD ARRAY 19

DRAWING TITLE

PROJECT

PROVIDER

CUSTOMER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

K.P. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: -

SHEET: 22 OF 67

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

CLIENT:


PROJECT:

PROVIDER:

CUSTOMER:

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 20
 2350 Rue de la Province
 2350 Rue de la Province
 Longueuil, QC J4G 1G1

kWh Quebec Inc.

CLIENT:

PROJECT:

DRAWING TITLE:

KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL - FREE TEL: 1.888.661.3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kbracking.com

WWW.KBRACKING.COM




DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1

PROJECT NO.:	DRAWING NO.:
-	

DATE:	M-3.20
2025/12/12	





SHEET:	23 OF 67
--------	----------

Array 20 23 Panels



Array 21

21 Panels



33 (4.3)	18 (3.5)
--------------------	--------------------

25 (3.8)	18 (3.5)
--------------------	--------------------

10 (3.0)	3 (2.6)
--------------------	-------------------

10 (3.0)	3 (2.6)
--------------------	-------------------

10 (3.0)	3 (2.6)
--------------------	-------------------

10 (3.0)	3 (2.6)
--------------------	-------------------


10 (3.0)	3 (2.6)
--------------------	-------------------

10 (3.0)	3 (2.6)
--------------------	-------------------

17 (3.4)	17 (3.4)
--------------------	--------------------

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 21

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

DRAWING TITLE: PROJECT: PROVIDER:
KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA
TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com
WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
K.P. Z.U. 1

PROJECT NO.: -	DRAWING NO.:
DATE: 2025/12/12	SHEET: 24 OF 67

M-3.21

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


2350 Rue de la Province - 2562.5 kW (dc)

2350 Rue de la Province, Longueuil, QC J4G 1G1

Total Ballast (kg)	Stone Quantities		Ballast Trays	Accessory Brackets	High Uplift Supports
	15.5x7.5x3.5in				
	Large (14.5 kg)				
Array 01	1914.00	132	0	0	0
Array 02	1986.50	137	0	0	0
Array 03	1464.50	101	0	0	0
Array 04	1928.50	133	0	0	0
Array 05	1725.50	119	0	0	0
Array 06	1856.00	128	0	0	0
Array 07	797.50	55	0	0	0
Array 08	899.00	62	0	0	0
Array 09	1058.50	73	0	0	0
Array 10	1189.00	82	0	0	0
Array 11	957.00	66	0	0	0
Array 12	1421.00	98	0	0	0
Array 13	768.50	53	0	0	0
Array 14	1261.50	87	0	0	0
Array 15	1218.00	84	0	0	0
Array 16	1160.00	80	0	0	0
Array 17	1479.00	102	0	0	0
Array 18	1421.00	98	0	0	0
Array 19	899.00	62	0	0	0
Array 20	870.00	60	0	0	0
Array 21	841.00	58	0	0	0
Totals	27115.00	1870	0	0	0
<i>Recommended Ballast</i>	25955.68				
<i>Additional Ballast Weight</i>	1159.320000				

DRAWING TITLE:	PAVER LAYOUT	
PROJECT:	2350 Rue de la Province 2350 Rue de la Province Longueuil, QC J4G 1G1	
CLIENT:	kWh Quebec Inc.	
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com		
WWW.KBRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/12		M-4.0
SHEET: 25 OF 67		

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND

ENGINEER'S SEAL

PAVEMENT ARRAY 1

2350 Rue de la Province
2350 Rue de la Province
Longueuil QC J4G 1G1

kWh Quebec Inc.

B RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204

LOCAL TEL: 416 532 2500
EMAIL : info@kbracking.com

WWW.KRACKING.COM

WWW.KBRACKING.COM

LIBRARIAN CHECKED BY: VERS

BY: CHECKED BY: VERS

Z.U.

DRAWING NO.

DRAWING NO. _____

/12/12 | M-4.

OF 67

2	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0
2	2	1	0	0	0	0	0	0	0	0	0	1	1	1	1

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 20
23 Panels

5	5	2	2	2	2	2	1	0	0	0	1	1	1	1	0
4	4	2	2	2	2	2	1	0	0	0	0	1	1	1	0
2	2	2	2	2	2	2	0	0	0	0	0	1	1	1	0
1	2	1	2	2	2	2	0	0	0	0	0	1	1	1	0
1	2	1	2	2	2	2	0	0	0	0	0	1	1	1	0


3
4

2	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0
2	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0
2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	0
2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	0

Array 21
21 Panels

3	3	1	0	0	0	0	0	0	0	0	0	0	1	1	0
2	3	1	0	0	0	0	0	0	0	0	0	0	1	1	0
2	3	1	0	0	0	0	0	0	0	0	0	0	1	1	0
2	3	1	0	0	0	0	0	0	0	0	0	0	1	1	0
2	3	1	0	0	0	0	0	0	0	0	0	0	1	2	2
2	3	1	0	0	0	0	0	0	0	0	0	0	1	2	2
3	3	1	1	0	0	0	0	0	0	0	0	0	1	1	1

LEGEND




PAVER ARRAY 2
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

DRAWING TITLE:	PROJECT:	CLIENT:
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com WWW.KBRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.:	DRAWING NO.	
-	M-4.2	
DATE:	2025/12/12	
SHEET:	27 OF 67	

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND

ENGINEER'S SEAL

PAVER ARRAY 3

**2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1**

kWh Quebec Inc.

6 RACKIN
0 KING ST. W., SUITE 03A104
TORONTO, ONTARIO M6K 0C7

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

BY CHECKED BY VERIFIED

RECEIVED BY CHECKED BY PERIOD


2.0.

www.ijerpi.net

/12/12

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 5																
270 Panels																
2	2	1	0	0	0	0	0	0	0	0	0	0	1	1	2	
2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	2	
2	1	0	0	0	0	0	0	0	0	0	0	0	0	1		
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	2	2				5	2	
1	1	0	0	0	0	0	0	0	0	0	1				2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	1		5				4	4		1	0	1		1	
1	1	0	1	2	2			2	2	1	0	0	1		1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
2	2	1	0	0	1	1	1	1	1	1	1	2	2	2	1	



PAAVER ARRAY 5
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1
kWh Quebec Inc.
PROJECT: _____
DRAFTING TITLE: _____
CLIENT: _____
PROVIDER: _____

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA
TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com
WWW.KBRACKING.COM


DRAWN BY: _____ CHECKED BY: _____ VERSION: _____
K.P. _____ Z.U. _____ 1
PROJECT NO.: _____ DRAWING NO. _____
DATE: _____ M-4.5
2025/12/12
SHEET: 30 OF 67

4	1	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	
4	2	2	1	0	0	1	1	1	1	1	1	1	2	2	1	1	
2	2	2	1	0	0	0	0	0	0	0	1	2	2				
3	2	1	1	0	0	0	0	0	0	0	0	0	0	1	2	2	
2	2	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
1	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
1	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
1	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
1	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
1	1	1	0	0	0	0	0	0	0	2	2	2	5				
1	1	1	0	0	2	2		2	2	0	0	1	1				
1	1	1	0	0	0	1		1	0	0	0	0	1				
1	1	1	0	0	0	0	2	0	0	0	0	0	0	1			
1	1	1	0	0	0	0	0	0	0	0	0	0	0	1			
2	1	1	0	0	0	0	1	0	0	0	0	0	0	1			
	1	1	1		2	2		1	0	1		1	0	1			
	1	1	0	0	0	0	0	0	0	0	0	0	0	1			
2	1	1	0	0	0	0	0	0	0	0	0	0	0	1			
2	1	1	1	1		2	0	0	0	0	0	0	0	1			
2	2	2	2	2		2	2	0	0	0	0	0	0	1			
1	2	2	2	1		2	2	1	0	0	0	0	0	1			
2	2	2	2	1		2	2	2	1	1	1	2	2	2			

Array 6
257 Panels

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



PAVER ARRAY 6
kWh Quebec Inc.

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

PROJECT: _____

PROVIDER: _____

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: _____ CHECKED BY: _____ VERSION: _____

K.P. _____ Z.U. _____ 1


PROJECT NO.: _____ DRAWING NO. _____

DATE: _____ M-4.6

SHEET: 31 OF 67

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

	0	1	1	Array 7										Array 8											
	0	1	1	2	1	0	198 Panels	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	154 Panels		
	0	0	1	2	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	2	2	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	1	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
			5	2	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
			2	2	1	0	0	0	0	0	0	0	1	2	2		2	2		1					
	0	0	1	1	0	0	0	0	0	0	0	0	1	2	2		2	2		1					
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	1	0	1	1	0	0	0	0	0	0	0	0	1	2	2		1	0	0	0	0	1	1	0	1
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	0	0	1	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	
	1	2	2	1	1	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1	0	



LEGEND

ENGINEER'S SEAL

PAVER ARRAY 7

PROJECT: _____

CLIENT: _____

PARTNER: _____

KB RACKING®
 1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7 CANADA
 TOLL - FREE TEL: 1.888.661.3204
 LOCAL TEL: 416.532.2500
 EMAIL: info@kbracking.com
 WWW.KBRACKING.COM

DRAWN BY: _____ CHECKED BY: _____ VERSION: _____
 K.P. Z.U. 1
 PROJECT NO.: _____ DRAWING NO. _____
 DATE: _____ M-4.7
 2025/12/12
 SHEET: 32 OF 67


NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 8

2 2 1 239 Panels

0	0	0	1	1	1	1	0	0	3	1
0	0	0	0	1	1	0	0	0	1	2
0	0	0	0	1	1	0	0	0	0	1
0	0	0	0	1	1	0	0	0	0	2 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	2	2	1	0	0	0 1
0	0	0	0	1	2	2	1	0	0	0 1
0	1	2	2	1	0	1	1	0	1	
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	0	1	1	0	0	0	0	0 1
0	0	0	1	1	1	1	0	0	1	1

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 8

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

PROJECT:	KB RACKING®	
CLIENT:	1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	
DRAWING TITLE:	TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416 532 2500 EMAIL: info@kbracking.com WWW.KBRACKING.COM	
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.:	DRAWING NO.	
-		
DATE:	2025/12/12	
SHEET:	M-4.8	
33 OF 67		

0	0	0	1
---	---	---	---

1	1	2	2
---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
1	1	0	0	0	0	0	0	1	1	1	0	0	0

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 9
193 Panels

0	1	2	2
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	1	1
---	---	---	---

2			5
---	--	--	---

0	0	1	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

1	0	1	
---	---	---	--

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

0	0	0	1
---	---	---	---

1	1	2	2
---	---	---	---

Array 10
152 Panels

2	2	1	0	0	0	1	1	1	1	1	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

2	2	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	4	4		2	
---	---	---	---	---	---	---	---	---	---	---	--	---	--

1	0	0	0	0	0	0	0	1	4	4		2	
---	---	---	---	---	---	---	---	---	---	---	--	---	--

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

2	1	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	2	2
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	1		2	2	1	1	0
---	---	---	---	---	---	---	---	--	---	---	---	---	---


1	0	0	0	0	0	0	0	1	1	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	2	1	1	0	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

2	2								0	2	1	1	1
---	---	--	--	--	--	--	--	--	---	---	---	---	---

1	1	0	0	0	0	0	0	0	2	1	1	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 9

kWh Quebec Inc.
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

K.P. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: M-4.9

SHEET: 34 OF 67


0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	1	1	1	1	1	0	0	0	1	1
0	0	0	0	1	1	1	0	0	0	0	0	1	1
0	0	0	0	1	1	1	0	0	0	0	0	1	1
1	0	0	0	1	1	1	0	0	0	0	0	1	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	4	4	2	2	1	1	1	1
0	0	0	0	0	1	4	4	2	2	1	1	1	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	2	2	2	2	5
0	0	0	0	0	1	1	0	0	0	0	0	2	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	1	0	0	0	0	0	0	1
0	0	0	0	0	1	2	2	1	0	0	0	0	1
0	0	0	0	0	1	2	2	1	0	0	0	0	1
0	0	0	0	2	1	1	0	0	0	0	0	0	1
0	0	0	1		2	1	0	0	0	0	0	0	1
0	0	0	1		2	1	0	0	0	0	0	0	1
0	0	0	0	2	1	1	0	0	0	0	0	0	1
0	0	0	1		2	1	0	0	0	0	0	0	1
0	0	0	1		2	1	0	0	0	0	0	0	1
0	0	0	0	2	1	1	0	0	0	0	0	0	1
1	0	0	0	2	1	1	1	0	0	0	0	0	1

Array 10
152 Panels

NOTE:				
4100 Modules (Jinko 625W)				
DC Output: 2562.50 kW (DC)				
AeroGrid L: 10 Degree Tilt				
Row Spacing: 1.56m				
Inter-Row Spacing: 0.44m				
Setback from edge: 1.22m				
Array 1 218 Panels				
LEGEND				
# OF STONES LARGE / SMALL				
ENGINEER'S SEAL				
PAVER ARRAY 10				
kWh Quebec Inc.				
PROJECT: 2350 Rue de la Province				
CLIENT: 2350 Rue de la Province Longueuil, QC J4G 1G1				
DRAWING TITLE: PAVER ARRAY 10				
DRAWING NO.: M-4.10				
PROVIDER: KB RACKING®				
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA				
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com				
WWW.KBRACKING.COM				
DRAWN BY: K.P. CHECKED BY: Z.U. VERSION: 1				
PROJECT NO.: - DRAWING NO.				
DATE: 2025/12/12 SHEET: 35 OF 67				

NOTE:
100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 11



卷之三

PAVER ARRAY 11

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

Wh Quebec Inc.

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204

LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

BY: CHECKED BY: VERSI

CHARTED BY:

P. | Z.U. | 1

DRAWING NO.

344-4

/12/12

DF 67

—
—

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

1	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---

2	2	1	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

1	0	0
---	---	---

1	1	0
---	---	---

Array 13

1	1	0	218 Panels	0	0	0	0	1	1
---	---	---	------------	---	---	---	---	---	---

1	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---

2	1	1							
---	---	---	--	--	--	--	--	--	--

1	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---

2	1	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--

0	2	1							
---	---	---	--	--	--	--	--	--	--

1		2							
---	--	---	--	--	--	--	--	--	--

1		5							
---	--	---	--	--	--	--	--	--	--

0	2	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--





0	0	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--

0	0	1							
---	---	---	--	--	--	--	--	--	--


0	1	1							
---	---	---	--	--	--	--	--	--	--



0	0	1		1	0	0	0	0	0	0	1	1	2
0	1	1		1	1	0	0	0	0	0	0	1	2
0	1	1		1	1	0	220 Panels	0	0	0	1	2	2
0	0	1		1	0	0	0	0	0	0	0	1	3
0	0	1		1	0	0	0	0	0	0	0	1	3
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	2		1	0	0	0	0	0	0	0	1	2
2	2			1	1	0	0	0	0	0	0	1	2
2	2			1	1	0	0	0	0	0	0	1	2
0	0	2		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	2
0	0	1		1	0	0	0	0	0	0	0	1	1
0	0	1		1	0	0	0	0	0	0	0	1	1
0	0	1		1	0	0	0	0	0	0	0	1	0
0	1	1		1	1	0	0	0	0	0	0	1	1

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 14

2350 Rue de la Province
 2350 Rue de la Province
 Longueuil, QC J4G 1G1

kWh Quebec Inc.

DRAWING TITLE:	PROJECT:	CLIENT:
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com WWW.KBRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/12		M-4.14
SHEET: 39 OF 67		


NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 15

196 Panels

1	1	1	1	0	0	0	0	0	1	1	
2	2	1	1	0	0	0	0	0	1	1	
2	1	1	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
2	1	0	0	0	0	0	0	0	0	1	
1	1	0	0	0	0	0	0	0	0	1	
1	1	0	0	0	0	0	0	0	0	1	
1	1	0	0	0	0	0	0	0	0	1	
1	1	1	0	0	0	0	0	0	0	1	
2	2	1	0	0	0	0	0	0	1	1	

LEGEND



PAVER ARRAY 15

2350 Rue de la Province
 2350 Rue de la Province
 Longueuil, QC J4G 1G1

kWh Quebec Inc.

DRAWING TITLE:
 PROVIDER:
KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL - FREE TEL: 1.888.661.3204
 LOCAL TEL: 416.532.2500
 EMAIL: info@kbracking.com
 WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
 K.P. Z.U. 1


PROJECT NO.:
 DATE: 2025/12/12
 SHEET: 40 OF 67
 DRAWING NO.
M-4.15

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

1	1	1	1	0	0	0	0	0	1	2	1

1	1	1	1	0	0	0	0	0	1	2	2
0	1	1	0	0	0	0	0	0	1	1	2
0	1	1	0	0	0	0	0	0	0	2	2
0	1	1	0	0	0	0	0	0	2	2	
0	1	1	0	0	0	0	0	0	0	2	2
0	1	1	0	0	0	0	0	0	0	2	2
0	1	1	0	0	0	0	0	0	0	1	2
0	1	1	0	0	0	0	0	0	0	1	1
0	1	1	0	0	0	0	0	0	0	1	1
0	1	1	0	0	0	0	0	0	0	1	2
0	2	2	1	0	0	0	0	0	0	1	2
2	2	1	1	0	0	0	0	0	0	1	2
2	2	1	1	0	0	0	0	0	0	1	2
0	2	2	1	0	0	0	0	0	0	1	2
0	1	0	1	0	0	0	0	0	0	1	2
0	1	0	1	0	0	0	0	0	0	1	1
0	1	0	1	0	0	0	0	0	0	1	1
0	1	0	1	0	0	0	0	0	0	1	1
1	1	1	0	0	0	0	0	0	1	2	2

LEGEND




ENGINEER'S SEAL

PAVER ARRAY 16

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.



1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com
WWW.KBRACKING.COM


DRAWN BY: K.P.	CHECKED BY: Z.U.	VERSION: 1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/12		M-4.16
SHEET: 41	OF 67	

1	1	1	0	0	0	0	0	0	0	1
2	2	1	0	0	0	0	0	0	1	1

NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 17										
236 Panels										
2	2	0	0	0	0	0	0	0	1	1
2	1	1	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
2	2	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
1	1	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	2	2	2
2	1	0	0	0	0	0	0	0	2	2
2	2	0	0	0	0	0	0	0	0	2
2	2	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
2	1	0	0	0	0	0	0	0	0	1
3	1	0	0	0	0	0	0	0	0	1
2	1	1	0	0	0	0	0	0	0	1
3	2	1	0	0	0	0	0	0	1	1

LEGEND




PAVER ARRAY 17
2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.


PROJECT:	DRAWING TITLE:	
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com		
WWW.KBRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.:		DRAWING NO.:
-		M-4.17
DATE:		SHEET:
2025/12/12		42 OF 67

0	0	1	1
0	0	1	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	2
0	2	2	
0	2	2	
0	0	0	2
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1
0	0	0	1



NOTE:
4100 Modules (Jinko 625W)
DC Output: 2562.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 18


2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.




DRAWING TITLE:	PROJECT:	CLIENT:
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kbracking.com		
WWW.KBRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
K.P.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/12		M-4.18
SHEET: 43 OF 67		

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



Array 19



DRAWING TITLE:
PAVER ARRAY 19

PROJECT:
PROVIDER:
CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

K.P. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: -

SHEET: 44 OF 67

M-4.19


kWh Quebec Inc.

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

NOTE:
 4100 Modules (Jinko 625W)
 DC Output: 2562.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 20

2350 Rue de la Province
2350 Rue de la Province
Longueuil, QC J4G 1G1

kWh Quebec Inc.

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM


DRAWN BY: **K.P.** CHECKED BY: **Z.U.** VERSION: **1**


PROJECT NO.: **-** DRAWING NO.

DATE: **2025/12/12** SHEET: **M-4.20**

SHEET: **45 OF 67**

Array 20 23 Panels





NOTE:	
4100 Modules (Jinko 625W)	
DC Output: 2562.50 kW (DC)	
AeroGrid L: 10 Degree Tilt	
Row Spacing: 1.56m	
Inter-Row Spacing: 0.44m	
Setback from edge: 1.22m	
LEGEND	
 # OF STONES LARGE / SMALL	
ENGINEER'S SEAL	
PAVER ARRAY 21	
DRAWING TITLE: PAVER ARRAY 21 PROJECT: 2350 Rue de la Province PROVIDER: kWh Quebec Inc. CLIENT: 2350 Rue de la Province Longueuil, QC J4G 1G1	
KB RACKING® <small>1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA</small> <small>TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416 532 2500 EMAIL: info@kbracking.com</small> <small>WWW.KBRACKING.COM</small>	
DRAWN BY: K.P. CHECKED BY: Z.U. VERSION: 1	
PROJECT NO.: -	
DATE: 2025/12/12	
SHEET: 46 OF 67	
M-4.21	