


2000 32e Avenue - 846.3 kW (dc)

2000 32e Avenue, Lachine, QC H8T 3H7

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



MECHANICAL PLAN SET BY:

KB RACKING INC.
1050 KING ST. W, SUITE 03A104
TORONTO, ON M6K 0C7

DRAWING INDEX

C-1.0 COVER SHEET

M-1.0 SITE PLAN & PROJECT SUMMARY

M-2.0 ROOF PLAN (LAYOUT)

M-3.0 LOAD REPORT

M-4.0 BALLAST PLAN

M-5.0 RAIL PLAN (IF APPLICABLE)

PROJECT NO.:	DRAWING NO.:
-	
DATE:	
2025/12/16	C-1.0
SHEET:	
1 OF 40	

COVER PAGE

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

PROVIDER	CLIENT
KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	
TOLL-FREE TEL: 1 888 661 3204 LOCAL TEL: 416 532 2500 EMAIL: info@kracking.com	
WWW.KRACKING.COM	

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:		DRAWING NO.:
-		
DATE:		
2025/12/16		C-1.0
SHEET:		
1 OF 40		

Project Information		
Client Name	kWh Quebec Inc	
Project Name	2000 32e Avenue	
Project Address	2000 32e Avenue, Lachine, QC H8T 3H7	
Total Panel Count	1354	
Project Size (kW)	846.3	
System		
Panel Name	Jinko 625W	
Panel Weight (kg)	32.4	
Panel Length (mm)	2382	
Panel Width (mm)	1134	
Panel Thickness (mm)	30	
Panel Power (W)	625	
Panel Cell Type	72	
System Orientation	Landscape	
System Tilt (deg)	10	
Racking Weight Per Panel (kg)	12.838644	
System Row Spacing (m)	1.557	
Inter-Row Spacing (m)	0.435	
Reinforcement	NO	
Environment		
Importance Category	Normal	
Terrain Type	Rough	
Wind Pressure: q50 (kPa)	0.44	
Exposure Factor: Ce	0.7	
Sea Level (ft)	0-999	
LB Factor	21.33	
Wind Load Factor: α_w	1.4	
Dead Load Factor: α_D	0.9	
Closeness Factor	1.0	
RoofType	Custom	
Friction Coefficient	0.68	
Setback (m)	1.22	
Buildings		
Building	Building Height (m)	Parapet (mm) WI (m) Ws (m)
1	6.5	0 166 54



SITE PLAN

LOADING INFORMATION

Array	Number of Panels	Array Area (m ²)	Area Reduction Factor	Uplift Ballast (kg)	Drag Ballast (kg)	Additional Ballast per Panel Due to Drag (kg)	Total Ballast for Array (kg)	Average PSF
1	151	564.73	0.1248	3327.21	0.00	0.00	3327.21	3.68
2	27	100.98	0.2594	782.74	855.07	2.68	855.07	4.21
3	126	471.23	0.1352	1145.55	0.00	0.00	1145.55	2.98
4	71	265.53	0.1722	1777.37	412.83	0.00	1777.37	3.85
5	115	430.09	0.1426	912.55	0.00	0.00	912.55	2.91
6	128	478.71	0.1338	1064.20	0.00	0.00	1064.20	2.94
7	124	463.75	0.1365	1618.65	0.00	0.00	1618.65	3.19
8	95	355.29	0.1560	1112.50	97.34	0.00	1112.50	3.12
9	150	560.99	0.1251	1052.58	0.00	0.00	1052.58	2.87
10	112	418.87	0.1446	958.20	0.00	0.00	958.20	2.95
11	146	546.03	0.1263	1598.60	0.00	0.00	1598.60	3.08
12	109	407.65	0.1466	2111.14	0.00	0.00	2111.14	3.54
Total	1354		Total Ballast Weight	17533.62		Total System Weight	78786.68	

GENERAL NOTES:

1. THIS REPORT PROVIDES BALLAST AND LAYOUT INFORMATION FOR THE SOLAR SYSTEM.
2. SEE INSTALLATION DRAWINGS AND INSTALLATION LAYOUT FOR DIMENSIONS AND ARRAY INFO.
3. BALLAST SYSTEM IS DESIGNED BASED ON THE FOLLOWING REFERENCES:
 - 3.1 NATIONAL BUILDING CODE OF CANADA (NBCC) 2005, 2010 and 2015
 - Importance Category for buildings (Section 4.1.2.1)
 - I_w = Importance Factor for wind (Section 4.1.7.1)
 - C_e = Exposure Factor (Section 4.1.7.1)
 - α_w = Wind Load Factor (Section 4.1.3.2)
 - α_D = Dead Load Factor (Section 4.1.3.2)
 - 3.2 BRITISH COLUMBIA BUILDING CODE (BCBC) 2018
 - 3.3 NATIONAL BUILDING CODE - 2019 ALBERTA EDITION (2019 NBC(AE))
 - 3.4 ONTARIO BUILDING CODE (OBC) 2012
 - 3.5 KB RACKING ROOF-MOUNTED PV RACKING SYSTEMS WIND PRESSURE STUDY, RWDI #1600846, APRIL 21, 2023
- *Ballast to Resist Uplift = $(\alpha_w \cdot I_w \cdot q_{50} \cdot C_e) / [C_p \cdot C_g \cdot \text{uplift}]$ - $\alpha_D \cdot M$)/ α_D
- *Ballast to Resist Drag = $[\alpha_w \cdot q_{50} \cdot C_e \cdot (1000/9.81)] \cdot [(C_p \cdot C_g) \cdot \text{drag}] \cdot A_{\text{drag}} \cdot (1/f_n) + [C_p \cdot C_g \cdot \text{uplift}] \cdot A_{\text{uplift}}$ - $\alpha_D \cdot M$)/ α_D
4. A PROFESSIONAL STRUCTURAL ENGINEER LICENSED WHERE THE RACKING SYSTEM WILL BE INSTALLED IS REQUIRED TO APPROVE THE DESIGN.
5. THE STRUCTURAL ENGINEER OF THE BUILDING IS RESPONSIBLE TO CHECK THE ADEQUACY OF THE BUILDING'S STRUCTURAL CAPACITY TO SUPPORT THE LOADS INDICATED ON THIS DRAWING.
6. THE MOUNTING SYSTEM SHALL BE INSTALLED AS PER KB RACKING SPECIFICATIONS AND PROCEDURES.
7. INSTALL THE SPECIFIED PHOTOVOLTAIC MODULES ONLY. ANY CHANGES IN THE MODULE SIZE OR TYPE MUST BE NOTIFIED TO KB RACKING INC.
8. ANY CHANGES IN THE MOUNTING SYSTEM LAYOUT IS NOT PERMITTED UNLESS APPROVED BY KB RACKING INC.

NOTE: AVERAGE PSF LOADS REPRESENT THE UNIFORMLY DISTRIBUTED LOAD IMPOSED BY THE RACKING INSTALLATION ON THE ROOF. AVERAGE LOADS SHOULD NOT BE USED FOR THE STRUCTURAL REVIEW OF THE SUPPORTING ROOF STRUCTURE WITHOUT CONSIDERATION FOR LOCALIZED PSF LOADS WHICH MAY BE MORE SIGNIFICANT. LOCALIZED PSF LOADS PER PANEL ARE ACCOMPANIED WITHIN THIS REPORT IN THE FOLLOWING PAGES.

KB RACKING INC. HAS NO LIABILITY FOR THE USE OF THIS REPORT BY THE CUSTOMER. THE CUSTOMER MAY CHOOSE TO CERTIFY THIS REPORT WITH A LICENSED STRUCTURAL ENGINEER NOT UNDER CONTRACT TO KB RACKING. IN THIS CASE, KB RACKING WARRANTY ASSIGNMENT IS CONTINGENT ON RECEIVING THE CERTIFIED REPORT AND/OR WRITTEN CONFIRMATION THAT THE STRUCTURAL ENGINEER HAS CERTIFIED THE REPORT. IF THERE ARE ANY QUESTIONS OR CONCERN, PLEASE CONTACT KB RACKING INC.

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

ENGINEER'S SEAL

SITE PLAN-PROJECT SUMMARY

DRAWING TITLE:	2000 32e Avenue
PROJECT:	2000 32e Avenue
CLIENT:	Lachine, QC H8T 3H7
PROVIDER:	kWh Quebec Inc

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA


TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:		DRAWING NO.:
DATE: -		M-1.0
2025/12/16		
SHEET: 2 OF 40		

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

ROOF PLAN

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
CLIENT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:


M.N. Z.U. 1

PROJECT NO.:	DRAWING NO.:
--------------	--------------

DATE:	2025/12/16
-------	------------

SHEET:	3 OF 40
--------	---------

M-2.0





ARRAY LAYOUT



NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 1 151 Panels



ENGINEER'S SEAL







LOAD ARRAY 1

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc


PROJECT:	KB RACKING®		
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA			
TOLL-FREE TEL: 1-888-661-3204 LOCAL TEL: 416 532 2500 EMAIL: info@kracking.com			
WWW.KRACKING.COM			
DRAWN BY: M.N.	CHECKED BY: Z.U.	VERSION: 1	PROJECT NO.: -
DATE: 2025/12/16	SHEET: 4 OF 40	M-3.1	DRAWING NO.

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



Array 2 27 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 2

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-


DATE: 2025/12/16

SHEET: 5 OF 40

M-3.2

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 3 126 Panels



ENGINEER'S SEAL

LOAD ARRAY 3

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA
TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.:-	DRAWING NO.:
DATE: 2025/12/16	
SHEET: 6 OF 40	M-3.3

25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	23 (3.7)	23 (3.7)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m


25 (3.8)	79 (6.8)	25 (3.8)	56 (5.5)	56 (5.5)
-------------	-------------	-------------	-------------	-------------

61 (5.8)	25 (3.8)	33 (4.3)	23 (3.7)	33 (4.3)
-------------	-------------	-------------	-------------	-------------

61 (5.8)	22 (3.7)	3 (2.6)	0 (2.5)	0 (2.5)	23 (3.7)	0 (2.5)	23 (3.7)	23 (3.7)
-------------	-------------	------------	------------	------------	-------------	------------	-------------	-------------

21 (3.6)	56 (5.5)	11 (3.1)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	0 (2.5)	3 (2.6)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

33 (4.3)	56 (5.5)	14 (3.2)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	6 (2.8)	18 (3.5)	33 (4.3)
-------------	-------------	-------------	------------	------------	------------	-------------	------------	-------------	-------------




33 (4.3)	33 (4.3)	33 (4.3)	23 (3.7)	23 (3.7)	0 (2.5)	33 (4.3)	33 (4.3)	33 (4.3)
-------------	-------------	-------------	-------------	-------------	------------	-------------	-------------	-------------

25 (3.8)	18 (3.5)	18 (3.5)	18 (3.5)	23 (3.7)	27 (4.0)
-------------	-------------	-------------	-------------	-------------	-------------

25 (3.8)	25 (3.8)	25 (3.8)	25 (3.8)	25 (3.8)	25 (3.8)
-------------	-------------	-------------	-------------	-------------	-------------

Array 4 71 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 4

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.:



DATE: 2025/12/16 SHEET: M-3.4

SHEET: 7 OF 40

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 5

115 Panels



ENGINEER'S SEAL

LOAD ARRAY 5

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:
CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM


DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -	DRAWING NO.:	
DATE: 2025/12/16	SHEET: 8 OF 40	M-3.5

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 6 128 Panels

17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
17 (3.4)	17 (3.4)	0 (2.5)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
17 (3.4)	3 (2.6)	0 (2.5)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	18 (3.5)	25 (3.8)
22 (3.7)	18 (3.5)	6 (2.8)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
21 (3.6)	17 (3.4)	21 (3.6)		10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
		27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
		27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
33 (4.3)	22 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	
25 (3.8)	17 (3.4)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	
25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 6

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:


DATE: 2025/12/16

SHEET: 9 OF 40


M-3.6

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 7 124 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 7

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-


DATE: 2025/12/16

SHEET: 10 OF 40

M-3.7

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 8

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: CLIENT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -	DRAWING NO.:	
DATE: 2025/12/16	SHEET: 11 OF 40	M-3.8

17 (3.4)	17 (3.4)	0 (2.5)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)	25 (3.8)
-------------	-------------	------------	-------------	------------	------------	------------	-------------	-------------	-------------

Array 8 95 Panels

17 (3.4)	17 (3.4)	0 (2.5)	31 (4.2)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
-------------	-------------	------------	-------------	------------	------------	------------	------------	-------------	-------------

17 (3.4)	3 (2.6)	17 (3.4)	17 (3.4)	3 (2.6)	0 (2.5)	3 (2.6)	3 (2.6)	3 (2.6)	17 (3.4)
-------------	------------	-------------	-------------	------------	------------	------------	------------	------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	3 (2.6)	10 (3.0)
-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	23 (3.7)	10 (3.0)
-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

23 (3.7)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	79 (6.8)		
-------------	------------	------------	------------	------------	-------------	-------------	-------------	--	--

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	79 (6.8)
-------------	-------------	------------	------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	79 (6.8)
-------------	-------------	------------	------------	-------------	-------------	-------------

23 (3.7)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	23 (3.7)	23 (3.7)	10 (3.0)
-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

17 (3.4)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	3 (2.6)	10 (3.0)
-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)
-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

43 (4.8)	43 (4.8)
-------------	-------------

43 (4.8)	43 (4.8)
-------------	-------------

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 9 150 Panels

25 (3.8)	25 (3.8)	12 (3.1)	0 (2.5)	0 (2.5)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	24 (3.8)	17 (3.4)
-------------	-------------	-------------	------------	------------	-------------	------------	------------	------------	-------------	-------------

25 (3.8)	18 (3.5)	12 (3.1)	0 (2.5)	0 (2.5)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	31 (4.2)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------

22 (3.7)	18 (3.5)	6 (2.8)	0 (2.5)	0 (2.5)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)	31 (4.2)	
-------------	-------------	------------	------------	------------	-------------	------------	------------	-------------	-------------	--

21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)		10 (3.0)	3 (2.6)	10 (3.0)		29 (3.1)
-------------	-------------	------------	------------	-------------	--	-------------	------------	-------------	--	-------------

21 (3.6)	17 (3.4)	0 (2.5)	23 (3.7)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	21 (3.6)		10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
-------------	-------------	-------------	--	-------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------


21 (3.6)	17 (3.4)	0 (2.5)	3 (2.6)	10 (3.0)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	17 (3.4)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	------------	-------------

25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------

LEGEND



ENGINEER'S SEAL

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: -

DATE: 2025/12/16

SHEET: 12 OF 40


DRAWING NO. M-3.9

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7


kWh Quebec Inc

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 10

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:
CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-

DATE: 2025/12/16

SHEET: 13 OF 40


M-3.10

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 11 146 Panels

25 (3.8)	25 (3.8)	12 (3.1)	24 (3.8)	0 (2.5)	12 (3.1)	25 (3.8)	25 (3.8)	
25 (3.8)	18 (3.5)	12 (3.1)	31 (4.2)	0 (2.5)	12 (3.1)	18 (3.5)	25 (3.8)	
22 (3.7)	18 (3.5)	22 (3.7)		10 (3.0)	18 (3.5)	18 (3.5)	22 (3.7)	
21 (3.6)	17 (3.4)	21 (3.6)		10 (3.0)	17 (3.4)	17 (3.4)	21 (3.6)	
21 (3.6)	17 (3.4)	21 (3.6)		10 (3.0)	17 (3.4)	22 (3.7)	27 (4.0)	
21 (3.6)	17 (3.4)	0 (2.5)	31 (4.2)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	33 (4.3) 25 (3.8)
21 (3.6)	17 (3.4)	0 (2.5)	24 (3.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	18 (3.5) 25 (3.8)
21 (3.6)	17 (3.4)	21 (3.6)		10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	18 (3.5) 22 (3.7)
21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4) 21 (3.6)
21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4) 21 (3.6)
24 (3.8)	17 (3.4)		21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5) 17 (3.4) 21 (3.6)
31 (4.2)	17 (3.4)		21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5) 17 (3.4) 21 (3.6)
31 (4.2)			10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5) 17 (3.4) 21 (3.6)
29 (4.1)			10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8) 17 (3.4) 21 (3.6)
23 (3.7)	10 (3.0)		10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5) 11 (3.1) 17 (3.4) 21 (3.6)
3 (2.6)	10 (3.0)		17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5) 14 (3.2) 33 (4.3) 33 (4.3)

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 11

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
CLIENT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
M.N. Z.U. 1


PROJECT NO.:
-
DATE: 2025/12/16
SHEET: 14 OF 40

DRAWING NO.
M-3.11



NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 12

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-

DATE: 2025/12/16

SHEET: 15 OF 40

M-3.12

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

2000 32e Avenue - 846.3 kW (dc)


2000 32e Avenue, Lachine, QC H8T 3H7

Total Ballast (kg)	Stone Quantities		Ballast Trays	Accessory Brackets	High Uplift Supports
	15.5x7.5x3.5in				
	Large (14.5 kg)				
Array 01	3364.00	232	0	0	0
Array 02	855.50	59	0	0	0
Array 03	1174.50	81	0	0	0
Array 04	1812.50	125	0	0	0
Array 05	913.50	63	0	0	0
Array 06	1073.00	74	0	0	0
Array 07	1653.00	114	0	0	0
Array 08	1131.00	78	0	0	0
Array 09	1058.50	73	0	0	0
Array 10	971.50	67	0	0	0
Array 11	1609.50	111	0	0	0
Array 12	2175.00	150	0	0	0
Totals	17791.50	1227	0	0	0
<i>Recommended Ballast</i>	17533.62				
<i>Additional Ballast Weight</i>	257.88				


DRAWING TITLE:	PAVER LAYOUT	
PROJECT:	2000 32e Avenue 2000 32e Avenue Lachine, QC H8T 3H7	
CLIENT:	kWh Quebec Inc	
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL - FREE TEL: 1.888.661.3204 LOCAL TEL: 416 532 2500 EMAIL: info@kracking.com WWW.KRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/16		M-4.0
SHEET: 16 OF 40		

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/16		M-4.0
SHEET: 16 OF 40		

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 1

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

PROJECT: PROVIDER: **KB RACKING®**

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1







PROJECT NO.: DRAWING NO.

DATE: 2025/12/16

SHEET: 17 OF 40


M-4.1

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



Array 2
27 Panels

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 2

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-


DATE: 2025/12/16

SHEET: 18 OF 40


M-4.2

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 3
126 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 3

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kracking.com

WWW.KRACKING.COM


DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1


PROJECT NO.: - DRAWING NO.
DATE: 2025/12/16
SHEET: 19 OF 40 M-4.3

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

2	2	1	0	0	0	0	0	2	2
---	---	---	---	---	---	---	---	---	---



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 4

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


DATE: -

2025/12/16

SHEET: 20 OF 40

M-4.4

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



1	1	0	0	0	0	0	0	0	1	1	

Array 6
128 Panels

1	1	0	1	0	0	0	0	0	1	1	
1	0	0	0	0	0	0	0	1	1	2	

2	1	0	1	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--

1	1	1			1	0	0	0	0	0	1
---	---	---	--	--	---	---	---	---	---	---	---

1	1	0	0	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--

1	0	0	0	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--

2	2	0	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---	---	---

2	2	0	0	0	0	0	0	0	1	1	
---	---	---	---	---	---	---	---	---	---	---	--

2	2	0	0	0	0	0	0	0	1	1	
---	---	---	---	---	---	---	---	---	---	---	--

2	2	0	0	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--

2	1	1	0	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--


2	2	1	0	0	0	0	0	0	0	1	
---	---	---	---	---	---	---	---	---	---	---	--

4 4

4 4

NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 6

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

DATE: 2025/12/16


SHEET: 22 OF 40

M-4.6


NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 7

124 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 7

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

PROJECT

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.

DATE: 2025/12/16


SHEET: 23 OF 40

M-4.7

1	1	0	1	0	0	0	1	2	2	

NOTE:
1354 Modules (Jinko 625W)
DC Output: 846.25 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 8

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: CLIENT:
PROVIDER:


KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com


WWW.KRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/12/16		M-4.8
SHEET: 24 OF 40		



NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 9

2000 32e Avenue
 2000 32e Avenue
 Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE: PROJECT: CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA


TOLL-FREE TEL: 1.888.661.3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.:	-	DRAWING NO.:
DATE:	2025/12/16	M-4.9
SHEET:	25 OF 40	



NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

3	2	1	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---	---

Array 10

1	1	2	2	0	0	0	112 Panels	0	1	1
---	---	---	---	---	---	---	------------	---	---	---

5	4			2	2	1	0	0	0	1
---	---	--	--	---	---	---	---	---	---	---

2	0	0	0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	0	0	2
---	---	---	---	---	---	---	---	---	---	---

1	0	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

2	0	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

2	0	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

2	0	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---


2	0	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

2	1	0	0	0	0	0	0	1	1
---	---	---	---	---	---	---	---	---	---

1	1	1	1	1
---	---	---	---	---

2	2	1	2	2
---	---	---	---	---

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 10

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-

DATE: 2025/12/16

SHEET: 26 OF 40

M-4.10


NOTE:
 1354 Modules (Jinko 625W)
 DC Output: 846.25 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 11

146 Panels

2	2	1	2	0	1	2	2		
2	1	1	2	0	1	1	2		
2	1	2		1	1	1	2		
1	1	1		1	1	1	1		
1	1	1		1	1	2	2		
1	1	0	2	0	0	0	2	2	
1	1	0	2	0	0	0	1	2	
1	1	1		1	0	0	0	1	2
1	1	0	0	0	0	0	0	1	2
1	1	0	0	0	0	0	0	1	2
2	1		1	0	0	0	0	1	2
2	1		1	0	0	0	0	1	2
2			1	0	0	0	0	1	2
2			1	0	0	0	0	1	2
2	1		1	0	0	0	1	1	2
0	1		1	0	0	0	1	2	3

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 11

2000 32e Avenue
2000 32e Avenue
Lachine, QC H8T 3H7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: -

SHEET: 2025/12/16

OF 40

M-4.11

