


8000 Av. Blaise-Pascal - 3282.5 kW (dc)

8000 Av. Blaise-Pascal, Montréal, QC H1E 2S7

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



MECHANICAL PLAN SET BY:

KB RACKING INC.
1050 KING ST. W, SUITE 03A104
TORONTO, ON M6K 0C7

DRAWING INDEX

C-1.0 COVER SHEET

M-1.0 SITE PLAN & PROJECT SUMMARY

M-2.0 ROOF PLAN (LAYOUT)

M-3.0 LOAD REPORT

M-4.0 BALLAST PLAN

M-5.0 RAIL PLAN (IF APPLICABLE)

PROJECT:	8000 Av. Blaise-Pascal 8000 Av. Blaise-Pascal Montréal, QC H1E 2S7
PROVIDER:	kWh Quebec Inc
CLIENT:	
DRAWING TITLE:	

PROJECT:	8000 Av. Blaise-Pascal 8000 Av. Blaise-Pascal Montréal, QC H1E 2S7
PROVIDER:	kWh Quebec Inc
CLIENT:	
DRAWING TITLE:	



KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -		DRAWING NO.
DATE: 2025/10/20		SHEET: 1 OF 103
		C-1.0

Project Information		Site Plan		General Notes		Note	
Client Name	kWh Quebec Inc						
Project Name	8000 Av. Blaise-Pascal						
Project Address	8000 Av. Blaise-Pascal, Montréal, QC H1E 2S7						
Total Panel Count	5252						
Project Size (kW)	3282.5						
System		Site Plan		General Notes		Note	
Panel Name	Jinko Solar 625W			GENERAL NOTES: <ol style="list-style-type: none"> 1. THIS REPORT PROVIDES BALLAST AND LAYOUT INFORMATION FOR THE SOLAR SYSTEM. 2. SEE INSTALLATION DRAWINGS AND INSTALLATION LAYOUT FOR DIMENSIONS AND ARRAY INFO. 3. BALLAST SYSTEM IS DESIGNED BASED ON THE FOLLOWING REFERENCES: <ul style="list-style-type: none"> 3.1 NATIONAL BUILDING CODE OF CANADA (NBCC) 2005, 2010 and 2015 <ul style="list-style-type: none"> • Importance Category for buildings (Section 4.1.2.1) • I_w = Importance Factor for wind (Section 4.1.7.1) • C_e = Exposure Factor (Section 4.1.7.1) • α_w = Wind Load Factor (Section 4.1.3.2) • α_D = Dead Load Factor (Section 4.1.3.2) 3.2 BRITISH COLUMBIA BUILDING CODE (BCBC) 2018 3.3 NATIONAL BUILDING CODE - 2019 ALBERTA EDITION (2019 NBC(AE)) 3.4 ONTARIO BUILDING CODE (OBC) 2012 3.5 KB RACKING ROOF-MOUNTED PV RACKING SYSTEMS WIND PRESSURE STUDY, RWDI #1600846, APRIL 21, 2023 <p>*Ballast to Resist Uplift = $(\alpha_w \cdot I_w \cdot q_{50} \cdot C_e \cdot C_p C_g \cdot \text{uplift} \cdot \text{Auplift} - \alpha_D \cdot M) / \alpha_D$</p> <p>*Ballast to Resist Drag = $[\alpha_w \cdot q_{50} \cdot C_e \cdot (1000 / 9.81) \cdot [(C_p C_g) \cdot \text{drag} \cdot \text{Adrag} \cdot (1/f_n) + C_p C_g \cdot \text{uplift} \cdot \text{Auplift}] - \alpha_D \cdot M] / \alpha_D$</p>		NOTE: 5252 Modules (Jinko 625W) DC Output: 3282.50 kW (DC) AeroGrid L: 10 Degree Tilt Row Spacing: 1.56m Inter-Row Spacing: 0.44m Setback from edge: 1.22m	
Panel Weight (kg)	32.4						
Panel Length (mm)	2382						
Panel Width (mm)	1134						
Panel Thickness (mm)	30						
Panel Power (W)	625						
Panel Cell Type	72						
System Orientation	Landscape						
System Tilt (deg)	10						
Racking Weight Per Panel (kg)	12.838644						
System Row Spacing (m)	1.557						
Inter-Row Spacing (m)	0.435						
Reinforcement	NO						
Environment		Site Plan		General Notes		Note	
Importance Category	Normal			<ol style="list-style-type: none"> 4. A PROFESSIONAL STRUCTURAL ENGINEER LICENSED WHERE THE RACKING SYSTEM WILL BE INSTALLED IS REQUIRED TO APPROVE THE DESIGN. 5. THE STRUCTURAL ENGINEER OF THE BUILDING IS RESPONSIBLE TO CHECK THE ADEQUACY OF THE BUILDING'S STRUCTURAL CAPACITY TO SUPPORT THE LOADS INDICATED ON THIS DRAWING. 6. THE MOUNTING SYSTEM SHALL BE INSTALLED AS PER KB RACKING SPECIFICATIONS AND PROCEDURES. 7. INSTALL THE SPECIFIED PHOTOVOLTAIC MODULES ONLY. ANY CHANGES IN THE MODULE SIZE OR TYPE MUST BE NOTIFIED TO KB RACKING INC. 8. ANY CHANGES IN THE MOUNTING SYSTEM LAYOUT IS NOT PERMITTED UNLESS APPROVED BY KB RACKING INC. <p>NOTE: AVERAGE PSF LOADS REPRESENT THE UNIFORMLY DISTRIBUTED LOAD IMPOSED BY THE RACKING INSTALLATION ON THE ROOF. AVERAGE LOADS SHOULD NOT BE USED FOR THE STRUCTURAL REVIEW OF THE SUPPORTING ROOF STRUCTURE WITHOUT CONSIDERATION FOR LOCALIZED PSF LOADS WHICH MAY BE MORE SIGNIFICANT. LOCALIZED PSF LOADS PER PANEL ARE ACCCOMPANIED WITHIN THIS REPORT IN THE FOLLOWING PAGES.</p> <p>KB RACKING INC. HAS NO LIABILITY FOR THE USE OF THIS REPORT BY THE CUSTOMER. THE CUSTOMER MAY CHOOSE TO CERTIFY THIS REPORT WITH A LICENSED STRUCTURAL ENGINEER NOT UNDER CONTRACT TO KB RACKING. IN THIS CASE, KB RACKING WARRANTY ASSIGNMENT IS CONTINGENT ON RECEIVING THE CERTIFIED REPORT AND/OR WRITTEN CONFIRMATION THAT THE STRUCTURAL ENGINEER HAS CERTIFIED THE REPORT. IF THERE ARE ANY QUESTIONS OR CONCERN, PLEASE CONTACT KB RACKING INC.</p>		NOTE: 5252 Modules (Jinko 625W) DC Output: 3282.50 kW (DC) AeroGrid L: 10 Degree Tilt Row Spacing: 1.56m Inter-Row Spacing: 0.44m Setback from edge: 1.22m	
Terrain Type	Rough						
Wind Pressure: q_{50} (kPa)	0.44						
Exposure Factor: C_e	0.7						
Sea Level (ft)	0-999						
LB Factor	25.00						
Wind Load Factor: α_w	1.4						
Dead Load Factor: α_D	0.9						
Closeness Factor	1.0						
RoofType	Custom						
Friction Coefficient	0.68						
Setback (m)	1.22						
Buildings		Site Plan		General Notes		Note	
Building	Building Height (m)	Parapet (mm)	WI (m)	Ws (m)			
1	7.62	152.4	229	178			

DRAWING TITLE:	PROJECT:	CLIENT:
PROVIDER:	KB RACKING®	
8000 Av. Blaise-Pascal 8000 Av. Blaise-Pascal Montréal, QC H1E 2S7		
kWh Quebec Inc		

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:	DRAWING NO.:	
DATE:		
2025/10/20		
SHEET:	M-1.0	
2 OF 103		

LOADING INFORMATION

Array	Number of Panels	Array Area (m ²)	Area Reduction Factor	Uplift Ballast (kg)	Drag Ballast (kg)	Additional Ballast per Panel Due to Drag (kg)	Total Ballast for Array (kg)	Average PSF
1	281	1050.92	0.1000	3839.28	0.00	0.00	3839.28	3.24
2	20	74.80	0.2904	629.10	817.14	9.40	817.14	4.71
3	121	452.53	0.1385	1724.16	0.00	0.00	1724.16	3.26
4	197	736.76	0.1111	2728.94	0.00	0.00	2728.94	3.24
5	75	280.49	0.1695	741.08	376.21	0.00	741.08	3.02
6	87	325.37	0.1614	893.17	228.05	0.00	893.17	3.05
7	89	332.85	0.1601	1597.81	197.77	0.00	1597.81	3.46
8	121	452.53	0.1385	1681.56	0.00	0.00	1681.56	3.25
9	43	160.82	0.2113	827.85	749.03	0.00	827.85	3.53
10	120	448.79	0.1392	2320.87	0.00	0.00	2320.87	3.55
11	167	624.57	0.1200	3353.13	0.00	0.00	3353.13	3.59
12	152	568.47	0.1245	1747.80	0.00	0.00	1747.80	3.13
13	199	744.24	0.1105	1790.55	0.00	0.00	1790.55	2.97
14	176	658.22	0.1173	1580.12	0.00	0.00	1580.12	2.96
15	119	445.05	0.1399	1441.18	0.00	0.00	1441.18	3.15
16	102	381.47	0.1513	1805.42	0.00	0.00	1805.42	3.45
17	23	86.02	0.2768	1030.49	846.80	0.00	1030.49	4.92
18	115	430.09	0.1426	1814.78	0.00	0.00	1814.78	3.35
19	123	460.01	0.1372	1208.89	0.00	0.00	1208.89	3.02
20	136	508.63	0.1293	1838.00	0.00	0.00	1838.00	3.23
21	165	617.09	0.1206	2178.60	0.00	0.00	2178.60	3.21
22	176	658.22	0.1173	2223.66	0.00	0.00	2223.66	3.19
23	182	680.66	0.1155	1828.84	0.00	0.00	1828.84	3.04
24	325	1215.47	0.1000	1756.16	0.00	0.00	1756.16	2.79
25	343	1282.79	0.1000	1625.92	0.00	0.00	1625.92	2.75
26	209	781.64	0.1087	1841.51	0.00	0.00	1841.51	2.97
27	344	1286.53	0.1000	736.34	0.00	0.00	736.34	2.61
28	202	755.46	0.1098	1634.84	0.00	0.00	1634.84	2.93
29	238	890.10	0.1044	1233.64	0.00	0.00	1233.64	2.78
30	239	893.84	0.1042	550.98	0.00	0.00	550.98	2.61
31	141	527.33	0.1278	1175.26	0.00	0.00	1175.26	2.95
32	138	516.11	0.1287	2783.01	0.00	0.00	2783.01	3.59
33	84	314.15	0.1635	1699.28	270.48	0.00	1699.28	3.60
Total	5252		Total Ballast Weight	56050.26		Total System Weight	293643.39	

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

ENGINEER'S SEAL

SITE PLAN-PROJECT SUMMARY (2)

DRAWING TITLE:

PROJECT:

CLIENT:

kWh Quebec Inc

KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1 888 661 3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-


DATE: 2025/10/20

SHEET: 2 OF 103

M-1.0

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

ROOF PLAN

8000 Av. Blaise-Pascal
 8000 Av. Blaise-Pascal
 Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:
 PROJECT:
 PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1 888 661 3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:


M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


DATE: 2025/10/20 SHEET: M-2.0

SHEET: 3 OF 103





















ARRAY LAYOUT




NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



Array 1
281 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 1

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1


PROJECT NO.: - DRAWING NO.:

DATE: 2025/10/20 SHEET: M-3.1






4 OF 103

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



Array 2
20 Panels



Array 281
281 Panels

ENGINEER'S SEAL

LOAD ARRAY 2

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM


DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.:


DATE: 2025/10/20 SHEET: M-3.2

SHEET: 5 OF 103



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 4
197 Panels




Array 3
12



Array 4
197 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 4

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE:

PROJECT:

client:

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:


M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.

DATE: 2025/10/20 SHEET: M-3.4


SHEET: 7 OF 103

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



Array 5
75 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 5

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


DATE: 2025/10/20

SHEET: 8 OF 103


M-3.5

Array 7
89 Panels

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND



LOAD ARRAY 6

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.: -	DRAWING NO.	
DATE: 2025/10/20	SHEET: 9 OF 103	M-3.6

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m




NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 7
89 Panels

Array 8
121 Panels

LEGEND



LOAD ARRAY 8
8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:


M.N. Z.U. 1

PROJECT NO.:
- DRAWING NO.:


DATE: 2025/10/20 SHEET: M-3.8

SHEET: 11 OF 103


NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND



Array 9 43 Panels



LOAD ARRAY 9

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


-

DATE: 2025/10/20

SHEET: 12 OF 103

M-3.9


Array 11 107 Panels




Array 6

Array 8

121 Panels




Array 10 20 Panels



NOTE:
252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
aeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



100

LOAD ARRAY 10

ER

KB RACKING®

50 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

LL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

4. CHECKED BY: VERSION

11. CHECKED BY: VERSO.

20. 1

DRAWING NO.

20

103

kWh Quebec Inc




May 11

Panels

Array 22

NOTE:
252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



111


LOAD ARRAY 11

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7


kWh Quebec Inc

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 12 152 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 12

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-

DATE: 2025/10/20

SHEET: 15 OF 103

M-3.12

0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
10 (3.0)	17 (3.4)	17 (3.4)	21 (3.6)
0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
6 (2.8)	6 (2.8)	17 (3.4)	21 (3.6)
11 (3.1)	11 (3.1)	17 (3.4)	21 (3.6)
11 (3.1)	11 (3.1)	25 (3.8)	25 (3.8)

Array 9 43 Panels

0 (2.5)	12 (3.1)	25 (3.8)	25 (3.8)
17 (3.4)	18 (3.5)	18 (3.5)	25 (3.8)
10 (3.0)	18 (3.5)	18 (3.5)	22 (3.7)
0 (2.5)	11 (3.1)	17 (3.4)	21 (3.6)
0 (2.5)	14 (3.2)	33 (4.3)	33 (4.3)

Array 11


167 Panels

15 (3.3)	33 (4.3)	33 (4.3)
12 (3.1)	18 (3.5)	25 (3.8)
6 (2.8)	18 (3.5)	22 (3.7)
27 (4.0)	22 (3.7)	21 (3.6)
27 (4.0)	22 (3.7)	21 (3.6)
27 (4.0)	22 (3.7)	21 (3.6)
27	22	21

Array 15

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 13

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

KB RACKING®

5050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

5050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

SEE FREE TEL: 1.866.867.8231
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

BY: **CHECKED BY:** VERSIO

11. CHECKED BY: VERGE

1

E.O.

DRAWING NO.

[View Details](#)

M-3.13

WPS Office

103

3 (2.6)	0 (2.5)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)
17 (3.4)	0 (2.5)	0 (2.5)	11 (3.1)	33 (3.9)	33 (4.3)

Array 13
199 Panels

25 (3.8)	33 (4.3)	33 (4.3)	56 (5.5)	56 (5.5)
-------------	-------------	-------------	-------------	-------------

17 (3.4)	3 (2.6)	3 (2.6)	17 (3.4)	25 (3.8)	23 (3.7)	33 (4.3)
-------------	------------	------------	-------------	-------------	-------------	-------------

10 (3.0)	3 (2.6)	3 (2.6)	17 (3.4)	17 (3.4)	3 (2.6)	10 (3.0)
-------------	------------	------------	-------------	-------------	------------	-------------

23 (3.7)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
-------------	------------	------------	------------	-------------	-------------	------------	-------------

3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

10 (3.0)	3 (2.6)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
-------------	------------	------------	------------	-------------	-------------	------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	23 (3.7)
-------------	-------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	21 (3.6)	56 (5.5)	56 (5.5)
------------	------------	------------	------------	-------------	-------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	21 (3.6)	56 (5.5)	56 (5.5)
------------	------------	------------	------------	-------------	-------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	10 (3.0)
------------	------------	------------	------------	-------------	-------------	------------	-------------

0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)	17 (3.4)
------------	------------	------------	-------------	-------------	-------------	-------------

Array 15
110 Panels


Array 16
102 Panels

21 (3.6)	17 (3.4)	11 (3.1)	0 (2.5)	31 (4.2)	31 (4.2)
25 (3.6)	25 (3.6)	11 (3.1)	0 (2.5)	24 (3.6)	24 (3.6)

Array 14
176 Panels

Array 19
123 Panels

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



ENGINEER'S SEAL

LOAD ARRAY 14
8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO,

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1-888-661-3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kbrracking.com

WWW.KBTRACKING.COM

DRAWN BY: Z.U. VERSION:

M.N. 1

PROJECT NO.: - DRAWING NO.:

DATE: 2025/10/20

SHEET: 18 OF 103

M-3.15

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.6)	3 (3.0)	10 (3.0)
------------	------------	-------------	-------------	------------	------------	------------	------------	------------	------------	------------	-------------

21 (3.6)	22 (3.7)
-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)
------------	------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------

10 (3.0)	3 (2.6)
-------------	------------

0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)
------------	-------------	-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

Array 15

119 Panels

Array 16

102 Panels

0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	11 (3.1)	33 (4.3)	33 (4.3)		
------------	-------------	-------------	-------------	-------------	------------	------------	-------------	-------------	-------------	--	--

25 (3.8)	25 (3.8)
-------------	-------------

0 (2.5)	3 (2.6)	17 (3.4)	17 (3.4)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)	25 (3.8)
------------	------------	-------------	-------------	------------	------------	------------	------------	-------------	-------------	-------------

25 (3.8)	17 (3.4)
-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	17 (3.4)	25 (3.8)
------------	------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------

21 (3.6)	17 (3.4)
-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
------------	------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

21 (3.6)	17 (3.4)
-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	21 (3.6)
------------	------------	-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------

21 (3.6)	17 (3.4)
-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	17 (3.4)	22 (3.7)	27 (4.0)		27 (4.0)	22 (3.7)	21 (3.6)
------------	------------	-------------	-------------	------------	-------------	-------------	-------------	--	-------------	-------------	-------------

27 (4.0)	22 (3.7)	21 (3.6)
-------------	-------------	-------------

0 (2.5)	3 (2.6)	10 (3.0)	23 (3.7)	33 (4.3)	33 (4.3)	27 (4.0)		27 (4.0)	22 (3.7)	21 (3.6)
------------	------------	-------------	-------------	-------------	-------------	-------------	--	-------------	-------------	-------------

27 (4.0)	23 (3.7)	18 (3.5)	11 (3.1)	17 (3.4)	21 (3.6)
-------------	-------------	-------------	-------------	-------------	-------------

0 (2.5)	22 (3.7)	33 (4.3)		33 (4.3)	33 (4.3)	6 (2.8)	17 (3.4)	21 (3.6)		
------------	-------------	-------------	--	-------------	-------------	------------	-------------	-------------	--	--

21 (3.6)

0 (2.5)	3 (2.6)	23 (3.7)		33 (4.3)	22 (3.7)	6 (2.8)	23 (3.7)	14 (3.2)	17 (3.4)	21 (3.6)
------------	------------	-------------	--	-------------	-------------	------------	-------------	-------------	-------------	-------------

33 (4.3)	17 (3.4)
-------------	-------------

0 (2.5)	3 (2.6)	23 (3.7)		23 (3.7)	22 (3.7)	27 (4.0)		56 (5.5)	56 (5.5)
------------	------------	-------------	--	-------------	-------------	-------------	--	-------------	-------------

25 (3.8)	17 (3.4)
-------------	-------------


0 (2.5)	3 (2.6)	13 (3.2)		23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	31 (4.2)	56 (5.5)	56 (5.5)
------------	------------	-------------	--	-------------	-------------	------------	------------	-------------	-------------	-------------

21 (3.6)	17 (3.4)
-------------	-------------


0 (2.5)	23 (3.7)	23 (3.7)		23 (3.7)	23 (3.7)	0 (2.5)	11 (3.1)	56<br

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


Array 18
115 Panels



Array 17
23 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 17

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-


DATE: 2025/10/20

SHEET: 20 OF 103


M-3.17

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 18 115 Panels



LEGEND



ENGINEER'S SEAL

LOAD ARRAY 18

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

PROVIDER
KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


-

DATE: 2025/10/20

SHEET: 21 OF 103

M-3.18

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

21 (3.6)	17 (3.4)	11 (3.1)	0 (2.5)	31 (4.2)	31 (4.2)	31 (3.5)	18 (3.5)	23 (3.7)	28 (4.0)
25 (3.8)	25 (3.5)	11 (3.1)	0 (2.5)	24 (3.5)	24 (3.6)	24 (3.6)	11 (3.1)	33 (4.3)	33 (4.3)

Array 14

76 Panels

17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)				
-------------	-------------	------------	------------	-------------	-------------	--	--	--	--

17 (3.4)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	17 (3.4)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	-------------	------------	------------	-------------	-------------	--	--	--	--

21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	-------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

21 (3.6)	17 (3.4)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	-------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				
-------------	------------	------------	------------	-------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				
-------------	------------	------------	------------	------------	-------------	--	--	--	--

21 (3.6)	22 (3.7)	27 (4.0)							
-------------	-------------	-------------	--	--	--	--	--	--	--

21 (3.6)	22 (3.7)	27 (4.0)							
-------------	-------------	-------------	--	--	--	--	--	--	--

21 (3.6)	22 (3.7)	27 (4.0)							
-------------	-------------	-------------	--	--	--	--	--	--	--

10 (3.0)	3 (2.6)	0 (2.5)	31 (4.2)	31 (4.2)	31 (4.2)				
-------------	------------	------------	-------------	-------------	-------------	--	--	--	--

17 (3.4)	17 (3.4)	0 (2.5)	24 (3.9)	24 (3.8)	24 (3.8)				
-------------	-------------	------------	-------------	-------------	-------------	--	--	--	--

Array 19
123 Panels

Array 20
136 Panels

Array 21

DRAWING NO.: -
DATE: 2025/10/20
SHEET: 23 OF 103

M-3.20

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


(3.6)	(3.7)	(4.0)			
10 (3.0)	3 (2.6)	0 (2.5)	31 (4.2)	31 (4.2)	31 (4.2)
17 (3.4)	17 (3.4)	0 (2.5)	24 (3.8)	24 (3.8)	24 (3.8)

(4.0)	(3.7)	(2.8)	(2.5)	(2.8)	(3.5)	(3.7)
10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	11 (3.1)	17 (3.4)	21 (3.6)
17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)	25 (3.8)

Array 21

165 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 21

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

Wh Quebec Inc

WING TITLE:

T₁

DRA	PROJ	CLIE
-----	------	------

KB BACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500

WWW.KBRACKING.COM

BY: CHECKED BY: VERSION

N. | Z.U. | 1

DRAWING NO.

10/20 M-3.21

OF 103

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

56 (5.5)	56 (5.5)	56 (5.5)	31 (4.2)	31 (4.2)	31 (4.2)	31 (4.2)	0 (2.5)	3 (2.6)	10 (3.0)	24 (3.8)	3 (2.6)	3 (2.6)
56 (5.5)	56 (5.5)	43 (4.8)	24 (3.8)	24 (3.8)	24 (3.8)	24 (3.8)	11 (3.1)	25 (3.8)	25 (3.8)	25 (3.8)	33 (4.3)	

Array 22

176 Panels

33 (4.3)	33 (4.3)	12 (3.1)	0 (2.5)	12 (3.1)	33 (4.3)	33 (4.3)							
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

33 (4.3)	23 (3.7)	12 (3.1)	0 (2.5)	12 (3.1)	22 (3.7)	33 (4.3)							
-------------	-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

28 (4.0)	23 (3.7)	6 (2.8)	0 (2.5)	6 (2.8)	22 (3.7)	27 (4.0)							
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)								
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	14 (3.2)	33 (4.3)	33 (4.3)								
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	33 (4.3)	33 (4.3)						
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)
-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)
-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------

27 (4.0)	22 (3.7)	21 (3.6)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	11 (3.1)	33 (4.3)	33 (4.3)
-------------	-------------	-------------	-------------	------------	------------	------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	0 (2.5)	15 (3.3)	33 (4.3)	33 (4.3)							
-------------	-------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

33 (4.3)	22 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	23 (3.7)	10 (3.0)	3 (2.6)	3 (2.6)	12 (3.1)	23 (3.7)	33 (4.3)
-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	6 (2.8)	6 (2.8)	22 (3.7)	27 (4.0)
-------------	-------------	------------	------------	-------------	-------------

33 (4.3)	33 (4.3)	11 (3.1)	11 (3.1)	22 (3.7)	27 (4.0)
-------------	-------------	-------------	-------------	-------------	-------------


33 (4.3)	33 (4.3)	33 (4.3)	33 (4.3)	33 (4.3)
-------------	-------------	-------------	-------------	-------------

27 (4.0)	22 (3.7)	21 (3.6)
-------------	-------------	-------------

31 (4.2)	23 (3.7)	23 (3.7)
-------------	-------------	-------------

25 (3.8)	3 (2.6)	3 (2.6)
-------------	------------	------------

25 (3.8)	33 (4.3)	
-------------	-------------	--



ENGINEER'S SEAL

DRAWING TITLE:
PROJECT:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.:
DATE:
SHEET:

M-3.22

-
2025/10/20
25 OF 103

kWh Quebec Inc


8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

	3 (2.6)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)
	17 (3.4)	0 (2.5)	11 (3.1)	33 (4.3)	33 (4.3)

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 23

82 Panels



LEGEND

25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	33 (4.3)	33 (4.3)	
25 (3.8)	17 (3.4)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	12 (3.1)	23 (3.7)	33 (4.3)	
21 (3.6)	17 (3.4)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	23 (3.7)	28 (4.0)	
21 (3.6)	17 (3.4)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	
33 (4.3)	33 (4.3)	14 (3.2)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	
			33 (4.3)	33 (4.3)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	
						27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)	
						33 (4.3)	33 (4.3)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	6 (2.8)	22 (3.7)	27 (4.0)
33 (4.3)	33 (4.3)	15 (3.3)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)	
25 (3.8)	18 (3.5)	12 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)	
22 (3.7)	18 (3.5)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)				56 (5.5)	
21 (3.6)	17 (3.4)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)				25 (3.8)	
21 (3.6)	17 (3.4)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	31 (4.2)	17 (3.4)	22 (3.7)	27 (4.0)		
25 (3.8)	25 (3.8)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	24 (3.8)	25 (3.8)	33 (4.3)	33 (4.3)		

ENGINEER'S SEAL

LOAD ARRAY 23

Wh Quebec Inc

DRAWING TITLE: _____
PROJECT: _____
CLIENT: _____

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N.	Z.O.	
PROJECT NO.:	DRAWING NO.	

M 3.23

SHEET:
26 OF 103

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 24
325 Panels

23 (3.7) 23 (3.7)

23 (3.7) 23 (3.7) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 15 (3.3) 33 (4.3) 33 (4.3)

33 (4.3) 33 (4.3)

3 (2.6) 17 (3.4)

17 (3.4) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 12 (3.1) 23 (3.7) 33 (4.3)

33 (4.3) 23 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 6 (2.8) 23 (3.7) 28 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 6 (2.8) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 11 (3.1) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 11 (3.1) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 56 (5.5) 56 (5.5)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 11 (3.1) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 33 (4.3) 33 (4.3)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 23 (3.7) 33 (4.3)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 23 (3.7) 28 (4.0)

33 (4.3) 33 (4.3)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

33 (4.3) 33 (4.3)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

33 (4.3) 33 (4.3)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

33 (4.3) 23 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

28 (4.0) 23 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 10 (3.0) 10 (3.0) 17 (3.4) 22 (3.7) 27 (4.0)

56 (5.5) 56 (5.5)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

56 (5.5) 56 (5.5)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 22 (3.7) 27 (4.0)

27 (4.0) 22 (3.7)

3 (2.6) 10 (3.0)

10 (3.0) 3 (2.6) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 11 (3.1) 22 (3.7) 27 (4.0)


27 (4.0) 22 (3.7)

17 (3.4) 17 (3.4)

17 (3.4) 17 (3.4) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 0 (2.5) 11 (3.1) 33 (4.3) 33 (4.3)

27 (4.0) 22 (3.7)

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:

PROJECT:

CLIENT:

LOAD ARRAY 24
8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:		DRAWING NO.:
DATE: 2025/10/20		
SHEET: 27 OF 103		M-3.24

Array 26
209 Panels


Array 27
344 Panels

ls

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 25

43 Panels



LEGEND

ENGINE

LOAD ARRAY 25

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

1

RACKING®

10 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

FREE TEL: 1.888.661.3204
CAL TEL: 416 532 2500

WWW.KBRACKING.COM

CHECKED BY: VERSIO


1

DRAWING NO.

M-3.25

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 26

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE: PROJECT: CLIENT:
 PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA



TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.:	DRAWING NO.:
-	
DATE:	
2025/10/20	
SHEET:	
29 OF 103	M-3.26



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


Array 28
202 Panels

Array 27
344 Panels

Array 31
141 Panels

Array 30
239 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 27

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

PROJECT: _____
CLIENT: _____

PROVIDER: _____

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com


WWW.KBRACKING.COM

DRAWN BY: _____ CHECKED BY: _____ VERSION: _____
M.N. _____ Z.U. _____ 1

PROJECT NO.: _____ DRAWING NO.: _____
DATE: _____ M-3.27
SHEET: 30 OF 103

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 28
 8000 Av. Blaise-Pascal
 8000 Av. Blaise-Pascal
 Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE:
 PROJECT:
 PROVIDER:

KB RACKING®


1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1-888-661-3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: **M.N.** CHECKED BY: **Z.U.** VERSION: **1**


PROJECT NO.:-	DRAWING NO.:
DATE: 2025/10/20	M-3.28
SHEET: 31 OF 103	



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 29
238 Panels

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 29

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KBRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: 2025/10/20

SHEET: 32 OF 103

M-3.29

0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	6 (2.8)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	11 (3.1)	22 (3.7)	27 (4.0)								
7 (4)	17 (3.4)	17 (3.4)	0 (2.5)	11 (3.1)	33 (4.3)	33 (4.3)								
7 (4)	17 (3.4)	17 (3.4)	0 (2.5)	11 (3.1)	33 (4.3)	33 (4.3)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	6 (2.8)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	17 (3.4)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	29 (4.1)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	21 (3.6)	22 (3.7)	27 (4.0)
0 (0)	10 (3.0)	17 (3.4)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)	22 (3.7)	27 (4.0)								
0 (0)	23 (3.7)	23 (3.7)	0 (2.5)	0 (2.5)	14 (3.2)	33 (4.3)								

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

27 (4.0)	22 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
27 (4.0)	22 (3.7)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
33 (4.3)	33 (4.3)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)

Array 31
141 Panels

33 (4.3)	33 (4.3)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)
-------------	-------------	-------------	------------	------------	------------	------------	-------------	-------------	-------------	-------------	------------	------------

33 (4.3)	22 (3.7)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	17 (3.4)	17 (3.4)	17 (3.4)	0 (2.5)	0 (2.5)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------	-------------	------------	------------

33 (4.3)	22 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

33 (4.3)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

28 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	3 (2.6)	10 (3.0)			10 (3.0)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)
-------------	-------------	------------	------------	-------------	--	--	-------------	------------	-------------	-------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------


27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	6 (2.8)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

27 (4.0)	22 (3.7)	11 (3.1)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	3 (2.6)	10 (3.0)	10 (3.0)	3 (2.6)	0 (2.5)	0 (2.5)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------	------------	------------	------------

33 (4.3)	33 (4.3)	14 (3.2)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	0 (2.5)	23 (3.7)	23 (3.7)	23 (3.7)	23 (3.7)	0 (2.5)
-------------	-------------	-------------	------------	------------	------------	------------	------------	-------------	-------------	-------------	-------------	------------



ENGINEER'S SEAL

LOAD ARRAY 31

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

KB RACKING®
 1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA
 TOLL-FREE TEL: 1-888-661-3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com



22 (3.7)	27 (4.0)	27 (4.0)	22 (3.7)	11 (3.1)	11 (3.1)	22 (3.7)	27 (4.0)
33 (4.3)	33 (4.3)	56 (5.5)	56 (5.5)	25 (3.8)	33 (4.3)	33 (4.3)	

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

Array 33 84 Panels


33 (4.3)	33 (4.3)	33 (4.3)		56 (5.5)	56 (5.5)	
33 (4.3)	23 (3.7)	33 (4.3)		56 (5.5)	56 (5.5)	
28 (4.0)	23 (3.7)	6 (2.8)	0 (2.5)	15 (3.3)	18 (3.5)	22 (3.7)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	12 (3.1)	17 (3.4)	21 (3.6)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	6 (2.8)	17 (3.4)	21 (3.6)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	6 (2.8)	17 (3.4)	21 (3.6)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	11 (3.1)	17 (3.4)	21 (3.6)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	11 (3.1)	25 (3.8)	25 (3.8)

27 (4.0)	22 (3.7)	27 (4.0)		25 (3.8)	25 (3.8)	25 (3.8)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	25 (3.8)
27 (4.0)	22 (3.7)	0 (2.5)	0 (2.5)	17 (3.4)	17 (3.4)	25 (3.8)

33 (4.3)	27 (4.0)	22 (3.7)	6 (2.8)	0 (2.5)	25 (3.8)	25 (3.8)
33 (4.3)	27 (4.0)	22 (3.7)	22 (3.7)	27 (4.0)		

28 (4.0)	33 (4.3)	33 (4.3)	33 (4.3)
-------------	-------------	-------------	-------------

LEGEND



ENGINEER'S SEAL

LOAD ARRAY 33

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-

DATE: 2025/10/20

SHEET: 36 OF 103

M-3.33

Array 32


NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

8000 Av. Blaise-Pascal - 3282.5 kW (dc)

8000 Av. Blaise-Pascal, Montréal, QC H1E 2S7


Total Ballast (kg)	Stone Quantities			
	15.5x7.5x3.5in	Ballast Trays	Accessory Brackets	High Uplift Supports
	Large (14.5 kg)			
Array 01	3900.50	269	0	0
Array 02	812.00	56	0	0
Array 03	1769.00	122	0	0
Array 04	2813.00	194	0	0
Array 05	768.50	53	0	0
Array 06	957.00	66	0	0
Array 07	1653.00	114	0	0
Array 08	1725.50	119	0	0
Array 09	855.50	59	0	0
Array 10	2334.50	161	0	0
Array 11	3523.50	243	0	0
Array 12	1827.00	126	0	0
Array 13	1856.00	128	0	0
Array 14	1711.00	118	0	0
Array 15	1522.50	105	0	0
Array 16	1856.00	128	0	0
Array 17	1044.00	72	0	0
Array 18	1798.00	124	0	0
Array 19	1290.50	89	0	0
Array 20	1856.00	128	0	0
Array 21	2233.00	154	0	0
Array 22	2334.50	161	0	0
Array 23	1899.50	131	0	0
Array 24	1943.00	134	0	0
Array 25	1841.50	127	0	0
Array 26	1986.50	137	0	0
Array 27	783.00	54	0	0
Array 28	1812.50	125	0	0
Array 29	1363.00	94	0	0
Array 30	609.00	42	0	0
Array 31	1305.00	90	0	0
Array 32	2914.50	201	0	0
Array 33	1754.50	121	0	0
Totals	58652.50	4045	0	0
<i>Recommended Ballast</i>	56050.24			
<i>Additional Ballast Weight</i>	2602.26			

DRAWING TITLE:	PAVER LAYOUT	PROJECT:	8000 Av. Blaise-Pascal
PROVIDER:		CLIENT:	8000 Av. Blaise-Pascal Montréal, QC H1E 2S7
KB RACKING®			
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA			
TOLL-FREE TEL: 1-888-661-3204 LOCAL TEL: 416 532 2500 EMAIL: info@kracking.com WWW.KRACKING.COM			
DRAWN BY:	CHECKED BY:	VERSION:	
M.N.	Z.U.	1	
PROJECT NO.:	DRAWING NO.:		
DATE:		M-4.0	
SHEET:	37 OF 103		



NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 1

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE: PROJECT: PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-


DATE: 2025/10/20

SHEET: 38 OF 103

M-4.1

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 2

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CUSTOMER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1





PROJECT NO.: - DRAWING NO.

DATE: 2025/10/20 SHEET: M-4.2










SHEET: 39 OF 103

Array 2
20 Panels


Array
281



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 3

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE: PROJECT: PROVIDER:

KB RACKING®
1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1


PROJECT NO.: DRAWING NO.:
DATE: 2025/10/20 SHEET: 40 OF 103

M-4.3

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



LEGEND




ENGINEER'S SEAL


PAVER ARRAY 4

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:	PROJECT:	CLIENT:
PROVIDER		
KB RACKING®		
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL-FREE TEL: 1.888.661.3204 LOCAL TEL: 416.532.2500 EMAIL: info@kracking.com		
WWW.KRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:		DRAWING NO.:
-		
DATE:		
2025/10/20		
SHEET:		
41 OF 103		M-4.4






2	1	0	0	0	0	1	1	0	0	0	2	2
2	1	1	0	0	0	1	1	0	0	1	2	2
2	2	1	0	0	1	1	2	2	0	1	2	2
2	2	1	0	1	2	2			3	3	2	
2	1	1	0	1	2	2			2	2	1	
1	1	0	0	0	2	2			2	2	0	
1	1	0	0	0	0	1	2	2	0	0	0	
1	1	1	0	0	0	1	1	0	0	0	0	
2	2	2					4	4	2	0	0	
							4	4	1	0	0	
3	3	1	0	0	0	1	1	0	0	0	0	
4	4	1	0	0	0	1	1	0	0	0	0	
							2	2	0	0	2	
							2	2	0	0	2	
							2	2	0	0	2	
							2	2	0	0	2	
							2	2	1	1	2	2
							2	2	1	0	0	2
							2	2	1	0	0	2
							2	2	2	1	2	2
							2	2	2	1	2	2

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 7

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

PROJECT: DRAWING TITLE: PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:



-

DATE: 2025/10/20

SHEET: 44 OF 103


M-4.7





NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



Array 9
43 Panels



ENGINEER'S SEAL

PAVER ARRAY 9

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

client:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:

-

DATE: 2025/10/20

SHEET: 46 OF 103

M-4.9

Array 11


167 Panels






NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 12
152 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 12

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.


DATE: -

2025/10/20

SHEET: 49 OF 103


M-4.12

0	0	1	1
1	1	1	1
0	0	1	1
0	0	1	1
0	0	1	1
0	0	1	1
0	0	1	1
0	0	1	1
0	0	1	1
1	1	1	1
1	1	2	2



NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 13

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE: PROJECT: PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N.

Z.U.

1

PROJECT NO.: DRAWING NO.
DATE: 2025/10/20
SHEET: 50 OF 103
M-4.13

0	0	0	1	2	2
1	0	0	1	2	2

Array 13
199 Panels

2	2	2	4	4	
1	0	0	1	2	2
1	0	0	1	1	0
2	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
1	0	0	0	1	1
2	2	0	0	1	1
0	0	0	0	1	4
0	0	0	0	1	4
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1
0	0	0	0	1	1

Array 15
110 Panels

1	1	1	0	2	2
2	2	1	0	2	2


Array 14
176 Panels

1	1	0	0	1	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1
1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2
1	2	2			
1	2	2			
1	2	2			
1	0	0	2	2	2
1	1	0	2	2	2
1	1	0	2	2	2

Array 16
102 Panels

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 14

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE:

PROJECT:

CIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3200
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.:

DATE: 2025/10/20 SHEET: 51 OF 103

M-4.14

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


1		2	2	0	0	0	0	0	1	1	0	0
1		2	2	1	0	0	0	0	1	1	0	0
1		2	2	1	0	0	0	0	1	1	1	0

Array 15

119 Panels

1	2	2	2	1	0	0	0	0	1	1	1	0
1	2	2	1	1	0	0	0	0	0	1	1	0
1	2	2	1	0	0	0	0	0	0	1	1	0

LEGEND



ENGINEER'S SEAL

2	2	4	4	2	0	0	0	1	1	1	1	2
				2	2	0	0	1	2	2	2	
				2	2	1	0	0	0	2	2	

PAVER ARRAY 15

4	4	1	0	0	0	0	2	2		2	2	
2	2	2	0	0	0	0	0	2	2		2	
2	2	2	0	0	0	0	0	0	2		2	
2	2	2	0	0	0	0	0	0	1		2	
2	2	2	0	0	0	0	0	0	1		2	
2	1	2	2	0	0	0	0	0	0	1	1	0
0	1	2	0	0	0	0	0	0	2	2	2	
2	2	2	2	2	2	2	2	2	2	2	2	

DRAWING TITLE: PAVER ARRAY 15
 PROJECT: 8000 Av. Blaise-Pascal
 PROVIDER: kWh Quebec Inc

KB RACKING®
 1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1-888-661-3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com
 WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
 M.N. Z.U. 1

PROJECT NO.: DRAWING NO.
 -

DATE: 2025/10/20

SHEET: 52 OF 103


M-4.15

Array 22




NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m


Array 18
115 Panels



Array 17
23 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 17

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL-FREE TEL: 1 888 661 3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: -

2025/10/20

SHEET: 54 OF 103


M-4.17

kWh Quebec Inc


8000 Av. Blaise-Pascal
 8000 Av. Blaise-Pascal
 Montréal, QC H1E 2S7

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 18 115 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 18

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1


PROJECT NO.: DRAWING NO.

DATE: 2025/10/20

SHEET: 55 OF 103

M-4.18

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

1	1	1	0	2	2	2	1	2	2
2	2	1	0	2	2	2	1	2	2

Array 14

76 Panels

Array 19

123 Panels

1	1	0	0	1	1
1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	1	0	0	2	2
1	1	0	0	2	2
1	0	0	0	2	2

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	0	0	0	0	1
1	0	0	0	0	1
1	0	0	0	0	1

1	2	2
1	2	2
1	2	2

1	2	2
1	2	2
1	2	2

1	0	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2

1	0	0	0	2	2
1	0	0	0	2	2
1	0	0	0	2	2

1	1	0	2	2	2
1	1	0	2	2	2
1	1	0	2	2	2

1	1	0	2	2	2
---	---	---	---	---	---


1	2	2						
1	0	0	2	2	2			
1	1	0	2	2	2			
2	2	1	1	1				
2	1	1	0	1				
1	1	0	0	1				
1	1	0	0	1				
1	1	0	0	1				
1	1	0	0	1				
1	1	2	2					
2	1	0	0	1				
1	1	1	1	1				
1	1	1	1	1				
2	1	0	0	2				
1	1	2	2					
2	1	2	2					
2	1	2	2					
1	1	1	0	2	2			
2	2	1	0	2	2			

2	2	0	0	0	1	2		
1	0	0	0	1	1	1	1	
1	1	0	0	0	1	2	2	
1	1	0	0	0	0	1	2	
1	1	0	0	0	0	0	2	2
1	0	0	0	2	2	2		
2	2	0	0	2	2	2		
1	0	0	0	2	2	2		
1	0	0	2	2	2			
1	0	0	2	2	2			
2	2	0	0	0	1	2	2	
2	2	0	0	0	1	1	1	2
2	2	0	0	0	0	1	1	2

Array 21
165 Panels

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 21

8000 Av. Blaise-Pascal
 8000 Av. Blaise-Pascal
 Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE: PAVER ARRAY 21
 PROJECT: PAVER ARRAY 21
 client:

PROVIDER: KB RACKING®

1050 KING ST. W, SUITE 03A104
 TORONTO, ONTARIO M6K 0C7
 CANADA

TOLL - FREE TEL: 1.888.661.3204
 LOCAL TEL: 416 532 2500
 EMAIL: info@kracking.com

WWW.KRACKING.COM


DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.:	DRAWING NO.
-	


DATE: 2025/10/20	M-4.21
SHEET: 58 OF 103	

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m




Array 22

176 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 22

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

client:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

-

DATE: 2025/10/20

SHEET: 59 OF 103

M-4.22


	0	0	1	2	2
	1	0	1	2	2

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 23
182 Panels

2	2	1	0	0	0	0	0	0	0	1	2	2
2	1	1	0	0	0	0	0	0	0	1	2	2
1	1	0	0	0	0	0	0	0	0	0	2	2
1	1	1	0	0	0	0	0	0	0	0	2	2
2	2	1	0	0	0	0	0	0	0	0	2	2
		2	2	0	0	0	0	0	0	0	2	2
		2	2	0	0	0	0	0	0	0	2	2
		2	2	0	0	0	0	0	0	0	2	2
2	2	1	0	0	0	0	0	0	0	1	2	2
2	1	1	0	0	0	0	0	0	0	1	2	2
2	1	0	0	0	0	0	0	2	2	4	4	
1	1	0	0	0	0	0	0	0	1	2	2	2
1	1	1	0	0	0	0	0	0	0	2	1	2
2	2	1	0	0	0	0	0	0	0	2	2	2

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 23

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416.532.2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1


PROJECT NO.: DRAWING NO.

DATE: 2025/10/20


SHEET: 60 OF 103

M-4.23


NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND





PAVER ARRAY 25

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

PROJECT:		
PROVIDER:	KB RACKING®	
1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA		
TOLL-FREE TEL: 1-888-661-3200 LOCAL TEL: 416 532 2500 EMAIL: info@kracking.com		
WWW.KRACKING.COM		
DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:	DRAWING NO.	
-		
DATE:	2025/10/20	
SHEET:	62 OF 103	
M-4.25		



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

LEGEND

INTER-COLUMN BALLAST TRAY	
SECOND-ROW BALLAST TRAY	
1 HIGH UPLIFT SUPPORT	
2 HIGH UPLIFT SUPPORTS	
3 HIGH UPLIFT SUPPORTS	
ANCHOR	
REQUIRED	

Existing anchors per row will be transferred from top to bottom.

ENGINEER'S SEAL

PAVER ARRAY 26

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE: PROJECT: client:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA


TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM


DRAWN BY: CHECKED BY: VERSION:
M.N. Z.U. 1

PROJECT NO.: DRAWING NO.:
DATE: M-4.26
SHEET: 63 OF 103


NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m




Array 28
202 Panels



Array 27
344 Panels



LEGEND



ENGINEER'S SEAL

PAVER ARRAY 27
8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7
kWh Québec Inc

PROJECT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:



M.N. Z.U. 1

PROJECT NO.:
- DRAWING NO.:

DATE: 2025/10/20 SHEET: M-4.27

SHEET: 64 OF 103

Array 31
141 Panels



Array 30
239 Panels

NOTE:
5252 Modules (Jinko 625W)
DC Output: 3282.50 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1
2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1
2	2	1	0	0	0	0	0	0	0	0	0	0	0	1	1

Array 28
202 Panels

2	2	1	0	0	0	0	1	1	1	0	0	0	0	0	0
2	2	1	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0


2	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0

2	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0

2	2	1	0	0	0	0	0	1	1	0	0	0	0	0	0
2	2	1	0	0	0	0	0	1	1	0	0	0	0	0	0

Array 31
141 Panels

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 28

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7


kWh Québec Inc

DRAWING TITLE:	PROJECT:	CLIENT:
KB RACKING®	1050 KING ST. W, SUITE 03A104 TORONTO, ONTARIO M6K 0C7 CANADA	
TOLL-FREE TEL: 1-888-661-3204 LOCAL TEL: 416 532 2500 EMAIL: info@kbracking.com	WWW.KBRACKING.COM	
DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1
PROJECT NO.:	DRAWING NO.:	
-		
DATE:		
2025/10/20		
SHEET:		
65 OF 103		
M-4.28		

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	1	2	2	
1	1	1	0	0	0	0	0	0	0	0	0	1	2	2	
1	1	1	0	0	0	0	0	0	0	0	0	1	2	2	
1	1	0	0	0	0	0	0	0	0	0	0	1	2	2	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	1	0	0	0	0	0	0	0	0	0	0	0	2	2
1	2	1	0	0	0	0	0	0	0	0	1	1	2	2	
1	1	1	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
1	1	0	0	0	0	0	0	0	0	0	0	0	1	2	2
2	2	2	0	0	0	0	0	0	0	0	0	1	2	2	

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 29

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Québec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: 2025/10/20

SHEET: 66 OF 103

M-4.29


NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

2	2	0	0	0	0	0	0	1	1	0	0	0
2	2	1	0	0	0	0	0	1	1	0	0	0
2	2	1	0	0	0	0	1	1	1	1	0	0

Array 31
141 Panels

2	2	1	0	0	0	0	1	1	1	1	0	0
2	2	1	0	0	0	0	0	1	1	0	0	0
2	2	0	0	0	0	0	0	1	1	0	0	0
2	2	0	0	0	0	0	0	1	1	0	0	0

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 31

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

PROJECT: client:
PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: - DRAWING NO.

DATE: 2025/10/20

SHEET: 68 OF 103

M-4.31


0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	1	2	2
0	0	1	2	2
0	0	1	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	0	0	2	2
0	2	2		
0	2	2		
1	2	2		
1	2	2		
4	4			

2	2	0	0	2	2	2
2	2	2	2			
2	2	2	2			
2	2	2	1	1	2	2
2	2	1	0	1	1	2
2	2	2	2	1	1	2
4	4			2	2	1
4	4			4	4	
2	2	2	2			
2	2	1	0	1	2	2
2	2	0	0	1	1	2
2	2	0	0	0	1	1
2	2	0	0	0	1	1
2	2	0	0	0	1	1
2	2	0	0	1	2	2
2	2	0	0	1	1	2
2	2	0	0	0	1	1
2	2	0	0	0	1	1
2	2	0	0	1	1	1
2	2	0	0	1	1	1
2	2	0	0	1	1	1
2	2	0	0	1	2	2
2	2	2	2			
2	2	0	0	1	2	2
2	2	0	0	1	1	2
2	2	0	0	0	1	1
2	2	0	0	0	1	1
2	2	0	0	1	1	1
2	2	0	0	1	1	1
2	2	0	0	1	2	2
2	2	2	2			
2	2	2	2			
2	2	2	2			
2	2	2	2			
2	2	2	2			
2	2	2	2			
2	2	2	2			
2	2	2	2			

Array 32
138 Panels



NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m



ENGINEER'S SEAL

PAVER ARRAY 32

PROJECT: 8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

PROVIDER: kWh Québec Inc

DRAWING TITLE:

CLIENT:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1-888-661-3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com
WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:
M.N. Z.U. 1

PROJECT NO.: -	DRAWING NO.:
DATE: 2025/10/20	
SHEET: 69 OF 103	M-4.32

2	2
2	2


2	2	1	1	2	2
4	4			2	2

NOTE:
 5252 Modules (Jinko 625W)
 DC Output: 3282.50 kW (DC)
 AeroGrid L: 10 Degree Tilt
 Row Spacing: 1.56m
 Inter-Row Spacing: 0.44m
 Setback from edge: 1.22m

Array 33
84 Panels

2	2	2
2	2	2
2	2	0
2	2	0
2	2	0
2	2	0
2	2	0
2	2	0
2	2	0
2	2	2
2	2	2
2	2	0
2	2	0
2	2	0
2	2	0
2	2	0
2	2	2

LEGEND



ENGINEER'S SEAL

PAVER ARRAY 33

8000 Av. Blaise-Pascal
8000 Av. Blaise-Pascal
Montréal, QC H1E 2S7

kWh Quebec Inc

DRAWING TITLE:

PROJECT:

CLIENT:

PROVIDER:

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL-FREE TEL: 1 888 661 3204
LOCAL TEL: 416 532 2500
EMAIL: info@kracking.com

WWW.KRACKING.COM

DRAWN BY: CHECKED BY: VERSION:

M.N. Z.U. 1

PROJECT NO.: DRAWING NO.

DATE: -

2025/10/20

SHEET: 70 OF 103

M-4.33

2
2

2
2

2
2

Array 32