
Report Title

- Subtitle -

Project Report
Group Name/Number

Aalborg University
Electronics and IT

Copyright © Aalborg University 2015

Here you can write something about which tools and software you have used for typesetting the document, running simulations and creating figures. If you do not know what to write, either leave this page blank or have a look at the colophon in some of your books.



Electronics and IT
Aalborg University
<http://www.aau.dk>

AALBORG UNIVERSITY

STUDENT REPORT

Title:

Project Title

Abstract:

Here is the abstract

Theme:

Scientific Theme

Project Period:

Fall Semester 2010

Project Group:

XXX

Participant(s):

Author 1

Author 2

Author 3

Supervisor(s):

Supervisor 1

Supervisor 2

Copies: 1

Page Numbers: 25

Date of Completion:

December 2, 2016

The content of this report is freely available, but publication (with reference) may only be pursued due to agreement with the author.



Elektronik og IT
Aalborg Universitet
<http://www.aau.dk>

AALBORG UNIVERSITET

STUDENTERRAPPORT

Titel:

Rapportens titel

Abstract:

Her er resuméet

Tema:

Semestertema

Projektperiode:

Efterårssemestret 2010

Projektgruppe:

XXX

Deltager(e):

Forfatter 1

Forfatter 2

Forfatter 3

Vejleder(e):

Vejleder 1

Vejleder 2

Oplagstal: 1

Sidetal: 25

Afleveringsdato:

2. december 2016

Rapportens indhold er frit tilgængeligt, men offentliggørelse (med kildeangivelse) må kun ske efter aftale med forfatterne.

Contents

Preface	xi
1 Problem statement	1
2 Directing and Measuring Attention	3
2.1 Directing Attention	4
2.1.1 Bottom-up attention	4
2.1.2 Top-down attention	6
2.2 Methods of measuring attention	8
3 Treasure Hunt: a Dual-Screen Testing Tool	11
3.1 Gameplay	11
3.2 Interfaces	12
3.3 Attention-Directing Cues	14
4 The experiment	15
4.1 Metrics	15
4.1.1 User experience metrics	15
4.1.2 Performance metrics	16
4.2 Setup	17
4.3 Method	18
4.4 Results	18
4.5 Analysis and Conclusion	18
5 Discussion	19
6 Conclusion	21
Bibliography	23
A Appendix A name	25

Todo list

■ From Kibsgaard: Remember to introduce the entire report in your introduction (similarly to how you just introduced the next chapter in this paragraph). Of course this is easier to do at the end.	2
■ Margarita: maybe avoid describing the STRT altogether, since we already mention that this method might be flawed.	8
■ Remember to add stuff about the kinect as well.	10
■ It's just a working title, do not panic	11
■ remember to correct this. do we still have this timer? What happens if the timer runs out?	11
Figure: Main screen goes here	13
Figure: Phone screen goes here	14

Preface

Here is the preface. You should put your signatures at the end of the preface.

Aalborg University, December 2, 2016

Author 1

<username1@XX.aau.dk>

Author 2

<username2@XX.aau.dk>

Author 3

<username3@XX.aau.dk>

Chapter 1

Problem statement

While designing any technological artefact that will be utilised by an individual, it is important to take into consideration the user's needs. This is no less significant if the artefact in question is a game — in this case, the user needs in question may be related to how enjoyable the game is for the user to play, and how engaging it is. Engagement is described by Charlton and Danford (2010) [2] as “a high degree of positive involvement in computer usage”.

To measure engagement and define certain factors that influence it, flow theory can be utilised. As stated by Hamari and Koivisto, “The flow state has been widely used to describe an optimal experience characterized as a state of being fully focused and engaged in an activity” [3]. There are several ways to describe the state of flow, but nine dimensions of flow theory described by Hamari and Koivisto, and specifically the fifth dimension which is “focusing on the task at hand”, might be especially interesting when developing a game on a platform that utilises two screens at once, such as *AirConsole*.

AirConsole is a browser-based local multiplayer game platform — “local” in this case meaning that all players are in the same room. A computer serves as the main screen which is accessible to all players. In addition, each player uses their personal smartphone as the means to interact with the game, and as an individual interface. This presents some unique options for gamemakers, since this platform provides two screens for each player to work with instead of the one screen most platforms provide. However, it can also pose specific challenges, since the user is required to pay attention not only to the shared computer screen, but also to their personal smartphone screen. Usually, when a person shifts their attention between two things, the eyes move accordingly in order to have the object of interest portrayed on the fovea. As a result of this, constantly moving the eyes from one screen to another might, for example, make a player miss some important information on one of the screens, which may lead to confusion during gameplay. Since AirConsole is a local multiplayer platform, the attention span of a player may be even

shorter due to the distractions from other players. Therefore, if the game developer fails to consider the imposed challenges, the overall impression from the gameplay might be ruined. This leads to a problem formulation:

How can the player's attention be directed between a shared screen and a personal hand-held screen when there is a need to change their visual focus between the two in a local multiplayer game?

This problem formulation caused some additional questions to arise. These questions will be addressed throughout the project, and seek to ultimately answer the problem formulation:

- What effect does different types of sensory feedback have on the players' attention on a two-screen platform such as the AirConsole?
- If given no indication of where to look, which of the two screens will the players most likely look at?

Before an experiment addressing the problem formulation can be conducted, it is essential to have some knowledge about attention. Therefore, the next chapter will examine attention, the terms used to describe it, and methods which can be used to measure it.

From Kibsgaard: Remember to introduce the entire report in your introduction (similarly to how you just introduced the next chapter in this paragraph). Of course this is easier to do at the end.

Chapter 2

Directing and Measuring Attention

Attention is a subject which has been discussed across various disciplines, which naturally leads to several definitions. Attention can be considered the allocation of cognitive resources to a certain task or stimulus; it can be the acquisition of information through senses such as sight; or it can be the passing of information to a person's memory. In order to make the discussion of attention more comprehensible, one may distinguish between various different types of attention. As described by Mancas et al. (2016) [7], when addressing visual attention, one may distinguish between *overt* and *covert* attention. Examples of how overt attention manifests are changes in posture, eye and head movements, and changes in pupil size. It deals with things that are fixated upon by the eyes. Covert attention is not as easily observed, but deals with information about a scene gathered with the peripheral vision rather than information which has been fixated on. Another way to describe different types of attention is to divide it into the following five categories:

1. *Focused* attention: a specific task or stimulus is focused on.
2. *Sustained* attention: one stays attentive for an extended period of time.
3. *Selective* attention: a specific task or stimulus is focused on, while ignoring distracting factors.
4. *Alternating* attention: multiple tasks are switched between.
5. *Divided* attention: multiple tasks are dealt with simultaneously.

When describing how a subject deals with multiple tasks or stimuli, one may distinguish between *serial* and *parallel* attention. Serial attention deals with the given stimuli one after another, whereas parallel attention deals with simultaneous processing of several tasks.

The terms presented here can be used to describe specific types of attention, and may be useful when analysing the results from the final experiment.

2.1 Directing Attention

In order to have a better understanding of how the final design of a game should look, there is a need to explore different ways of directing a player's attention. It is therefore important to understand how the attentional mechanisms operate in the human mind.

In general, two distinct forms of attention are recognized. The first is described as *exogenous* attention, which is driven by stimulus and, as described by Lee et al. (2011), "captured reflexively by events in a bottom-up manner" [5]. It is also referred to as the pre-attentive stage of attention [14]. The second, *endogenous* attention, is dependant on the goals of an individual, and as Lee et al. (2011) describes it, "is directed voluntarily in a top-down manner" [5]. It is also known as the attentive stage of attention [14]. It is worth noting that, as stated by Melloni et al. (2012), "hardly any search is purely bottom-up or purely top-down driven" [8]. In the following sections, those two forms of attention are explained in greater detail.

2.1.1 Bottom-up attention

Bottom-up attention means that an object is immediately and involuntarily noticed by an individual because of its salient features [8]. Those kinds of features include intensity, size, depth, colour, orientation, and movement [14]. For example, in Figure 2.1 it is easy to spot the black line no matter the amount of white ones present. Figure 2.1 also shows typical results from an experiment in which the participants are asked to detect an odd item in a picture similar to the one seen in the figure. The full line represents the reaction time to notice the target, whereas the dashed line represents the reaction time to notice that no target is present. It is clear that the results are not influenced by the amount of non-target items (the white lines) in the picture [11].




Figure 2.1: Example graphic for feature map testing (L) with corresponding results (R) [11].

The feature integration theory suggests that during the pre-attentive phase there is a mental system of modules, each of which is designed to identify a feature. A module, in turn, has several feature maps, for instance a colour module

can have maps for green, red and purple. All of the features are then combined through focal attention, where the brain combines the input from the feature maps. When an item stands out due to its feature (for example a green stripe amongst purple stripes), it is identified easily by its exclusivity in a feature map, as seen in Figure 2.2. The theory explains why finding a circle in a field of lollipops is harder than the inverse, as demonstrated in Figure 2.3, as the lollipop in the field of circles covers two feature maps and one of the feature maps, the one with lines, only have one object. However, when it comes to the circle in the field of lollipops, both feature maps, lines and circles, have multiple objects, so the process of finding the lone circle is not as fast. This is the same concept as the “Where’s Wally?” books, where the images contain large amounts of features with multiple objects in each feature map, and ask the reader to find one specific combination of them (glasses, striped blouse and hat, cane, etc.).




Figure 2.2: Feature Integration Theory illustrated [11].

It is also worth noting that a certain size of an object may attract more attention: in general, larger areas receive more attention than smaller ones, but after a certain saturation point, the importance of size diminishes. Besides that, regions with long and thin edge-like shapes attract more attention compared to rounder regions. In addition, motion is considered to have one of the strongest influences on visual attention. As Osberger and Maeder (1998) state: “Our peripheral vision is highly tuned to detecting changes in motion, and our attention is involuntarily drawn to peripheral areas undergoing motion distinct from its surrounds” [9].




Figure 2.3: Circle target vs. lollipop target example [11].

Auditory stimuli also play an important role in directing attention. As stated by Lee et al.: “In exogenous spatial attention, it has been proved that a spatially non-predictive cue in one modality can attract covert attention toward the location of the cue in the other modality, which is called the “cross-modal facilitatory effect.”” [6]. An example of such an effect could be when an unexpected sound source attracts immediate visual attention. Furthermore, moving objects that emit sound are generally paid more attention to than others, according to Lee et al. [5].

2.1.2 Top-down attention

As mentioned before, *top-down* attention is highly dependant on the task at hand. In a study conducted by Yarbush (1967), a person was asked to perform several different tasks while looking at a picture. The movements of the eye were recorded. Figure 2.4 shows the scan paths that were recorded during the fulfilment of seven tasks: (1) free examination of the picture, (2) estimate the material circumstances of the family, (3) give the ages of the people, (4) guess what the family had been doing before arrival of the unexpected visitor, (5) remember the clothes worn by the people, (6) remember the position of the people and the objects in the room, and (7) estimate how long the unexpected visitor had been away. The study clearly indicates that the movements of the eyes are dependant on the goals of an individual. [13]

In Yarbush’ study, when participants were asked to view the scene freely, the results showed that people tend to focus on the objects of the image, rather than




Figure 2.4: Recordings of eye tracking in response to different tasks [12]

on uniform surfaces like walls or floors. Furthermore, all participants showed similar scan paths when viewing the image freely. Another study, conducted by Land et al. (1999), also showed that when participants were asked to perform a specific assignment, most of the focus was on objects related to the task at hand [4]. In addition to that, people usually tend to look at the centre of a screen for most of the time and are more likely to focus on the foreground of a scene, as stated by Osberger and Maeder (1998) [9].

To summarise, the main factors to manipulate when directing attention are sound, movement and differences in colours. Tactile feedback is not referenced in these papers since they do not deal with mediums which make tactile feedback relevant. For this project, tactile feedback is also a factor which can be manipulated when directing attention.

This project will not direct attention in a single person setup as the research papers referenced have. There will be multiple people during these tests, and the goal is to direct attention individually without distracting the other participants. Sound, depending on the volume, might be a distraction to the other participants. Dramatic movement of the playable characters might also be a distraction. This means that other ways of directing attention have to be modulated to fit a multi-

person setup. For this purpose, the tactile feedback provided by the smartphones can be a useful replacement for the sound, i.e. the phone vibrates when the participant's character collects a map piece. If players engage in combat their smartphones could play a loud sound to direct their attention there. Alternatively, a player's smartphone could vibrate when it is their turn, and when they engage in combat. Another possibility is to provide visual on where the player should look, either with a focus on colour (i.e. a given player's colour may take up a certain amount of the screen when it is their turn) or movement (i.e. a moving icon may pop up on the screen when players are engaged in combat). The position of the visual feedback may have an effect on where a player directs their attention. All of these are factors which can be isolated and tested in the experiment of this project.

To conclude on the assumptions made on multi-person setups based on the research found on single person setups, the same principles can be applied. However, one must take into consideration how they can distract the other participants. The solution in this project might be to take advantage of all participants having their own smartphone in addition to the main screen, and therefore have a direct device to direct their attention without distracting the other participants.

2.2 Methods of measuring attention

As this paper seeks to investigate the effect various factors will have on a player's attention, it is necessary to consider some methods with which attention can be measured. One possibility is to measure a test subject's Secondary Task Response Time (STRT). As Lang et al. (2009) [1] describes it, this method involves a test subject who is given two tasks: a primary task, such as viewing a video, which is presented as the most important of the two; and a secondary task, such as pressing a button when a certain sound is heard. In this case, the time that elapses between the moment the sound is played and the moment the subject presses the button is referred to as the STRT. In theory, this method indicates the amount of attention allocated for the primary task by measuring the amount available for the secondary task — these should be in inverse proportion to one another. However, the data gathered by Lang et al.[1] indicates that this is not the case, and the entire methodology may be flawed.

Another method for measuring a subject's attention is through eye tracking. More specifically, this method is a way to map a subject's overt attention. This can be done by using a video camera and image processing software to detect the edge of the pupil. For more precise results, one may stabilise the position of the subject's head, i.e. by using a chin rest. However, stabilising the player's head is not suitable for the Airconsole platform, since the player needs to alternate between facing the computer screen and the smartphone screen. The quality of the results from such a test is limited by the resolution and frame rate of the camera

Margarita: maybe avoid describing the STRT altogether, since we already mention that this method might be flawed.

used, as well as the speed of the image processing algorithm. Results may also be obscured by changes in lighting, dark eye colours which have little contrast to the pupils, and subjects wearing glasses which may cause stray reflections. In order to alleviate some of these issues, hardware specific to eye tracking, such as the *Tobii EyeX eye tracker* [10], can be used instead of a regular video camera. This eye tracking hardware, consisting of cameras and near-infrared illuminators, is placed in front of the subject, just beneath the screen which they are viewing, as is seen in figure 2.5. Near-infrared light illuminates the subject, casting a pattern of non-visible light on their eyes, of which high-resolution images are taken. An algorithm uses information about the infrared light reflected from the pupil and the cornea to produce a 3D model of the eye, which is then used to calculate the gaze direction relative to the screen. All of this is summarised in figure 2.5.




Figure 2.5: Overview of how the Tobii eye tracker works [10].

When analysing data gathered from an eye tracking test, it is important to distinguish between different types of eye movements, as described by Mancas et al.:

- *Fixations*: the gaze stays on approximately the same area for a period of time. One should note that the gaze is never completely still; even when a subject focuses on a certain location, small saccades can still be detected.

- *Saccades*: the gaze shifts from one fixation to another. Between these two fixations, no visual information is gathered.
- *Smooth pursuit*: the gaze fixates on a moving object, following its movements. As with fixation, microsaccades are done to correct position errors.

Results from an eye tracking test can be presented in several ways. They can simply display the path travelled by the gaze, referred to as a *scan path*, or they can show *heat maps* of the scan path, typically accumulating scan paths from ten or more test subjects.

Remember to add stuff about the kinect as well.

Although results from such a test may provide an indication of where the subject's attention is directed, the eye tracking method may not be sufficient in and of itself; as it is mentioned by Snowden et al.[11]: "merely having our eyes pointing in the right direction is not enough to ensure that we will process or appreciate the information". Therefore, it would be sensible to combine eye tracking with other methods, such as a questionnaire, to acquire a more detailed and reliable feedback from the participants.

In addition to methods of measuring attention, an artefact to which test participants can direct their attention is needed. For this purpose, an AirConsole game has been created, which will be described in the following chapter.

Chapter 3

Treasure Hunt: a Dual-Screen Testing Tool

As the focus of this paper lies on directing attention between two screens, a game has been developed for purpose of testing the problem formulation. The game is an AirConsole game, which means that players will need to direct their attention at the main screen in certain situations, and at their phone screen in others. Therefore, the game serves as a tool to test the best way to direct a player's attention towards a certain screen.

It's just a working title, do not panic

The game is a turn-based treasure hunting game for four players. Each player controls a pirate character which they use to walk around on a treasure island, to look for map pieces or steal them from the other players. When a player has found all nine map pieces, they win the game.

It was decided to create a multiplayer game because AirConsole lends itself to this type of game, as players can easily use their own phone as an individual controller. The game is designed in a way so that players will have to look at the main screen in certain situations, and on their phone screen in others. This decision was made so that the game works as a testing tool to investigate how to direct players' attention between two screens. Furthermore, the game is turn-based, rather than real-time, as the AirConsole format has an inherent latency issue. Making the game turn-based reduces the consequences of a delay between player input and game reaction time.

3.1 Gameplay

Each player has a turn in a random order — once all players have had their turn, this order is scrambled. On a player's turn, they must plan two actions, which will be executed. They have [a few]seconds to do this. The possible actions are the following: Move in a direction, interact and dig. The actions are planned by

remember to correct this. do we still have this timer? What happens if the timer runs out?

clicking on the corresponding button in the order you would like them to execute in. There is a movement option for each of the four directions. The interact action makes the players pirate interact with an object on the tile it is on. This is one way to find map pieces. If a player actively moves onto a tile another player already occupies then the defender will rotate to face the attacker and an attack will be initiated. A minigame will start on the two players smartphone. The winner stays on the tile and the loser gets pushed back two tiles in a valid direction. A valid direction is two available tiles in the facing direction of the winning player. This means that the players cannot go over the edge of the map. If this direction is not available the first available direction turning clockwise is chosen. If another player is in this tile an attack is not triggered since this is not an active action. The loser also loses their first action in their next turn on account of them being “stunned”. If another player occupies this tile no attack will be initiated since the move was not active. The winner also copy one of the loser’s map pieces. The dig action is a bit different since this takes two actions and until it is the player’s turn again to complete. This gives the other players an opportunity to disrupt the dig by attacking the player successfully. When the dig is finished, and if it was in the correct space the digging player wins the game.

The random turn-order was decided upon based on the problem statement regarding directing attention. This would be a way to test different ways to direct the players attention without them growing accustomed to the turn-order. The time limit is to increase the pace of the game.

The way the movement and actions work was decided due to the platform having issues with latency on some networks and also the lack of the tactile feedback buttons on a screen provide. This means that moving in a real-time system is less accurate, so a turn-based structure is used instead.

The attack action works like described based again on testing the problem statement. The way it works forces the players to redirect attention when it is not necessarily their turn. The minigame was implemented so as not to make the winning side be the one who initiated the attack or chosen at random. Besides being pushed back the losers also gets one less action in their next turn. This works as a consequence for not winning combat, and the stunning is so the loser cannot attack back on their following turn.

The digging action is a long action and the reason for this is for the other players to have a chance at disrupting the digger, to give a bit of drama and also to keep the other players attention on the whole game and not just their own character.

3.2 Interfaces

The game has two different type of screens. A shared main screen and a personal smartphone screen for each player. This is a feature of the AirConsole platform.




Figure 3.1: The main screen

On the main screen is the game arena which is a tropical island. This island has a visible grid pattern on it to indicate to the players where they can walk and where the boundaries of the arena are. Interactable objects such as palm trees, ferns and skulls are placed inside of the corners of these grids and they can be interacted with if a player character is on the same grid space. The island is square and it is viewed from an isometric perspective.

Additionally there is also a scoreboard on the main screen displaying the number of map pieces each player has.

The grid based arena was chosen to make it easier for the player to navigate the map. The placement of the objects are also placed where the players find it most intuitive to be able to interact with them when on the same tile, according to the paper test.

The island's shape is to fit the cartoon-ish style and the grid pattern. The scoreboard is there for strategic purposes, so that the players can keep track on how far the other player are, and how close they are to being able to find the treasure.

The smartphone screens displays the colour of the player, six buttons you can tap during your turn to plan the turn.

As can be seen on Figure 3.2, the buttons are arranged in a two-by-three pattern with the movement buttons slightly closer than the other two buttons. Two empty spaces at the top is where the planned actions are shown. The button with a checkmark is at the upper right corner and is the button that needs to be tapped to implement the actions the player planned. The last thing on the smartphone screen is a button with a little grid-map on it and a number underneath it. The left number is the number of map pieces the player is in possession of and the right number is the number of pieces needed. If the button with the grid-map is tapped the treasure map will appear on the smartphone screen. Another tap and it is gone.

When designing the smartphone interface it was incredibly important that it




Figure 3.2: The phone screen

did not become overcrowded with buttons and other features. Initially the treasure map was shown next to the controls, but this was revised since if a player is using a small smartphone, then they will have a lot of trouble being able to tap the correct actions etc. Therefore it was decided that the map was to be a pop-up that only shows if the player taps on the map button.

3.3 Attention-Directing Cues

Four versions are made of this game.

Chapter 4

The experiment

The game described in Chapter 3 serves as a tool to test the problem formulation:

How can the player's attention be directed between a shared screen and a personal hand-held screen when there is a need to change their visual focus between the two in a local multiplayer game?

Since the focus of this problem formulation is on directing attention between two screen in a setup such as that of the AirConsole, the experiment described in this chapter sought to discover which method is best fit for directing the players' attention. To do this, test participants were subjected to the four different iterations of the game, which, as mentioned in Chapter 3, utilise four different methods of directing attention. The effect on the player's attention were measured through a combination of self-report questions and gaze tracking. This chapter describes the experiment in further detail.

4.1 Metrics

In order to test the problem formulation, a combination of several metrics were measured. These metrics may be split into two categories: performance and user experience metrics.

4.1.1 User experience metrics

After playing an iteration of the game, test participants were asked to fill out a questionnaire. The answers from this questionnaire serve as user experience metrics. As this is self-reported data from the participants, it is fit for measuring the users' own perception, but less so for measuring their tangible performance. However, as the users' own experience is still relevant to the problem formulation, this

experiment made use of self-report questionnaires. The questions in the questionnaire were as follows:

1. To which degree do you agree with the following statements?
 - (a) It was clear when it was my turn to act
 - (b) It was clear when I was in combat
 - (c) It was clear when I was supposed to look at the phone screen
 - (d) It was clear when I should look at the main screen
 - (e) It was easy for me to switch my attention between the two screens
 - (f) It was easy to find what I was looking for when switching my gaze between the screens
 - (g) I was distracted by the other players' phones
2. What did you think of the dual-screen setup? What did you enjoy about it? What did you find confusing?
3. Do you have any additional notes?

The rating scale statements (that is, the statements presented under question 1) provide seven possible answers: Strongly disagree, disagree, somewhat disagree, neutral, somewhat agree, agree, and strongly agree. The inclusion of the *neutral* option allows participants who neither agree nor disagree with a statement to pick a fitting option, rather than being forced to decide whether they agree or disagree, which may damage the validity of the test. The inclusion of the *slightly agree* and *slightly disagree* options allow participants who feel that they only partially agree with a statement to pick a side without sounding too opinionated, which may dissuade some from picking the completely neutral reason even though they agree more than they disagree.

4.1.2 Performance metrics

Performance metrics measure tangible results observed throughout the experiment. While playing the game, players were recorded both with a video camera and a Kinect 2, which logged when the players looked at the main screen, and when they looked away. The game logged when it was a new player's turn. By comparing these time stamps, it was possible to measure how much time passed from the moment it became a player's turn, to the moment they looked at their smart phone. The time stamps logged by the game also allowed for the measurement of performance time, namely the time it takes for a participant to complete their turn. In addition to this, error rates were also measured; for each turn, it was noted whether a participant looked at their screen at all, and whether they completed their turn before the given time ran out.

4.2 Setup

Each test included four participants. Apart from these, three people were present to facilitate the test:

- A **test conductor**, who instructed the participants in the terms of the test
- A **note taker**, who wrote down anything of note
- A **technician**, who made sure that both the Kinect 2 and the game were running smoothly, and that the camera was on.

Apart from the test conductor, the people facilitating the test remained as silent as possible throughout the test in order to not interfere with its results. The following materials are used for the purpose of this test:

- A television screen
- A computer that runs the game, connected to the TV screen through an HDMI cable
- A Kinect 2
- A computer that runs the Kinect, connected to it through a USB 3.0 cable
- 4 smartphones
- A video camera
- One consent form for each participant
- Four questionnaires for each participant
- Four different builds of the game

These materials were set up as shown in Figure 4.1. The four participants were seated (not necessarily on a sofa) in front of a large television screen, to which a computer running the game was connected through an HDMI cable. This way, the main screen for all four participants was the television screen. Underneath this screen was a Kinect 2, which was aimed at the participants while connected to another computer through a USB 3.0 cable. In front of each participant was a smartphone, which was connected to the game.




Figure 4.1: Test setup, showing the television screen (A), the Kinect 2 (B), a computer running the game (C), a computer running the Kinect 2 (D), seating for participants (E), and 4 smartphones (F)

4.3 Method

Once participants were seated, the test conductor explained the test procedure, as well as the basics of the game. Once every participant was ready, the game began, and participants played freely until the game ended or 10 minutes had passed, whichever came first. While the game was ongoing, the participants were filmed with the video camera, and data about their gaze was recorded with the Kinect 2. Each group of participants played through four iterations of the game, in a randomised order:

A) hello

B) u hottie

After the game has ended or the given time is up, participants are given a questionnaire, with a mixture of qualitative questions and Likert scale questions. These questions are as follows:

4.4 Results

4.5 Analysis and Conclusion

Chapter 5

Discussion

Text goes here, yeah?

Chapter 6

Conclusion

Text goes here, yeah?

Bibliography

- [1] Byungho Park Mija Shin Annie Lang Samuel D. Bradley and Yongkuk Chung. *Parsing the Resource Pie: Using STRTs to Measure Attention to Mediated Messages*. 2009.
- [2] John P. Charlton and Ian D.W. Danforth. *Validating the distinction between computer addiction and engagement: online game playing and personality*. 2010.
- [3] Juho Hamari and Jonna Koivisto. *Mesuring flow in gamification: Dispositional Flow Scale-2*. 2014.
- [4] Michael Land, Neil Mennie, and Jennifer Rusted. "The Roles of Vision and Eye Movements in the Control of Activities of Daily Living". In: (1999).
- [5] Jong-Seok Lee, Francesca De Simone, and Touradj Ebrahimi. "Efficient video coding based on audio-visual focus of attention". In: *Journal of Visual Communication and Image Representation* 22.8 (2011), pp. 704–711.
- [6] Jong-Seok Lee, Francesca De Simone, and Touradj Ebrahimi. "Efficient video coding based on audio-visual focus of attention". In: *Journal of Visual Communication and Image Representation* (2011).
- [7] Nicholas Riche Matei Mancas Vincent P. Ferrera and John G. Taylor. *From Human Attention to Computational Attention: A multidiciplinary Approach*. 2016.
- [8] Lucia Melloni et al. "Interaction between bottom-up saliency and top-down control: how saliency maps are created in the human brain". In: *Cerebral cortex* 22.12 (2012), pp. 2943–2952.
- [9] Wilfried Osberger and Anthony J Maeder. "Automatic identification of perceptually important regions in an image". In: *Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on*. Vol. 1. IEEE. 1998, pp. 701–704.
- [10] Tobii Pro. *How do Tobii eye trackers work?* <http://www.tobiipro.com/learn-and-support/learn/eye-tracking-essentials/how-do-tobii-eye-trackers-work/>. accessed on 07-10-2016.
- [11] Robert Snowden et al. *Basic vision: an introduction to visual perception*. Oxford University Press, 2012.

- [12] Veronica Sundstedt. "Gazing at games: An introduction to eye tracking control". In: *Synthesis Lectures on Computer Graphics and Animation* 5.1 (2012), pp. 1–113.
- [13] Alfred L. Yarbus. *Eye Movements and Vision*. 1967.
- [14] Guangtao Zhai et al. "Scalable visual sensitivity profile estimation". In: *2008 IEEE International Conference on Acoustics, Speech and Signal Processing*. IEEE. 2008, pp. 873–876.

Appendix A

Appendix A name

Here is the first appendix