

Design of a Multi-Agent System for Emergency Response Simulation in Urban Environments: Task 1.

Students: Pedro Agundez Fernández, Pau Baguer Fàbrega, Carlos Jiménez Farfán, Kacper Krzysztof Poniatowski, Niklas Long Schiefelbein

Introduction

This is the report for Task 1, which presents the initial design of a Multi-Agent System (MAS) for managing emergency responses in an urban city. The objective of this project is to simulate a coordinated response among various autonomous agents to solve rescue scenarios which may contain fires, medical injuries, traffic management, etc. The environment will be carefully selected to emulate the real-world challenges and complexities of emergency management, including the optimization of resource allocation to ensure a precise and timely response by the emergency crews.

In this design phase, we focus on analyzing the environment, selecting and defining crews and agent roles, and classifying the agents within the system. The environment includes critical components such as fire trucks, ambulances, hospitals and other emergency services, each positioned and equipped based on realistic constraints. Our agents are structured into dedicated crews, each responsible for distinct aspects of the emergency response, including emergency coordination, fire containment, medical support, and ethical analysis.

1. Environment analysis

Accessibility

- **Accessible vs Inaccessible:** The general city map is accessible to all agents, but certain areas will be defined as inaccessible. Each agent only knows their specific location, the severity and type of the fire, and the number of wounded individuals nearby. To get a complete view of the situation, agents must communicate and share information about these details.

Determinism

- **Deterministic vs Non-Deterministic:** The environment is **Non-Deterministic**. Actions do not guarantee the same outcomes each time; probabilistic factors are at play. For instance, attempting to extinguish a fire might not always succeed, as conditions could cause the fire to persist or spread.

Episodicity

- **Episodic vs Non-Episodic:** The environment is **Non-Episodic**. Since there is no training algorithm relying on distinct episodes (the system is based on pre-trained language models), the scenario runs continuously. However, each emergency report could be treated as an individual episode.

Dynamism


- **Static vs Dynamic:** The environment is **Dynamic**. Fires can escalate over time, and the health of injured individuals may decline if they are not treated quickly.

Continuity

- **Discrete vs Continuous:** The environment is **Continuous** in terms of the map and time. Agents can navigate freely along the X and Y coordinates. While the map and time are continuous, agent actions (e.g., moving, extinguishing fire) are discrete.

2. Agent selection and definition

Crews



- **Emergency crew**

- **Contact agent.** Recieves the report in natural language and compiles the data in json format to pass it to the organization agents.
 - **Type:** Facilitator
 - **Tools:** FileReadTool
- **Planner agent.** Recieves the plans from each organization agent and compiles them into a global plan, consults with the ethics crew in case there are ethical dilemmas.
 - **Type:** Facilitator

- **Ethics crew**

- **Philosopher agent.** Recieves an ethic dilemma from the emergency planner and solves it using RAG to extract the conclusion from an ethics "book" (text file).
 - **Type:** Facilitator
 - **Tools:** FileReadTool

- **Firefighting crew**

- **Organization Agent:** Receives the structured information from the emergency contact agent, creates a list of tasks taking into account the resources available and the distance to the emergencies. Then it sends its plan to the emergency planner agent, when the whole plan is compiled (planner agent has responded), it passes the tasks to the actuators.
 - **Type:** Facilitator
 - **Deliberative:** Makes a general plan to be executed by Actuator agents. This plan does not include small details as the Agent will now know the full state of the environment. Remember, the environment is not fully accessible.*
 - **Reactive:** Will change plan based on the evolution of the emergency.
 - **Tools:** DistanceMetricTool


- **(3x) Firefighter Actuator Agent:** Follows the plan of the Organization Agent. (Fights fire).
 - **Type:** Actuator.
 - *Hybrid (follows a plan and takes small decisions). A small obstacle does not imply that the organization agent needs to know about it and change the whole plan. Little obstacles can be surpassed by the Actuator Agent's own decisions.*
 - *Reactive: Will change plan based on the evolution of the emergency.*
- **(3x) Rescue Actuator Agent:** Follows the plan of the Organization Agent. (Rescues people)
 - **Type:** Actuator.
 - *Hybrid*
 - *Reactive: Will change plan based on the evolution of the emergency.*

- **Medical crew**

- **Organization Agent:** Receives the structured information from the emergency contact agent, creates a list of tasks taking into account the resources available and the distance to the emergencies. Then it sends its plan to the emergency planner agent, when the whole plan is compiled (planner agent has responded), it passes the tasks to the actuators.
 - **Type:** Facilitator
 - **Deliberative**
 - **Tools:** DistanceMetricTool
- **(3x) Med Actuator Agent:** Follows the plan of the Organization Agent. (Attends victims, first aid).
 - **Type:** Actuator.
 - **Hybrid**
- **(3x) Driver Actuator Agent:** Follows the plan of the Organization Agent. (Drives ambulance).
 - **Type:** Actuator.
 - **Hybrid**

- **Police Crew**

- **Organization Agent:** Receives the structured information from the emergency contact agent, decides on what alternative routes should be created to avoid roads that are blocked by fires.
 - **Type:** Facilitator
 - **Deliberative**
 - **Tools:** DistanceMetricTool
- **(3x) Patrol Actuator Agent:** Follows the plan of the Organization Agent. (Drives patrol car, manages traffic and evacuation).
 - **Type:** Actuator.
 - **Hybrid**



Agent Taxonomy

3. Agent Taxonomy Analysis

3.1 Overview

This section of the report analyses the properties of each of the agents outlined in the previous section (Contact Agent, Organisation Agent, Actuator Agent, and Philosopher Agent). For each agent type, we examine which properties are present and provide justification for these design decisions.

3.2 Agent Property Analysis

Emergency	Firefighting Crew	Medical Team	Police Crew	Ethics Crew
-----------	-------------------	--------------	-------------	-------------

	Emergency	Firefighting Crew		Medical Team		Police Crew		Ethics Crew
	Contact Agent	Organization Agent	Actuator Agent	Organization Agent	Actuator Agent	Organization Agent	Actuator Agent	Philosopher Agent
Flexibility	YES	YES	YES	YES	YES	YES	YES	YES
Reactivity	YES	YES	YES	YES	YES	YES	YES	YES
Proactiveness	NO	YES	YES	YES	YES	YES	YES	NO
Social Ability	YES	YES	YES	YES	YES	YES	YES	YES
Rationality	YES	YES	YES	YES	YES	YES	YES	YES
Reasoning	YES	YES	LESS	YES	LESS	YES	LESS	YES
Learning	NO	NO	NO	NO	NO	NO	NO	NO
Autonomy	HIGH	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
Temporal continuity	YES	YES	YES	YES	YES	YES	YES	YES
Mobility	NO	NO	YES	NO	YES	NO	YES	NO

3.3 Property Justification

3.3.1 Flexibility

All agents = YES

Essential in emergency response where situations are dynamic and unpredictable. Agents must adapt to changing circumstances (new fires, resource constraints, casualties). Even with predefined protocols, flexibility allows for situational adaptation.

3.3.2 Reactivity

All agents = YES

All agents must respond to changes in their environment. Emergency situations are inherently unpredictable and require immediate responses. Examples: Contact Agent reacts to new reports, Organization Agents to resource changes, Actuators to field conditions.

3.3.3 Proactiveness

Contact & Philosopher = NO

Only respond to incoming reports/queries. Cannot anticipate when emergencies will occur or when ethical guidance will be needed.

Organization & Actuator = YES

Must anticipate potential scenarios and prepare accordingly. Example: Organization Agent preparing backup plans, Actuators positioning for better response.

3.3.4 Social Ability

All agents = YES

Essential for coordination in a multi-agent system. Emergency response requires constant communication between all levels. Information must flow smoothly between planning and execution.

3.3.5 Rationality

All agents = YES

All decisions must be based on logical evaluation of available information. Critical in emergency situations where resources and time are limited. Ensures consistent and justifiable decision-making.

3.3.6 Reasoning

Contact, Organization, Philosopher = YES

Required for complex decision-making and planning. Must process multiple variables and constraints.

Actuator = LESS

Follows pre-defined plans with limited decision-making scope. Only needs basic reasoning for immediate field decisions.

3.3.7 Learning

All agents = NO

System relies on predefined protocols for consistency. Emergency response requires predictable, reliable behavior. Learning could introduce unpredictability in critical situations.

3.3.8 Autonomy

Contact, Organization, Philosopher = HIGH

Need independence to make complex decisions. Must handle multiple scenarios without constant oversight.

Actuator = LOW

Follows organization agent's plans. Limited decision-making scope to ensure plan consistency.

3.3.9 Temporal Continuity

All agents = YES

Emergency response system must operate continuously. No agent can have "downtime" as emergencies can occur anytime. System must maintain readiness 24/7.

3.3.10 Mobility

Contact, Organization, Philosopher = NO

Operate from fixed command/control positions. Focus on planning and coordination.

Actuator = YES

Must physically respond to emergencies. Requires movement to execute plans in the field.