28-11-13-DTP7-RM-3

Con. 9941-13.


S. E. COMP SEM-III CBAS Discrete Structure 16/12/13

(3 Hours)

[Total Marks: 80

N.B.: (1) Question no. 1 is compulsory.

- (2) Attempt any three questions out of remaining four questions.
- (3) Assumptions made should be clearly stated.
- (4) Figures to the right indicate full marks.
- (5) Assume suitable data wherever required and justify it.
- 1. (a) Prove that in a full binery tree with n vertices, the number of pendant vertices is (n+1)/2.
 - (b) Let G be the set of rational numbers other than 1. Let define an operation \star on G by $a \star b = a + b$ ab for all a, $b \in G$. Prove that (G, \star) is a group.
 - (c) Find the number of integers between 1 and 1000 which are
 - (i) Divisible by 2, 3 or 5.
 - (ii) Divisible by 3 only but not by 2 nor by 5.
- (d) Find all solutions of the recurrence relation $a_n = 5a_{n-1} + 6a_{n-2} + 7^n$
- 2. (a) Prove by mathematical induction $x^n y^n$ is divisible by x y.
 - (b) Let m be the positive integers greater than 1. Show that the relation $R = \{(a, b) | a \equiv b \pmod{m} \}$, i.e. aRb if and only if m divides a-b, is an equivalance relation on the set of integers.
 - (c) Let $s = \{1, 2, 3, 4\}$ and $A = S \times S$. Define the following relation: 6 R on A: (a, b) R (a', b') if and only if a + b = a' + b'.
 - (i) Show that R is an equivalence relation.
 - (ii) Compute A/R.
 - (d) If $f: A \to B$ be both one-to-one and onto, then prove that $f^{-1}: B \to A$ is also both one-to-one and onto.
- 3. (a) Consider an equilateral triangle whose sides are of length 3 units. If ten points are chosen lying on or inside the triangle, then show that at least two of them are no more than 1 unit apart.
 - (b) Let L₁ and L₂ be lettices shown below:-



Draw the Hasse diagram of $L_1 \times L_2$ with product partial order.

- (c) Let $A = \{a, b, c\}$. Show that $(P(A), \subseteq)$ is a poset. Draw its Hasse diagram. P(A) is the power set of A.
- (d) How many vertices are necessary to construct a graph with exactly 6 edges in which each vertex is of degree 2.

TURN OVER


- 4. (a) Show that if every element in a group is its own inverse, then the group must be abelian.
 - •
 - (b) If (G, *) is an abelian group, then for all $a, b \in G$, prove that by mathematical induction $(a * b)^n = a^n * b^n$.
 - **5**
 - (c) If f is a homorphism from a commutative group (S, *) to another group (T, *'), then prove that (T, *') is also commutative.
 - (d) Consider the (3, 5) group encoding function

$e: B^3 \to B^5$	defined by
e(000) = 00000	e(100) = 10011
e(001) = 00110	e(101) = 10101
e(010) = 01001	e(110) = 11010

e(010) = 01001 e(110) = 11010e(011) = 01111 e(111) = 11100

Decode the following words relative to a maximum likelyhood decoding function.

- (i) 11001
- (ii) 01010
- (iii) 00111
- 5. (a) Find the generating function for the following sequence 1, 2, 3, 4, 5, 6,
 - (b) Solve the recurrence relation $a_r = 3a_{r-1} + 2$, $r \ge 1$ with $a_0 = 1$, using generating function.
 - (c) Show that the following graphs are isomorphic



(d) Use the laws of logic to show that

$$[(p \Rightarrow q) \land \neg q] \Rightarrow \neg p$$

is a tautology