Homework 3

Kevin Guillen

MATH 201 — Algebra II — Winter 2022

Problem 1 Let $M = \mathbb{Z}^2$ and let N be the \mathbb{Z} -submodule generated by the 2 elements

$$\begin{bmatrix} 120 \\ 240 \end{bmatrix} \text{ and } \begin{bmatrix} 360 \\ -300 \end{bmatrix}$$

In (a) and (b) we use the notation and terminology adopted in class on the 3rd of February. The terminology in (c) and (d) will be defined on the 8th of February.

- (a) Find an element $v \in \text{Hom}_{\mathbb{Z}}(M,\mathbb{Z})$ such that v(N) is maximal in $\Sigma_{M,N}$: prove that it is indeed maximal.
- (b) Find an element $y_1 \in M$ such that $M = \mathbb{Z}y_1 \bigoplus \ker(v)$ and $N = \mathbb{Z}a_v y_1 \bigoplus (\ker(v) \cap N)$.
- (c) Find the invariant factors of the quotient \mathbb{Z} -module M/N.
- (d) Find the elementary divisors of the quotient \mathbb{Z} -module M/N
- (a) *Proof.* Any $v_A \in \text{Hom}_{\mathbb{Z}}(M, \mathbb{Z})$ is of the form,

$$v_A \begin{pmatrix} x \\ y \end{pmatrix} = ax + by = \begin{bmatrix} a & b \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

where $A = \begin{bmatrix} a & b \end{bmatrix}$ Now let's consider the following,

$$v_A \left(\begin{bmatrix} 120 \\ 240 \end{bmatrix} \right) = 120\alpha + 240b = 60(2\alpha + 4b)$$
$$v_A \left(\begin{bmatrix} 360 \\ -300 \end{bmatrix} \right) = 360\alpha - 300b = 60(6\alpha - 5b)$$

$$v_A \begin{pmatrix} 360 \\ -300 \end{pmatrix} = 360a - 300b = 60(6a - 5b)$$

Let $A = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$. We see then that $v_A(N) = (60)$ and is indeed maximal. This is because there is no element $y \in N$ and $v_A \in Hom(M, \mathbb{Z})$ that can map y to a factor of 60 that is not 60. This is because 60 is the GCD of all 4 numbers in the given matrices.

(b) *Proof.* First we want a $y \in N$ that under v_A maps to the generator of $v_A(N)$. In other words $v_A(y) = 60$. So we can simply let $y = \begin{bmatrix} 360 \\ -300 \end{bmatrix}$ we see this holds since,

$$\nu_A \left(\begin{bmatrix} 360 \\ -300 \end{bmatrix} \right) = 360 - 300 = 60.$$

Now we can let our y_1 be the divisor of y such that $\alpha_\nu y_1 = y$,

$$60y_1 = \begin{bmatrix} 360 \\ -300 \end{bmatrix} \rightarrow y_1 = \begin{bmatrix} 6 \\ -5 \end{bmatrix}$$

(c)

(d)