## Your grade: 100%

Your latest: 100% • Your highest: 100% • To pass you need at least 80%. We keep your highest score.

Next item  $\rightarrow$ 

1. Which is an example of a classification task?


- 1/1 point
- O Based on a patient's blood pressure, determine how much blood pressure medication (a dosage measured in milligrams) the patient should be prescribed.
- Based on the size of each tumor, determine if each tumor is malignant (cancerous) or not.
- O Based on a patient's age and blood pressure, determine how much blood pressure medication (measured in milligrams) the patient should be prescribed.

This task predicts one of two classes, malignant or not malignant.

2. Recall the sigmoid function is  $g(z)=rac{1}{1+e^{-z}}$ 

1/1 point

## sigmoid function




If z is a large positive number, then:

- $\bigcirc g(z)$  is near negative one (-1)
- $\bigcirc$  g(z) is near one (1)
- $\bigcirc g(z)$  will be near zero (0)
- $\bigcirc g(z)$  will be near 0.5

Say z = +100. So  $e^{-z}$  is then  $e^{-100}$ , a really small positive number. So,  $g(z)=rac{1}{1+{
m a\,small\,positive\,number}}$  which is close to 1





	···	
	and 1). Which of these would be a reasonable criteria to decide whether to predict if it's a cat?	
	Predict it is a cat if g(z) = 0.5	
	Predict it is a cat if g(z) < 0.7	
	$\bigcirc$ Predict it is a cat if $g(z) < 0.5$	
	Correct Think of g(z) as the probability that the photo is of a cat. When this number is at or above the threshold of 0.5, predict that it is a cat.	
4.	True/False? No matter what features you use (including if you use polynomial features), the decision boundary learned by logistic regression will be a linear decision boundary.   False  True	1/1 point
	Correct The decision boundary can also be non-linear, as described in the lectures.	