CS 110 A – Creative Problem Solving in Computer Science

Stevens Institute of Technology © 2014

Practice for Exam 1: Key

Instructor: Adriana Compagnoni

Fall 2016

Remarks that you will find in the exam

- This exam is closed notes, closed books, and closed laptops. The use of any electronic devices is stricktly prohibited.

- Please refrain from communicating with other students during the exam.

- Please do not forget to write your name **on every page** you submit.

- This exam is timed. You have 50 minutes to answer all the questions. Please take a minute to read through the exam and budget your time.

Exercises

1. (25 points) Write a Picobot program that starting from the top left corner of the map covers the first two lines.

2. (25 points) Define a Python function that returns the n_{th} element of a string, if the string is long enough, and an error message: "Error: string not long enough" otherwise.

    Test cases:

    ```
    >>> nth("abcdef",23)
    'Error:string not long enough'
    ```

```
>>> nth("abcdef",3)
'c'
```

3. (25 points) Define a Python function `smaller_than_5_list`(lst), that given a list of numbers lst, it returns a list that contains the numbers in lst that are smaller than 5 and 0 instead of the numbers greater or equal to 5 .

   Test cases:

```
>>> smaller_than_5_list([1,4,5,7,2,44])
[1, 4, 0, 0, 2, 0]
>>> smaller_than_5_list([])
[]
```

4. (25 points) Write a Python function `heads`(lst) that returns the list containing the first elements of the lists of lst.

   Test cases:

```
>>> heads([[1,2,3],[4,5],[7,9]])
[1, 4, 7]
>>> heads([[1,2,3], [], [4,5],[7,9]])
[1, 4, 7]
```

```
 0 *x** -> E 0
 0 *E** -> S 1
 1 **x* -> W 1


def nth(s,n):
    if len(s)<n:
        return "Error:string not long enough"
    else:
        return s[n - 1]



def smaller_than_5(y):
    if y<5:
        return y
    else:
        return 0

def smaller_than_5_list(lst):
    return map(smaller_than_5,lst)

def add(x,y):
    return x+y

def head(lst):
    if len(lst) == 0:
        return []
    else:
        return [lst[0]]

def heads(lst):
    return reduce(add,map(head,lst))
```