

# Cucumber Report

Dec 3, 2023, 11:05:23 AM

Start : Dec 03, 11:05:12.293 AM

End : Dec 03, 11:05:22.654 AM

Duration : 10.361 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 5  
SKIPPED - 0

PASSED - 9  
FAILED - 5  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	8.848 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	1.469 s	5	0	5	0	16	5	5	6

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate the patient information form submission with invalid data</u>
4		<u>Validate the patient information form submission with invalid data</u>
5		<u>Validate attendance form submission with valid data</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	5	0	5	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	0	1	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	8.848 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5	0	5	0	1.469 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	8.847 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	1	1	2	0.485 s
3		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.245 s
4		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.242 s
5		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.230 s
6		<u>Validate attendance form submission with valid data</u>	3	1	1	1	0.231 s

## SalesforceLoginSepsisapp



<b>PASSED</b>	DURATION - 8.848 s	Scenarios		Steps	
/ 11:05:12.293 AM // 11:05:21.141 AM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Validate loginPage



<div>PASSED</div> <div>DURATION - 8.847 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:05:12.294 AM // 11:05:21.141 AM /</div>			
<div>SalesforceLoginSepsisapp</div>			
<div>@TS_01LoginPage @Login</div>			


#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.522 s
2	When The patient enter valid "username" and "password"	PASSED	0.154 s
3	And The user click on login button	PASSED	6.860 s
4	Then The user redirected to SalesforceHomepage	PASSED	1.301 s

## Validating the New Patient form with Valid/Invalid/MissingData

<b>FAILED</b>	DURATION - 1.469 s	Scenarios		Steps	
/ 11:05:21.185 AM // 11:05:22.654 AM /		Total - 5		Total - 16	
		Pass - 0		Pass - 5	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 6	



## Validate the patient information form submission with missing data

FAILED	DURATION - 0.485 s		<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:05:21.186 AM // 11:05:21.671 AM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData				


#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.117 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 2  <pre>java.io.FileNotFoundException: ./test-classes/dataFiles/SepsisPatientInformation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:302) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:277) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255) at utilities.ExcelReader.getWorkBook(ExcelReader.java:45) at utilities.ExcelReader.getSheetByName(ExcelReader.java:35) at utilities.ExcelReader.getData(ExcelReader.java:24) at utilities.PatientDataReader.getData(PatientDataReader.java:19) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_missing_data_from_and(PatientObjectMandatorySD.java:38) at ?.Patient submits new patient form with missing data from "PatientDetails" and 2(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectWithValidInvalid.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.361 s
	My screenshot 		
3	And Error message "We hit a snag." is displayed and review the following field	SKIPPED	0.000 s
4	Then Error message "Complete this field." is displayed	SKIPPED	0.000 s

**Validate the patient information form submission with invalid data**





FAILED		DURATION - 0.245 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:05:21.682 AM // 11:05:21.927 AM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3  io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for textfields from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	<b>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</b> <b>My screenshot</b> 	PASSED	0.240 s


#	Step / Hook Details	Status	Duration
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

### Validate the patient information form submission with invalid data



<div>FAILED</div> <div>DURATION - 0.242 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:05:21.935 AM // 11:05:22.177 AM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4  io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.239 s
	My screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

### Validate the patient information form submission with invalid data



<div>FAILED</div> <div>DURATION - 0.230 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:05:22.184 AM // 11:05:22.414 AM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	FAILED	0.000 s
	<p>io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.  patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.227 s
	My screenshot		
			
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s


### Validate attendance form submission with valid data

<b>FAILED</b> DURATION - 0.231 s / 11:05:22.423 AM // 11:05:22.654 AM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 6 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p> <p>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)</p> <p>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:794)</p> <p>at org.testng.TestRunner.run(TestRunner.java:596)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:276)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1063)</p> <p>at org.testng.TestNG.run(TestNG.java:1031)</p> <p>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p> <p>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)</p> <p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		



#	Step / Hook Details	Status	Duration
	... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.228 s
	My screenshot		
			
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s