Supplement 1

Experiment 2 – Instructions on how to use each rating scale

Tory Madden

18 July 2018


Contents

| Rating scale | 1 |
|---|---|
| Sensation and Pain Rating Scale (SPARS) | 1 |
| Numerical Pain Rating Scale (NRS) | 2 |
| Numerical Sensation Rating Scale (SRS) | 2 |
| Session information | 3 |
| | |


This document displays the information given to participants before each block of Experiment 2 on how they should use each ratings scale (Sensation and Pain Rating Scale, Numerical Pain Rating Scale, and the Numerical Sensation Rating Scale).

Rating scale


Sensation and Pain Rating Scale (SPARS)



Numerical Pain Rating Scale (NRS)



Numerical Sensation Rating Scale (SRS)



Session information

sessionInfo()

```
## R version 3.5.0 (2018-04-23)
## Platform: x86 64-apple-darwin15.6.0 (64-bit)
## Running under: macOS High Sierra 10.13.5
##
## Matrix products: default
## BLAS: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_GB.UTF-8/en_GB.UTF-8/en_GB.UTF-8/c/en_GB.UTF-8
## attached base packages:
## [1] stats
                graphics grDevices utils
                                              datasets methods
                                                                 base
##
## loaded via a namespace (and not attached):
   [1] compiler_3.5.0 backports_1.1.2 magrittr_1.5
##
                                                       rprojroot_1.3-2
   [5] tools 3.5.0
                       htmltools 0.3.6 yaml 2.1.19
##
                                                       Rcpp 0.12.17
   [9] stringi_1.2.3
                       rmarkdown_1.10 knitr_1.20
                                                       stringr_1.3.1
## [13] digest_0.6.15
                       evaluate_0.10.1
```