Covid in Japan

Masaya Kameyama

Table of contents

1	"Co	vid in	Jap	an	,,																				1
2																									1
3	3.1					•		 			•	 	•	•	•	•	 						•		2 5
4																									5
	4.1	raw c	lata	7				 				 					 								5
	4.2	7						 				 					 								7
	4.3							 				 					 								12
		4.3.1						 				 					 								12
		4.3.2						 				 			•		 								15
5																									21

1 "Covid in Japan"

" . 1.7.3 . y_t 7 , y_t ." - toc: false - branch: master - badges: true - comments: true - categories: [julia, covid, statistics] - hide: false - search_exclude: true

2

y_t 3 :
$$y_t = TC_t + S_t + I_t$$

$$TC_t \quad , S_t \quad , I_t \quad . TC_t \quad , S_t \quad , I_t \quad .$$

```
, ( )
                                                  . TC_t \quad (n),
S_t , I_t
     :
 versioninfo()
Julia Version 1.8.4
Commit 00177ebc4fc (2022-12-23 21:32 UTC)
Platform Info:
  OS: macOS (arm64-apple-darwin21.5.0)
  CPU: 8 × Apple M1
  WORD_SIZE: 64
  LIBM: libopenlibm
  LLVM: libLLVM-13.0.1 (ORCJIT, apple-m1)
  Threads: 1 on 4 virtual cores
3
     :
  p=[
  "CSV",
  "DataFrames",
  "Plots",
  "Statistics",
  "Indicators",
  "StatsPlots",
  "GLM",
  "HTTP",
  "Dates"]
9-element Vector{String}:
 "CSV"
 "DataFrames"
 "Plots"
 "Statistics"
 "Indicators"
 "StatsPlots"
 "GLM"
 "HTTP"
 "Dates"
```

```
Updating registry at `~/.julia/registries/General.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
  Resolving package versions...
  No Changes to `~/.julia/environments/v1.8/Project.toml`
  No Changes to `~/.julia/environments/v1.8/Manifest.toml`
9-element Vector{Nothing}:
nothing
nothing
nothing
nothing
nothing
nothing
nothing
nothing
nothing
```

import Pkg; Pkg.add.(p)

```
using CSV
using DataFrames
using Plots
Plots.gr(fmt = :png)
using Statistics
using Indicators
using StatsPlots
using GLM
using HTTP
using Dates
```

. .


df = CSV.read(res.body,DataFrame);

```
res = HTTP.get("https://covid19.mhlw.go.jp/public/opendata/newly_confirmed_cases_daily.csv
```

last(df,10)

	Date	ALL	Hokkaido	Aomori	Iwate	Miyagi	Akita	Yamagata	Fukushima	
	String15	Int64	Int64	Int64	Int64	Int64	Int64	Int64	Int64	
1	2022/12/31	107621	2377	808	787	1893	498	653	1343	
2	2023/1/1	87042	2077	690	651	1715	359	506	1263	
3	2023/1/2	76015	1833	557	624	1450	344	518	1038	
4	2023/1/3	89643	2235	696	932	1903	440	498	1372	
5	2023/1/4	104304	2500	730	920	2028	498	753	1607	
6	2023/1/5	226904	5582	1792	2009	3458	1316	1235	3335	
7	2023/1/6	245542	5713	1791	1521	3960	1114	1481	3102	
8	2023/1/7	238654	5352	1511	1558	3802	957	1224	3005	
9	2023/1/8	190538	3363	989	925	3010	666	822	2176	
10	2023/1/9	95308	1584	612	566	1642	346	352	1063	

plot(df.Date, df.ALL,seriestype = :scatter)




3.1

- 2022/01/04 6
 2022/01/11 6


4

4.1 raw data 7

```
TC_t . TC_t . ( )
df.weekly_ave=sma(df.ALL, n=7);
plot(df.Date, df.weekly_ave, seriestype = :scatter)
```



raw data :
 plot(df.ALL .- df.weekly_ave, seriestype = :scatter)




4.2 7

= 0.0000001;

df.log_all=log.(df.ALL .+);

plot(df.Date, df.log_all, seriestype = :scatter)

0




```
:

df.log_weekly_ave = sma(df.log_all, n=7);

df.log_diff = df.log_all .- df.log_weekly_ave;

plot((df.log_diff )[40:end], seriestype = :scatter)
```



-1.5~1 . 39 0 . . . $S_t \quad . \qquad \qquad S \quad . \qquad . \label{eq:St}$

```
sum_n=zeros(7)
count_day_of_week=zeros(Int,7)
for (i, n) in enumerate((df.log_diff))[40:end])
    sum_n[i%7+1]+=n
    count_day_of_week[i%7+1]+=1
    end


S = sum_n ./ count_day_of_week
```

7-element Vector{Float64}:


- -0.0458947770756838
- -0.48588728064630987
- 0.055816830757215156
- 0.18126518762346477
- 0.1879316238881742
- 0.1451808639178051
- 0.15539502298303573

```
Dates.dayname(Date(df.Date[40], dateformat"y/m/d"))
"Monday"
             S 1
40
  dow=[Dates.dayname(Date(df.Date[40+i], dateformat"y/m/d")) for i=-1:5];
  plot(dow,S,seriestype = :bar)
  0.2
                                                                       y1
  0.0
 -0.2
 -0.4
                             Tuesday Wednesday Thursday
           Sunday
                    Monday
                                                           Friday
                                                                   Saturday
 I_t
  I=zeros(length(df.ALL)-39)
  for (i,n) in enumerate((df.log_diff )[40:end])
       I[i]=n-S[i\%7+1]
  end
```

```
plot(I, seriestype = :scatter)
```



```
TC_t . 
 I_t . 5 .  \label{eq:cond_sol} {\tt plot(df.Date[40:end], df.log\_all[40:end], seriestype = :scatter)}   {\tt plot!(I, seriestype = :scatter)}
```



 $log(y_t) \; I_t \qquad \qquad . \qquad \qquad TC_t \qquad \qquad .$

4.3

 TC_t .

4.3.1

. (. . 1 0 . . ,


```
function minima(array,i,r)
    res=i-r+findmin(array[max(i-r,1):i])[2]
    while res!=i
        i=res
        res=i-r+findmin(array[max(i-r,1):i])[2]
    end
    return res
end
```

```
{\tt minima} \ ({\tt generic} \ {\tt function} \ {\tt with} \ {\tt 1} \ {\tt method})
```


```
function maxima(array,i,r)
      res=i-r+findmax(array[max(i-r,1):i])[2]
      while res!=i
           i=res
           res=i-r+findmax(array[max(i-r,1):i])[2]
      end
      return res
  end
maxima (generic function with 1 method)
  function extremes(array,r)
      i_max=findmax(array)[2]
      res=[i_max]
      i=i_max
      i_min=1
      while i-r>0 && i !=i_min
           i_min=minima(array,i_max,r)
           println(i," ",i_min)
           i_max=maxima(array,i_min,r)
           push!(res,i_min)
           push!(res,i_max)
           i=i_min
      end
      return res
  end
extremes (generic function with 1 method)
  period=extremes(df.ALL, 20)
  append! (period, extremes (df. ALL[1:480], 15))
  unique!(period)
  push!(period,minima(df.ALL,450,10))
  append! (period, [30,90,140,680,length(df.ALL)])
  sort!(period)
947 888
359 253
```

```
12-element Vector{Int64}:
    30
    90
    140
    206
    253
    359
    419
    680
    847
    888
    947
1090

plot(df.Date, df.weekly_ave, seriestype = :scatter)
vline!(period)
```




```
plot(df.Date, df.log_all, seriestype = :scatter)
vline!(period)
```



4.3.2

. GLM .

plot(period[1]:period[2],df.log_all[period[1]:period[2]], seriestype = :scatter)



```
i=1
data = DataFrame(X=period[i]:period[i+1], Y=df.log_all[period[i]:period[i+1]])
ols = lm(@formula(Y ~ X), data)
```


 $Stats \texttt{Models.Table} Regression \texttt{Model} \{\texttt{LinearModel} \{\texttt{GLM.LmResp} \{\texttt{Vector} \{\texttt{Float64}\}\} \}, \texttt{GLM.DensePredChol} \{\texttt{CLM.LmResp} \{\texttt{Vector} \{\texttt{Float64}\}\} \}, \texttt{GLM.DensePredChol} \{\texttt{CLM.LmResp} \{\texttt{CLM.LmResp} \{\texttt{CLM.LmResp} \}\} \}$

$Y \sim 1 + X$

Coefficients:


```
t Pr(>|t|)
                  Coef.
                         Std. Error
                                                       Lower 95%
                                                                   Upper 95%
(Intercept) -0.807003
                         0.22738
                                              0.0008 -1.26199
                                                                  -0.352016
                                     -3.55
Х
              0.0789489
                         0.00363634
                                     21.71
                                              <1e-29
                                                       0.0716726
                                                                   0.0862252
```

```
plot(period[i]:period[i+1]-1,df.log_all[period[i]:period[i+1]-1], seriestype = :scatter)
plot!(data.X,predict(ols))
```




```
pred=predict(ols)
for i=2:length(period)-1
    data = DataFrame(X=period[i]:period[i+1]-1, Y=df.log_all[period[i]:period[i+1]-1])
    ols = lm(@formula(Y ~ X), data)
        append!(pred,predict(ols))
end

plot(df.Date[period[1]:end], df.log_all[period[1]:end], seriestype = :scatter)
plot!(df.Date[period[1]:end],pred,seriestype = :scatter)
```




```
TC_t \qquad S_t, I_t \qquad . \label{eq:continuous} \texttt{diff= df.log\_all[period[1]:end] .- pred;} \texttt{plot(diff, seriestype = :scatter)}
```




```
sum_n=zeros(7)
  count_day_of_week=zeros(Int,7)
  for (i, n) in enumerate(diff)
      sum_n[i\%7+1]+=n
      count_day_of_week[i\%7+1]+=1
   end
  S2 = sum_n ./ count_day_of_week
7-element Vector{Float64}:
  0.1597298156141544
  0.1224051792494716
  0.14164292461164305
 -0.07029766752689469
 -0.4973507234395729
  0.03803188451298746
  0.14337600662335104
  Dates.dayname(Date(df.Date[period[1]], dateformat"y/m/d"))
```

"Friday"

```
dow=[Dates.dayname(Date(df.Date[period[1]+i], dateformat"y/m/d")) for i=-1:5];
plot(dow,S2,seriestype = :bar)
```





. TC_t .

5

(1) , (2) , (3) .