Assignment - 6 Multirate Signal Processing

May 31, 2021

Task 1

Consider the transfer function of a notch filter:

$$H(z) = \frac{1+a}{2} \frac{(z - e^{+j\omega_n})(z - e^{-j\omega_n})}{(z - ae^{+j\omega_n})(z - ae^{-j\omega_n})},$$

where ω_n is the frequency to be stopped. F_s is the sampling rate of the input (and of course the output) of the system. Note that the system has two zeros corresponding to ω_n and $-\omega_n$.

Questions

- 1. Read the uploaded Jack Sparrow's wave file almostcaught_high.wav and examine using DTFT to figure out the frequency of the tone present in the audio.
- 2. Design a notch filter using above-mentioned transfer function and remove the tone.
- 3. How many multiplications and additions are required per unit time for the filter?

Task 2

Consider the system below: In this task, we will redo task 1 but on a decimated

$$\xrightarrow{x[n] \quad \text{Antialiasing} \quad x_f[n] \quad \downarrow 4} \xrightarrow{x_d[n] \quad \text{Notch Filter, } H(z) \quad y[n]$$

version of input signal.

The lab manual is exclusively for the students of the University of Engineering and Technology, Lahore. \odot 2021 UET Lahore.

- 1. Read the documentation of MATLAB's command fir1. Desing a lowpass FIR filter using the command for antialiasing. The length of the filter should be 23.
- 2. Plot the impulse response as well as the frequency response of the lowpass FIR filter. Do you recognize the impulse response? Which function does it resemble and why?
- 3. Implement the above system in MATLAB. How many additions and multiplications are required for the above system per unit time?
- 4. Implement an equivalent polyphase decomposition based decimation system for the system above. How many additions and multiplications are required per unit time?
- 5. Do you see any gains in number of computations?

The lab manual is exclusively for the students of the University of Engineering and Technology, Lahore. \odot 2021 UET Lahore.