

Docker image to AWS ECR:

[] we need create ECR and IAM users and iam police permission and iam we need create access key

To create access key and secret key

- [] in iam
- [] select users
- [] select which user want
- [] select security credentials
- [] scroll down
- [] select **create access key**
- [] select **command line interface**
- [] select confirm
- [] next
- [] type description
- [] create access key
- [] download the .csv there we get keys / we can copy and paste the keys

we need give ECR full access permission for docker push

- [] Open the AWS Management Console and navigate(search) to the IAM service.
- [] Locate and select the IAM user to which you want to attach the policy.
- [] In the user scroll down to the "**Permissions**" section.
- [] in "**add permissions**" Click on the "**Add inline policy**" button .

In the policy editor, choose the "**JSON**" tab to enter the policy code.

Replace the existing policy code with the JSON code provided earlier

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Statement1",
      "Effect": "Allow",
      "Action": [],
      "Resource": []
    }
  ]
}
```

[] next

[] Provide a name for the policy in the **"Name"** field.

[] Click on **"Review policy"** to verify the policy details.

[] Finally, click on **"Create policy"** or **"Attach policy"** to attach the policy to the IAM user or role

In server

[] **sudo su -**

[] **apt-get update**

[] **apt-get install awscli**

[] **apt install awscli**

[] apt install dnf

[] aws --version

[] aws_access_key_id=<access key> /

[] export AWS_ACCESS_KEY_ID=AKIASM6XNBZOTMTK2XXB

[] aws_secret_access_key = <secret key> /

[] export AWS_SECRET_ACCESS_KEY=2k6RBd5B42CGuzA8XFulhhte13V

[] aws ecr get-login-password --region **region | docker login --username AWS --password-stdin **aws_account_id.dkr.ecr.region.amazonaws.com****

Region ---> which region we selected that one (ex us-east-1)

aws_account_id--- account id (165271113309)

Ex [] aws ecr get-login-password --region us-east-1 | docker login --username AWS --password-stdin 165271113309.dkr.ecr.us-east-1.amazonaws.com

[] docker images

[] docker tag <image_name>: <tag>

<aws_account_id>.dkr.ecr.<region>.amazonaws.com/ <image_name>: <tag>

Ex [] docker tag my-lambda-function:latest 165271113309.dkr.ecr.us-east-1.amazonaws.com/playwright:latest

[] docker push <aws_account_id>.dkr.ecr.<region>.amazonaws.com/ <image_name>: <tag>

Ex [] docker push 165271113309.dkr.ecr.us-east-1.amazonaws.com/playwright:latest

[] docker pull **ECR URL**

Ex [] docker pull 165271113309.dkr.ecr.us-east-1.amazonaws.com/playwright:latest

#Build

[] docker build -t my-lambda-function .

#Tag image

[] docker tag my-lambda-function:latest <aws-acc-id>.dkr.ecr.<aws-

region>.amazonaws.com/my-lambda-function:latest

Login to amazon ECR

```
[]aws ecr get-login-passwd --region <aws-region> | docker login --username  
AWS --password-stdin <aws-acc-id>.dkr.ecr.<your-aws-  
region>.amazonaws.com/my-lambda-function
```

push image to Amazon ECR

```
[] docker push <your-aws-account-id>.dkr.ecr.<aws-  
region>.amazonaws.com/my-lambda-function:latest
```