

# Applications of 2D Materials Beyond Graphene

Kraig Andrews

March 6, 2015

## 1. Introduction & Beginnings

### (a) *Before graphene*

- i. Prior to the mid-1980s (1985) graphite had been used for several practical applications [5]. In 1985 the discovery of fullerenes ( $C_{60}$ ) initiated the postulation of the interesting and beneficial properties of the structure and its derivatives, assuming that it could be synthesized in large amounts [4].
- ii. Theories suggested the possibility of one-dimensional structures of this form, and carbon nanotubes (1991) [3]. This suggested the possibility of synthesizing carbon structures on a larger scale than was previously possible with fullerenes.
- iii. With the semiconductor industry approaching the limits of improvements that could be achieved by using mainly silicon. As a result, this spurred the search for new alternative materials. Examples include organic conductors [6, 2] and carbon nanotubes [1]. The primary goal of which, to extend the use of the field effect of metals. For example, the main idea would be to translate metallic transistors developed to a much smaller size that would consume less energy and operate at higher frequencies than current semiconductor devices [6, 8].
- iv. In 2004 single layers of graphite were isolated by Geim et. al [6, 7]. They observed field effects in an atomically thin layer of graphene. They prepared the sample using exfoliation (define later in synthesis methods section). At the time, it was the leading candidate for metallic transistors and other electronic components. As a result, this began a breadth of research on graphene.

### (b) *After Graphene: Emergence of other 2D materials*

i.

## 2. Properties of 2D materials compared to graphene

(a)

## 3. Why are 2D materials significant?

(a)

## 4. Synthesis Methods

(a)

## 5. Fundamental Materials

(a)

## 6. State-of-the-art

(a)

## 7. Problems & Outlook

(a)

## References

- [1] Ray H. Baughman, Anvar A. Zakhidov, and Walt A. de Heer. Carbon nanotubes—the route toward applications. *Science*, 297(5582):787–792, 2002.
- [2] C.D. Dimitrakopoulos and D.J. Masearo. Organic thin-film transistors: A review of recent advances. *IBM Journal of Research and Development*, 45(1):11–27, Jan 2001.
- [3] Sumio Iijima. Helical microtubules of graphitic carbon. *Nature*, 354:56–58, 1991.
- [4] H. W. Kroto, J. R. Heath, S. C. O’Brien, R. F. Curl, and R. E. Smalley. C60: Buckminsterfullerene. *Nature*, 318:162–163, 1985.
- [5] Ruben Mas-Balleste, Cristina Gomez-Navarro, Julio Gomez-Herrero, and Felix Zamora. 2d materials: to graphene and beyond. *Nanoscale*, 3:20–30, 2011.
- [6] K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, Y. Zhang, S. V. Dubonos, I. V. Grigorieva, and A. A. Firsov. Electric field effect in atomically thin carbon films. *Science*, 306(5696):666–669, 2004.
- [7] K. S. Novoselov, D. Jiang, F. Schedin, T. J. Booth, V. V. Khotkevich, S. V. Morozov, and A. K. Geim. Two-dimensional atomic crystals. *Proceedings of the National Academy of Sciences of the United States of America*, 102(30):10451–10453, 2005.
- [8] Slava V. Rotkin and Karl Hess. Possibility of a metallic field-effect transistor. *Applied Physics Letters*, 84(16):3139–3141, 2004.