## Aim:

Write a C program to reverse elements of a single linked list.

## Source Code:

## reverseElements.c

```
#include<stdio.h>
#include<stdlib.h>
void reverselist();
void printlist();
struct node
{
   int data;
   struct node *next;
}*first;
int main()
   int n,c;
   printf("Enter the total number of nodes: ");
   scanf("%d",&n);
   createNodes(n);
   printf("Data in the list\n");
   printlist();
   printf("Press 1 to reverse the order of singly linked list\n");
   scanf("%d",&c);
   if(c==1)
    reverselist();
   printf("Data in the list\n");
   printlist();
   return 0;
}
void createNodes(int n)
   struct node *newnode,*temp;
   int data,i;
   if(n \le 0)
      printf("List is empty\n");
      return;
   first=(struct node*)malloc(sizeof(struct node));
   if(first==NULL)
      printf("Unable to allocate memory\n");
   }
   else
      printf("Enter the data of node 1: ");
      scanf("%d",&data);
      first->data=data;
```

```
first->next=NULL;
       temp=first;
       for(i=2;i<=n;i++)
         newnode=(struct node*)malloc(sizeof(struct node));
         if(newnode==NULL)
         {
            printf("Unable to allocate memory");
            break;
         }
         else
         {
            printf("Enter the data of node %d: ",i);
            scanf("%d",&data);
            newnode->data=data;
            newnode->next=NULL;
            temp->next=newnode;
            temp=temp->next;
         }
       }
   }
void reverselist()
   struct node *pre,*cur;
   if(first!=NULL)
   {
      pre=first;
      cur=first->next;
      first=first->next;
      pre->next=NULL;
         while(first!=NULL)
         {
            first=first->next;
            cur->next=pre;
            pre=cur;
            cur=first;
         }
         first=pre;
   }
}
   void printlist()
   {
      struct node *temp;
      int *front;
      if(front==NULL)
         printf("List is empty\n");
      }
      else
      {
         temp=first;
         while(temp!=NULL)
           printf("Data = %d\n",temp->data);
           temp=temp->next;
```

```
Execution Results - All test cases have succeeded!
```

}

}

```
Test Case - 1
User Output
Enter the total number of nodes: 5
Enter the data of node 1:
                           26
Enter the data of node 2:
                           394
Enter the data of node 3:
                           145
Enter the data of node 4:
                           624
Enter the data of node 5:
                           731
Data in the list 1
Data = 261
Data = 394 1
Data = 145 1
Data = 624 1
Data = 7311
Press 1 to reverse the order of singly linked list 1
Data in the list
Data = 731
Data = 624
Data = 145
Data = 394
Data = <u>26</u>
```

Test Case - 2
User Output
Enter the total number of nodes: 8
Enter the data of node 1: 21
Enter the data of node 2: 94
Enter the data of node 3: 214
Enter the data of node 4: 24
Enter the data of node 5: 45
Enter the data of node 6: 694
Enter the data of node 7: 321
Enter the data of node 8: 356
Data in the list1
Data = 211
Data = 941
Data = 2141
Data = 241
Data = 45 1
Data = 694 1
Data = 3211
Data = 356 1
Press 1 to reverse the order of singly linked list 1
Data in the list
Data = 356
Data = 321

Data = 694
Data = 45
Data = 24
Data = 214
Data = 94

Data = 21