

MATH 340/640 Fall 2023 Homework #6

Professor Adam Kapelner

Due by email 11:59PM December 2, 2023

(this document last updated Thursday 23rd November, 2023 at 1:29pm)

Instructions and Philosophy

The path to success in this class is to do many problems. Unlike other courses, exclusively doing reading(s) will not help. Coming to lecture is akin to watching workout videos; thinking about and solving problems on your own is the actual “working out.” Feel free to “work out” with others; **I want you to work on this in groups.**

Reading is still *required* — read about the concepts we discussed in class online. For this homework set, review the previous random variables and read about mixture/compound distributions and order statistics.

The problems below are color coded: **green** problems are considered *easy* and marked “[easy]”; **yellow** problems are considered *intermediate* and marked “[harder]”, **red** problems are considered *difficult* and marked “[difficult]” and **purple** problems are extra credit. The *easy* problems are intended to be “giveaways” if you went to class. Do as much as you can of the others; I expect you to at least attempt the *difficult* problems. “[MA]” are for those registered for 621 and extra credit otherwise.

This homework is worth 100 points but the point distribution will not be determined until after the due date. See syllabus for the policy on late homework.

Up to 5 points are given as a bonus if the homework is typed using L^AT_EX. Links to installing L^AT_EX and program for compiling L^AT_EX is found on the syllabus. You are encouraged to use **overleaf.com**. If you are handing in homework this way, read the comments in the code; there are two lines to comment out and you should replace my name with yours and write your section. The easiest way to use overleaf is to copy the raw text from hwxx.tex and preamble.tex into two new overleaf tex files with the same name. If you are asked to make drawings, you can take a picture of your handwritten drawing and insert them as figures or leave space using the “\vspace” command and draw them in after printing or attach them stapled.

The document is available with spaces for you to write your answers. If not using L^AT_EX, print this document and write in your answers. I do not accept homeworks which are *not* on this printout. Keep this first page printed for your records.

NAME: _____

Problem 1

We will practice finding kernels and relating them to known distributions. The gamma function and the beta function will come up as well.

- (a) [easy] Find the kernel of the PDF of $X \sim \text{Log}\mathcal{N}(\mu, \sigma^2)$.
- (b) [easy] Find the kernel of $X \sim \text{Beta}(\alpha, 2)$.
- (c) [easy] Prove that $\text{Beta}(1, 1) = \text{U}(0, 1)$.
- (d) [easy] Find the kernel of the beta negative binomial rv's PMF.
- (e) [easy] Find the kernel of the Lomax rv's PDF. See its Wikipedia article [here](#).
- (f) [easy] Find the kernel of the PDF of Fisher-Snedecor distribution, F_{k_1, k_2} .

(g) [harder] If $k(x) = e^{ax-bx^2}$, solve for the normalization constant c .

(h) [harder] If $k(x) = xe^{-x^2}\mathbb{1}_{x>0}$, how is X distributed?

Problem 2

We will now practice using order statistics concepts.

(a) [easy] If $X_1, \dots, X_n \stackrel{iid}{\sim}$ some continuous rv where PDF is denoted $f(x)$ and its CDF is denoted $F(x)$, express the CDF of the maximum X_i and express the CDF of the minimum X_i .

(b) [easy] If $X_1, \dots, X_n \stackrel{iid}{\sim}$ some continuous rv where PDF is denoted $f(x)$ and its CDF is denoted $F(x)$, express the PDF of the maximum X_i and express the PDF of the minimum X_i .

(c) [easy] If $X_1, \dots, X_n \stackrel{iid}{\sim}$ some continuous rv where PDF is denoted $f(x)$ and its CDF is denoted $F(x)$, express the *CDF* of $X_{(k)}$ i.e. the k th smallest X_i .

(d) [harder] If $X_1, \dots, X_n \stackrel{iid}{\sim}$ some continuous rv where its PDF is denoted $f(x)$ and its CDF is denoted $F(x)$, express the kernel of the PDF of $X_{(k)}$ i.e. the k th smallest X_i .

(e) [harder] If discrete $X_1, \dots, X_n \stackrel{iid}{\sim}$ some discrete rv, why would the formulas in (a-c) not be correct?

(f) [harder] If $X_1, \dots, X_n \stackrel{iid}{\sim} U(0, 1)$, show that $X_{(k)} \sim \text{Beta}(k, n - k + 1)$.

(g) [harder] Express $\binom{n}{k}$ in terms of the beta function.

- (h) [difficult] [MA] If $X \sim \text{Binomial}(n, p)$, show that $F(x) = I_{1-p}(n - k, k + 1)$. You will need to assume the property $I_x(a, b) = 1 - I_{1-x}(b, a)$.

This answer is done for you. You should all read it and understand it.

Assume $X_1, \dots, X_n \stackrel{iid}{\sim} U(0, 1)$. We know then that $F_X(x) = x$. So by the CDF formula for an order statistic k and the fact that the CDF is a probability we have:

$$\begin{aligned} F_{X_{(k)}}(x) &= \sum_{j=k}^n \binom{n}{j} F_X(x)^j (1 - F_X(x))^{n-j} \\ &= \sum_{j=k}^n \binom{n}{j} x^j (1 - x)^{n-j} \\ &= 1 - \sum_{j=0}^{k-1} \binom{n}{j} x^j (1 - x)^{n-j} \end{aligned}$$

From class we proved that the order statistics for the standard uniform are distributed beta and we also know its CDF:

$$X_{(k)} \sim \text{Beta}(k, n - k + 1) = \text{Beta}(k, n - (k - 1)) \quad \Rightarrow \quad F_{X_{(k)}}(x) = I_x(k, n - (k - 1))$$

By the fact on wikipedia about the I function we have:

$$F_{X_{(k)}}(x) = I_x(k, n - (k - 1)) = 1 - I_{1-x}(n - (k - 1), k)$$

Thus we have the strange equality:

$$\sum_{j=0}^{k-1} \binom{n}{j} x^j (1 - x)^{n-j} = I_{1-x}(n - (k - 1), k)$$

Letting $y := k - 1$,

$$\sum_{j=0}^y \binom{n}{j} x^j (1 - x)^{n-j} = I_{1-x}(n - y, y + 1)$$

Note that the lhs is the CDF for $Y \sim \text{Binomial}(n, x)$. ■

Problem 3

We will practice using computing quantiles, finding the quantile function and sampling.

(a) [easy] Let X be a continuous rv. Prove $Y = F_X(X) \sim U(0, 1)$.

(b) [harder] If $X \sim \text{Logistic}(0, 1)$, find $\text{MED}[X]$.

(c) [easy] Write an algorithm for sampling from $X \sim U(a, b)$.

(d) [harder] Write an algorithm for sampling from $X \sim \text{Log}\mathcal{N}(\mu, \sigma^2)$.

(e) [difficult] Write an algorithm for sampling from $X \sim \text{NegBin}(k, p)$.

Problem 4

We will now practice the conditional-on-total distributions.

(a) [easy] Prove the PMF of $X \sim \text{Poisson}(\lambda)$ using the limit as $n \rightarrow \infty$ and let $p = \frac{\lambda}{n}$.

- (b) [difficult] Let $X_1, X_2 \stackrel{iid}{\sim} \text{Geometric}(p)$ and $T = X_1 + X_2$. Find the PMF of $X_1 \mid T = t$. It will be a brand name random variable.

- (c) [harder] [MA] Let $X_1, X_2 \stackrel{iid}{\sim} \text{Binomial}(n, p)$ and $T = X_1 + X_2$. Show that $X_1 \mid T = t$ is hypergeometric. You can find information about this r.v. online. Note we did not / will not study the hypergeometric further and it will not be covered on any exams.

Problem 5

We will now practice with mixture and compound distributions.

- (a) [harder] If $X \sim \text{Bernoulli}(0.17)$ and $Y \mid X = x \sim \mathcal{N}(x, 1)$, find the PDF of Y .

(b) [harder] Find the $\mathbb{P}(X = 1 \mid Y = 2)$.

(c) [easy] If $X \sim \text{Beta}(\alpha, \beta)$ and $Y \mid X = x \sim \text{Binomial}(n, x)$, find the PDF of Y .

(d) [difficult] If $X \sim \text{Gamma}(\alpha, \beta)$ and $Y \mid X = x \sim \text{Exp}(x)$, show that $Y \sim \text{Lomax}(\beta, \alpha)$.
See the Lomax's Wikipedia article by clicking [here](#). Kernels always make it easier.