

# Math 340 / 640 Fall 2025

## Midterm Examination Two

Professor Adam Kapelner

November 13, 2025

Full Name \_\_\_\_\_

### Code of Academic Integrity

Since the college is an academic community, its fundamental purpose is the pursuit of knowledge. Essential to the success of this educational mission is a commitment to the principles of academic integrity. Every member of the college community is responsible for upholding the highest standards of honesty at all times. Students, as members of the community, are also responsible for adhering to the principles and spirit of the following Code of Academic Integrity.

Activities that have the effect or intention of interfering with education, pursuit of knowledge, or fair evaluation of a student's performance are prohibited. Examples of such activities include but are not limited to the following definitions:

**Cheating** Using or attempting to use unauthorized assistance, material, or study aids in examinations or other academic work or preventing, or attempting to prevent, another from using authorized assistance, material, or study aids. Example: using an unauthorized cheat sheet in a quiz or exam, altering a graded exam and resubmitting it for a better grade, etc.

I acknowledge and agree to uphold this Code of Academic Integrity.

\_\_\_\_\_  
signature

\_\_\_\_\_  
date

### Instructions

This exam is 110 minutes (variable time per question) and closed-book. You are allowed **two** pages (front and back) of a “cheat sheet”, blank scrap paper (provided by the proctor) and a graphing calculator (which is not your smartphone). Please read the questions carefully. Within each problem, I recommend considering the questions that are easy first and then circling back to evaluate the harder ones. No food is allowed, only drinks.

**Problem 1** These questions are about inequalities.

- (a) [5 pt / 5 pts] Let  $X_1, \dots, X_n \stackrel{iid}{\sim}$  with mean  $\mu < \infty$  and  $\mathbb{S}_X > 0$ . Find a bound for  $\mathbb{P}(\bar{X} \geq 2\mu)$ .

- (b) [5 pt / 10 pts] Let  $Z \sim \mathcal{N}(0, 1)$ . What is the Chebyshev's bound on  $\mathbb{P}(Z \notin (-2, 2))$ ?

**Problem 2** These questions are about transformations of rv's.

- (a) [5 pt / 15 pts] Let  $X \sim \text{Binomial}(n, p) := \binom{n}{x} p^x (1-p)^{n-x} \mathbb{1}_{x \in \{0, 1, \dots, n\}}$  and let  $Y = \sqrt{X}$ . Find  $p_Y(y)$ . Make sure you have a term in your answer that looks like  $\mathbb{1}_{y \in \mathbb{S}_Y}$ .

- (b) [5 pt / 20 pts] Consider a new brand name rv you will see later on the homework:

$$U \sim \text{Lomax}(\lambda, k) := \frac{\lambda}{k} \left(1 + \frac{u}{k}\right)^{-(\lambda+1)} \mathbb{1}_{u>0}$$

and let  $X \sim \text{ParetoI}(k, \lambda) := \frac{\lambda k^\lambda}{x^{\lambda+1}} \mathbb{1}_{x>k}$ . Let  $Y = X - k$ . Show that  $Y \sim \text{Lomax}(\lambda, k)$ .

- (c) [6 pt / 26 pts] Let  $X \sim \text{U}(0, 1)$ . Let  $Y = \ln\left(\frac{X}{1-X}\right)$ . Show that  $Y$  is distributed as a brand name rv we've studied and find that name brand rv's parameter values. Derive the result using transformation of variables.

- (d) [8 pt / 34 pts] Let  $X_1, X_2 \stackrel{iid}{\sim} U(0, 1)$ . Let  $R = X_1/X_2$ . Find the PDF of  $R$ . Get as far as you can. Partial credit will be given at each step. Hint: the answer is a piecewise function. Hint: don't forget the support term(s).

**Problem 3** Let  $\mathbf{X} \sim \text{Multi}_k(n, \mathbf{p})$  where  $k > 1$  and  $n > 17$ .

(a) [2 pt / 36 pts] How many entries are in the vector  $\mathbf{p}$ ?

(b) [3 pt / 39 pts] What is the probability that  $X_1 = 17$  as a function of  $n, p_1$ ?

(c) [4 pt / 43 pts] Find  $\text{Var}[X_1 + X_2]$  as a function of  $n, p_1, p_2$ .

(d) [4 pt / 47 pts] If  $x_1 = 17$ , find the JMF of the vector  $\mathbf{X}_{-1}$ , i.e.,  $\mathbf{X}$  without  $X_1$ . If the answer is a brand name rv, you can use the brand name notation from class to represent the JMF.

(e) [4 pt / 51 pts] If  $x_1 + x_2 + \dots + x_{k-1} = 17$ , find the PMF of  $X_k$ . If the answer is a brand name rv, you can use the brand name notation from class to represent the PMF.

**Problem 4** Consider  $X_1, \dots, X_n \stackrel{iid}{\sim}$  with finite  $\mu$  and finite  $\sigma^2$ .

(a) [5 pt / 56 pts] Consider

$$\frac{n}{X_1 + X_2 + \dots + X_n} \xrightarrow{p} c$$

and find  $c$  as a function of  $\mu, \sigma$  and justify the steps you took to prove it.

(b) [5 pt / 61 pts] Consider

$$\frac{X_1^2 + X_2^2 + \dots + X_n^2}{X_1 + X_2 + \dots + X_n} \xrightarrow{p} c$$

and find  $c$  as a function of  $\mu, \sigma$  and justify the steps you took to prove it.

- (c) [5 pt / 66 pts] Does the following expression converge in distribution?

$$\frac{\bar{X}^2 - \mu\bar{X}}{\frac{\sigma}{\sqrt{n}}}$$

If so, find that limiting distribution's PDF and its parameters as a function of  $\mu, \sigma$  and justify the steps you took to prove it. If the answer is a brand name rv, you can use the brand name notation from class to represent the PDF.

- (d) [5 pt / 71 pts] Prove that  $\frac{1}{n-2} \sum_{i=1}^n (X_i - \bar{X})^2 \xrightarrow{p} \sigma^2$  and justify the steps you took to prove it. Hint: use the convergence that we proved in class for  $S_n^2$ .

**Problem 5** These are some distribution questions.

- (a) [5 pt / 76 pts] Let  $X \sim \text{Gamma}(\alpha, \beta) := \frac{\beta^\alpha}{\Gamma(\alpha)} e^{-\beta x} x^{\alpha-1} \mathbf{1}_{x>0}$ . Verify the Humpty-Dumpty identity for  $f_X(x)$ . Show each step. Hint: use the gamma-like integral.

For the remainder of this problem, let  $Z_1, Z_2, \dots, Z_n \stackrel{iid}{\sim} \mathcal{N}(0, 1)$ .

- (b) [7 pt / 83 pts] Let  $\mathbf{Z} = \begin{bmatrix} Z_1 \\ Z_2 \end{bmatrix}$  and consider the following function:

$$\mathbf{Z}^\top \begin{bmatrix} 3/4 & \sqrt{3}/4 \\ \sqrt{3}/4 & 1/4 \end{bmatrix} \mathbf{Z}$$

Find a function of  $Z_1, Z_2$  that is independent of this function. No need to simplify. Justify your steps.



(c) [2 pt / 85 pts] Would  $Z_1 + Z_2$  be an error distribution? Yes/no.

(d) [5 pt / 90 pts] Let  $U = \frac{1}{4} \left( \frac{Z_1}{Z_2} + \frac{Z_3}{Z_4} + \frac{Z_5}{Z_6} + \frac{Z_7}{Z_8} \right)$ . How is  $U$  distributed? If the answer is a brand name rv, you can use the brand name notation from class to represent the PDF.

(e) [5 pt / 95 pts] Let  $Y = Z_1^2 + \dots + Z_n^2$  and let  $n$  be even. Circle all the following that are true:

- $Y \sim \chi_1^2$
- $Y \sim \chi_n^2$
- $Y \sim \chi_{n/2}^2$
- $Y \sim \text{Gamma}(n, 1/2)$
- $Y \sim \text{Gamma}(n/2, 1/2)$
- $Y \sim \text{Erlang}(n, 1/2)$
- $Y \sim \text{Erlang}(n/2, 1/2)$
- $Y \sim T_n$
- $Y \sim T_{n/2}$
- $Y \sim F_{n,1/2}$
- $Y \sim F_{n/2,1/2}$
- $Y \sim \text{Cauchy}(0, n)$
- $Y^2 \sim T_{n/2}$
- $Y^2 \sim F_{n/2,1/2}$

- (f) [5 pt / 100 pts] Let  $R \sim F_{1,2}$ . Write the PDF of  $R$  below. Simplify as much as possible. Hint: your answer should not even include the gamma function but only feature fundamental constants. Don't forget the support term with the indicator function.