# MATH 621 Fall 2017 Homework #3 INCOMPLETE

### Professor Adam Kapelner

Due in class, Tuesday, October 17, 2017

(this document last updated Tuesday 3<sup>rd</sup> October, 2017 at 6:32pm)

#### Instructions and Philosophy

The path to success in this class is to do many problems. Unlike other courses, exclusively doing reading(s) will not help. Coming to lecture is akin to watching workout videos; thinking about and solving problems on your own is the actual "working out." Feel free to "work out" with others; I want you to work on this in groups.

Reading is still *required*. For this homework set, read about transformations of r.v.'s (discrete and continuous).

The problems below are color coded: green problems are considered *easy* and marked "[easy]"; yellow problems are considered *intermediate* and marked "[harder]", red problems are considered *difficult* and marked "[difficult]" and purple problems are extra credit. The *easy* problems are intended to be "giveaways" if you went to class. Do as much as you can of the others; I expect you to at least attempt the *difficult* problems.

This homework is worth 100 points but the point distribution will not be determined until after the due date. See syllabus for the policy on late homework.

Up to 10 points are given as a bonus if the homework is typed using LATEX. Links to instaling LATEX and program for compiling LATEX is found on the syllabus. You are encouraged to use overleaf.com. If you are handing in homework this way, read the comments in the code; there are two lines to comment out and you should replace my name with yours and write your section. The easiest way to use overleaf is to copy the raw text from hwxx.tex and preamble.tex into two new overleaf tex files with the same name. If you are asked to make drawings, you can take a picture of your handwritten drawing and insert them as figures or leave space using the "\vspace" command and draw them in after printing or attach them stapled.

The document is available with spaces for you to write your answers. If not using IATEX, print this document and write in your answers. I do not accept homeworks which are *not* on this printout. Keep this first page printed for your records.

TA T A .	ME:			

### Problem 1

We will practice transformations on discrete r.v.'s.

- (a) [easy] If  $X \sim \text{Binomial}(n, p)$  and Y = c + aX, find  $p_Y(y)$  and the Supp [Y].
- (b) [easy] If  $X \sim \text{Binomial}(n, p)$  and  $Y = X^2$ , find  $p_Y(y)$  and the Supp [Y].

(c) [difficult] If  $X \sim \text{Binomial}(n, p)$  and Y = |X - k| where  $k \in \mathbb{N}$ , find  $p_Y(y)$  and the Supp [Y].

(d) [difficult] If  $X \sim \text{Poisson}(\lambda_1)$  independent of  $Y \sim \text{Poisson}(\lambda_2)$ , and T = X - Y, find  $p_T(t)$  and the Supp [T]. This is called the Skellam $(\lambda_1, \lambda_2)$  distribution, the generalization of what we found in class.

(e) [harder] According to the major league baseball statistics of 2016, the New York Yankees scored 4.20 runs per game on average and the Boston Red Socks scored 5.42 runs per game on average. If the Poisson distribution is a good model for runs scored in a baseball game (and that's a big "if"), find an expression for the probability the Yankees beat the Red Sox in one game.

(f) [easy] Evaluate the expression. You will need the besselI function in R.

## Problem 2

We will now practice transformations on continuous r.v.'s.

(a) [easy] If  $X \sim \text{Exp}(\lambda)$  and Y = c + aX, find  $f_Y(y)$  and the Supp [Y].

(b) [harder] If  $X \sim \text{Erlang}(k, \lambda)$  and Y = aX where  $a \in (0, \infty)$ , find  $f_Y(y)$  and the Supp [Y]. If possible, give its brand name and find its parameters.

(c) [harder] If  $X \sim \text{Exp}(\lambda)$  and  $Y = e^{-X}$ , find  $f_Y(y)$  and the Supp [Y].

(d) [harder] If  $X \sim \text{Exp}(1)$  and  $Y = -\ln\left(\frac{e^{-X}}{1-e^{-X}}\right)$ , find  $f_Y(y)$  and the Supp [Y].