

pavanpw-7

for checking enabled and disabled-

```
14  
15 4) expect(locator).toBeEnabled()      Control is enabled  
16    expect(locator).toBeDisabled()    Element is disabled  
17
```

to have attribute-

//6) **expect(locator).toHaveAttribute()** Element has attribute const regButton=await
page.locator('#register-button') **await expect(regButton).toHaveAttribute('type','submit')**

pass in the attribute and the value of the attribute.

this is to match the full text-

await expect(await page.locator('.page-title h1')).toHaveText('Register') //full text

this is to match any partial text also-

await expect(await page.locator('.page-title h1')).toContainText('Reg') //partial text

to have value -

enter the value and then check if its entered and correct.

//9) **expect(locator).toHaveValue(value)** Input has a value const emailInput=await
page.locator('#Email') await emailInput.fill('test@demo.com'); **await**
expect(emailInput).toHaveValue('test@demo.com')

locator-

this word can be used for single element or multiple elements.

every assertion will have not also-

```
expect(page).not.toHaveURL()
```

```
29  
30 10) expect(locator).toHaveCount() L  
31 expect(locator).not.toHaveCount()  
32
```

expect is hard assertion -

```

1 //expect is hard assertion. test fails and stops.
2 test('AssertionsTest', async ({page}) => {
3
4     //open app url
5     await page.goto('https://demo.nopcommerce.com/register')
6
7     //1) expect(page).toHaveURL()           Page has URL
8     await expect(page).toHaveURL('https://demo.nopcommerce.com/register')
9
10    //2) expect(page).toHaveTitle()         Page has title
11    await expect(page).toHaveTitle('nopCommerce demo store. Register')
12
13    //3) expect(locator).toBeVisible()      Element is visible
14    const logoElement = await page.locator('.header-logo')
15    await expect(logoElement).toBeVisible()
16
17    //4) expect(locator).toBeEnabled()       Control is enabled
18    const searchStoreBox = await page.locator('#small-searchterms')
19    await expect(searchStoreBox).toBeEnabled()
20
21    //5) expect(locator).toBeChecked()       Radio/Checkbox is checked
22
23    //radio button
24    const maleRadioButton = await page.locator('#gender-male')
25    await maleRadioButton.click() // select radio button
26    await expect(maleRadioButton).toBeChecked()
27
28
29    //check box
30    const newsletterCheckbox = await page.locator('#Newsletter')
31    await expect(newsletterCheckbox).toBeChecked()
32
33    //6) expect(locator).toHaveAttribute()   Element has attribute
34    const regButton = await page.locator('#register-button')
35    await expect(regButton).toHaveAttribute('type', 'submit')
36
37    // 7) expect(locator).toHaveText()       Element matches text
38
39    await expect(await page.locator('.page-title h1')).toHaveText('Register') //full text
40
41
42    // 8) expect(locator).toContainText()    Element contains text
43    await expect(await page.locator('.page-title h1')).toContainText('Reg') //partial text
44
45
46    //9) expect(locator).toHaveValue(value)  Input has a value
47    const emailInput = await page.locator('#Email')
48    await emailInput.fill('test@demo.com');
49    await expect(emailInput).toHaveValue('test@demo.com')
50
51    // 10) expect(locator).toHaveLength()    List of elements has given length
52    const options = await page.locator('select[name="DateOfBirthMonth"] option')
53    await expect(options).toHaveLength(0)
54 })

```