


Appendices

12.11-2020

1 Appendices

1.1 Appendix A



1.2 Appendix B




Figure 1.1: GDP Growth(%) vs 5-year Treasury Implied Volatility

1.3 Appendix C

Notes: This table includes summary statistics for main variables used in our research. Statistics include mean, standard deviation,, min, 1st quartile, median, 3rd quartile, max & number of valid data points. In Panel A, different YIV data is summarized. In Panel B, we have listed the main dependent variables which are used for predictions. GDP denotes the year-on-year growth rate(quarterly data), CON denotes YOY consumption growth(monthly data), EMP describes YOY growth rate for non-farm payroll and lastly IND stands for Industrial production YOY growth (monthly data). In Panel C, different control variables are listed: SVEN1F01 - 1 year treasury bond par yield.

Table 1.1: Summary Statistics

Variable	Mean	Std.Dev	Min	Q1	Median	Q3	Max
Panel A: YIV							
YIV	3.34	1.31	1.39	2.60	3.00	3.62	9.21
Panel B: Dependent Variables							
GDP	2.50	1.78	-3.92	1.71	2.61	3.98	5.30
CON	14.57	5.73	-8.73	11.42	15.51	18.49	25.12
EMP	3.18	5.03	-14.70	0.80	4.80	6.50	10.20
IND	6.06	12.06	-45.35	4.56	8.20	12.66	25.17
Panel C: Control Variables							
VIX	19.81	7.35	11.03	14.17	17.56	24.01	58.74
DBAA	7.18	1.47	4.50	6.18	7.25	8.22	10.61
spy_logreturn	6.88	17.42	-53.43	1.02	10.92	18.24	34.95
AAA	6.22	1.52	3.46	5.20	6.00	7.43	9.40
housng	3.18	51.49	-151.80	-16.80	14.10	36.10	117.70
gz_spr	1.98	1.23	0.79	1.09	1.64	2.59	7.66
TRM1003	1.86	1.13	-0.63	0.84	2.03	2.74	3.61
TRM1006	1.73	1.14	-0.63	0.73	1.88	2.61	3.53
TRM1012	1.59	1.06	-0.36	0.66	1.74	2.52	3.35
TRM0503	1.28	0.83	-0.64	0.61	1.38	1.96	2.88
TRM0506	1.14	0.81	-0.64	0.53	1.25	1.75	2.72
baa_aaa	0.96	0.40	0.56	0.70	0.89	1.06	3.00
SRT03M	-0.29	1.36	-4.25	-0.77	-0.06	0.12	2.58

Note:

The variables are shown prior to the standardization process.

1.4 Appendix D.

Notes: This table depicts the output of regression with YIV as independent variable. The equation for the regression is following:

$$\sum_{j=1}^{j=H} \log(1 + GDP_{i,t+j})/H = \alpha_H + \beta_H \sigma_{IV,t}^{INT} + \varepsilon_{t+H} \quad (1)$$

Table 1.2: Regression output

	H4	H6	H8	H10	H12
YIV_estimate	-1.00	-0.87	-0.71	-0.61	-0.54
YIV_std.error	0.24	0.22	0.18	0.14	0.13
YIV_p.value	0.00	0.00	0.00	0.00	0.00
r.squared	0.39	0.35	0.28	0.23	0.20
adj.r.squared	0.39	0.34	0.27	0.22	0.19

Note:

*** - p<0.01, ** - p<0.05, * - p<0.1. Reported standard error is adjusted for heteroskedasticity

1.5 Appendix E.

Notes: YIV and dummy as independent variables. The equation for the regression is following:

$$\sum_{j=1}^{j=H} \log(1 + GDP_{i,t+j})/H = \alpha_H + \beta_H \sigma_{IV,t}^{INT} + Dummy + \varepsilon_{t+H} \quad (2)$$

Table 1.3: Regression with state-dependency

	H4	H6	H8	H10	H12
YIV_estimate	-0.54	-0.48	-0.41	-0.40	-0.38
YIV_std.error	0.14	0.13	0.10	0.10	0.10
YIV_p.value	0.00	0.00	0.00	0.00	0.00
dum_estimate	-2.72	-2.31	-1.75	-1.22	-0.93
dum_std.error	0.40	0.34	0.22	0.26	0.28
dum_p.value	0.00	0.00	0.00	0.00	0.00
r.squared	0.61	0.54	0.40	0.30	0.25
adj.r.squared	0.60	0.53	0.39	0.29	0.23

Note:

*** - p<0.01, ** - p<0.05, * - p<0.1. Reported standard error is adjusted for heteroskedasticity

```
## Variables Tolerance VIF
## 1 YIV 0.3696205 2.705477
## 2 dum 0.6153407 1.625116
## 3 YIV:dum 0.3169087 3.155483
```

1.6 Appendix F.

Notes: This table includes regression using YIV and GDP lags. The equation for the regression is following:

$$\sum_{j=1}^{j=H} \log(1 + GDP_{i,t+j})/H = \alpha_H + \beta_H \sigma_{IV,t}^{INT} + \log[\log(1 + GDP_{i,t+j})] + \varepsilon_{t+H} \quad (3)$$

Table 1.4: Regression with state-dependency

	H4	H6	H8	H10	H12
YIV__estimate	-0.62	-0.61	-0.49	-0.42	-0.38
YIV__std.error	0.20	0.21	0.17	0.12	0.12
YIV__p.value	0.00	0.01	0.00	0.00	0.00
lag1__estimate	0.86	0.59	0.48	0.45	0.40
lag1__std.error	0.10	0.11	0.11	0.12	0.13
lag1__p.value	0.00	0.00	0.00	0.00	0.00
lag2__estimate	-0.46	-0.31	-0.24	-0.25	-0.25
lag2__std.error	0.11	0.09	0.08	0.09	0.10
lag2__p.value	0.00	0.00	0.01	0.00	0.01
r.squared	0.65	0.51	0.40	0.34	0.28
adj.r.squared	0.64	0.50	0.38	0.32	0.26

Note:

*** - p<0.01, ** - p<0.05, * - p<0.1. Reported standard error is adjusted for heteroskedasticity

##	Variables	Tolerance	VIF
## 1	YIV	0.7742275	1.291610
## 2	lag1	0.1883545	5.309137
## 3	lag2	0.2046618	4.886109

1.7 Appendix G.

Notes: This table includes regression using GDP lags and controls. The equation for the regression is following:

$$\sum_{j=1}^{j=H} \log(1 + GDP_{i,t+j})/H = \alpha_H + \beta_H \sigma_{IV,t}^{INT} + \log[\log(1 + GDP_{i,t+j})] + \varepsilon_{t+H} \quad (4)$$

Table 1.5: Regression with state-dependency

	H4	H6	H8	H10	H12
lag1_estimate	0.30	0.09	0.04	0.03	-0.04
lag1_std.error	0.22	0.24	0.23	0.20	0.18
lag1_p.value	0.19	0.73	0.88	0.87	0.81
lag2_estimate	0.06	0.22	0.30	0.29	0.30
lag2_std.error	0.15	0.16	0.16	0.15	0.15
lag2_p.value	0.71	0.17	0.06	0.06	0.05
DGS1_estimate	0.03	0.28	0.62	0.98	1.32
DGS1_std.error	0.42	0.49	0.50	0.50	0.48
DGS1_p.value	0.95	0.58	0.22	0.05	0.01
TRM1012_estimate	0.46	0.69	0.98	1.27	1.50
TRM1012_std.error	0.35	0.44	0.47	0.49	0.48
TRM1012_p.value	0.19	0.12	0.04	0.01	0.00
SRT03M_estimate	0.14	0.18	0.13	0.03	-0.05
SRT03M_std.error	0.24	0.32	0.31	0.27	0.23
SRT03M_p.value	0.56	0.58	0.69	0.90	0.83
baa_aaa_estimate	-0.09	0.12	0.21	0.09	-0.05
baa_aaa_std.error	0.18	0.26	0.26	0.24	0.21
baa_aaa_p.value	0.61	0.64	0.42	0.69	0.82
VIX_estimate	-0.11	-0.21	-0.19	-0.11	-0.10
VIX_std.error	0.18	0.23	0.22	0.20	0.19
VIX_p.value	0.54	0.36	0.39	0.57	0.61
housng_estimate	0.04	0.13	0.27	0.32	0.24
housng_std.error	0.12	0.13	0.15	0.16	0.13
housng_p.value	0.77	0.32	0.09	0.05	0.07
gz_spr_estimate	-0.77	-0.97	-0.93	-0.66	-0.40
gz_spr_std.error	0.25	0.25	0.31	0.38	0.39
gz_spr_p.value	0.00	0.00	0.00	0.09	0.32
spy_logreturn_estimate	0.02	0.01	0.00	0.00	0.01
spy_logreturn_std.error	0.02	0.02	0.02	0.02	0.02
spy_logreturn_p.value	0.23	0.61	0.87	0.86	0.72
r.squared	0.80	0.69	0.64	0.64	0.65

adj.r.squared	0.77	0.63	0.58	0.58	0.59
---------------	------	------	------	------	------

Note:

*** - $p < 0.01$, ** - $p < 0.05$, * - $p < 0.1$. Reported standard error is adjusted for heteroskedasticity

##	Variables	Tolerance	VIF
## 1	lag1	0.08283638	12.071991
## 2	lag2	0.09082178	11.010575
## 3	DGS1	0.15540445	6.434822
## 4	TRM1012	0.18002094	5.554909
## 5	SRT03M	0.53884059	1.855836
## 6	baa_aaa	0.14625828	6.837220
## 7	VIX	0.69567251	1.437458
## 8	housng	0.71091598	1.406636
## 9	gz_spr	0.10506863	9.517589
## 10	spy_logreturn	0.18001199	5.555185

1.8 Appendix H.

Notes: YIV, dummy, GDP lags and controls as independent variables. The equation for the regression is following:

$$\sum_{j=1}^{j=H} \log(1 + GDP_{i,t+j})/H = \alpha_H + \beta_H \sigma_{IV,t}^{INT} + \text{lag}[\log(1 + GDP_{i,t+j})] + \varepsilon_{t+H} \quad (5)$$

Table 1.6: Regression with state-dependency

	H4	H6	H8	H10	H12
YIV_estimate	-0.48	-0.58	-0.47	-0.36	-0.25
YIV_std.error	0.19	0.22	0.19	0.14	0.14
YIV_p.value	0.01	0.01	0.02	0.01	0.07
dum_estimate	-1.40	-1.32	-1.26	-0.98	-0.95
dum_std.error	0.54	0.74	0.71	0.56	0.49
dum_p.value	0.01	0.08	0.08	0.09	0.06
lag1_estimate	0.16	-0.06	-0.09	-0.07	-0.13
lag1_std.error	0.13	0.15	0.14	0.14	0.13
lag1_p.value	0.23	0.66	0.52	0.62	0.32
lag2_estimate	0.17	0.33	0.40	0.37	0.37
lag2_std.error	0.12	0.12	0.12	0.12	0.13
lag2_p.value	0.15	0.01	0.00	0.00	0.01
DGS1_estimate	0.19	0.45	0.77	1.10	1.42
DGS1_std.error	0.33	0.39	0.41	0.45	0.45
DGS1_p.value	0.58	0.26	0.06	0.02	0.00
TRM1012_estimate	0.58	0.83	1.10	1.36	1.56
TRM1012_std.error	0.27	0.36	0.41	0.47	0.46
TRM1012_p.value	0.04	0.03	0.01	0.01	0.00
SRT03M_estimate	-0.08	-0.04	-0.08	-0.12	-0.20
SRT03M_std.error	0.18	0.27	0.28	0.26	0.23
SRT03M_p.value	0.65	0.88	0.79	0.63	0.39
baa_aaa_estimate	0.22	0.48	0.51	0.33	0.12
baa_aaa_std.error	0.17	0.23	0.24	0.23	0.21
baa_aaa_p.value	0.22	0.04	0.04	0.16	0.57
VIX_estimate	0.09	0.01	0.00	0.03	0.02
VIX_std.error	0.13	0.16	0.16	0.16	0.17
VIX_p.value	0.49	0.97	0.98	0.83	0.89
housng_estimate	0.12	0.23	0.35	0.38	0.29
housng_std.error	0.10	0.15	0.19	0.19	0.16
housng_p.value	0.23	0.13	0.07	0.05	0.07
gz_spr_estimate	-0.52	-0.70	-0.70	-0.48	-0.25

gz_spr_std.error	0.27	0.26	0.30	0.37	0.39
gz_spr_p.value	0.06	0.01	0.02	0.20	0.52
spy_logreturn_estimate	0.02	0.02	0.01	0.01	0.01
spy_logreturn_std.error	0.01	0.01	0.01	0.01	0.01
spy_logreturn_p.value	0.01	0.10	0.45	0.57	0.54
r.squared	0.88	0.80	0.73	0.71	0.70
adj.r.squared	0.86	0.75	0.67	0.64	0.63

Note:

*** - $p < 0.01$, ** - $p < 0.05$, * - $p < 0.1$. Reported standard error is adjusted for heteroskedasticity


##	Variables	Tolerance	VIF
## 1	YIV	0.1217027	8.216744
## 2	dum	0.2154605	4.641222
## 3	lag2	0.3686612	2.712518
## 4	DGS1	0.1495779	6.685480
## 5	TRM1012	0.1988706	5.028395
## 6	SRT03M	0.3822738	2.615926
## 7	baa_aaa	0.1046499	9.555668
## 8	VIX	0.6408287	1.560479
## 9	housng	0.6964908	1.435769
## 10	gz_spr	0.1036346	9.649292
## 11	spy_logreturn	0.2005537	4.986195
## 12	YIV:dum	0.1058656	9.445943

1.9 Appendix I.

	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12
OOS RMSFE	1.68	1.74	1.85	1.98	2.09	2.12	2.07	2.01	1.98	1.99	1.94	1.93
Recessionary	3.29	3.42	3.74	3.79	3.73	3.17	2.30	1.84	2.15	2.31	1.63	1.44
Expansionary	1.28	1.33	1.37	1.55	1.73	1.92	2.04	2.03	1.96	1.94	1.98	1.99
Naive	0.93	1.50	1.95	2.21	2.28	2.29	2.28	2.20	2.11	1.96	1.81	1.74
TRM	2.09	2.13	2.09	2.00	1.83	1.68	1.57	1.48	1.44	1.48	1.65	1.83
CRS	1.50	1.94	2.49	2.84	2.62	2.26	1.95	1.87	1.86	1.85	1.86	1.90

Note:

OOS refers to Out-of-sample



Appendix F.

```
## [1] "Tree 1 out of 50"
## [1] "Tree 2 out of 50"
## [1] "Tree 3 out of 50"
## [1] "Tree 4 out of 50"
## [1] "Tree 5 out of 50"
## [1] "Tree 6 out of 50"
## [1] "Tree 7 out of 50"
## [1] "Tree 8 out of 50"
## [1] "Tree 9 out of 50"
## [1] "Tree 10 out of 50"
## [1] "Tree 11 out of 50"
## [1] "Tree 12 out of 50"
## [1] "Tree 13 out of 50"
## [1] "Tree 14 out of 50"
## [1] "Tree 15 out of 50"
## [1] "Tree 16 out of 50"
## [1] "Tree 17 out of 50"
## [1] "Tree 18 out of 50"
## [1] "Tree 19 out of 50"
## [1] "Tree 20 out of 50"
## [1] "Tree 21 out of 50"
## [1] "Tree 22 out of 50"
## [1] "Tree 23 out of 50"
## [1] "Tree 24 out of 50"
## [1] "Tree 25 out of 50"
## [1] "Tree 26 out of 50"
## [1] "Tree 27 out of 50"
## [1] "Tree 28 out of 50"
## [1] "Tree 29 out of 50"
## [1] "Tree 30 out of 50"
## [1] "Tree 31 out of 50"
## [1] "Tree 32 out of 50"
## [1] "Tree 33 out of 50"
## [1] "Tree 34 out of 50"
## [1] "Tree 35 out of 50"
## [1] "Tree 36 out of 50"
## [1] "Tree 37 out of 50"
## [1] "Tree 38 out of 50"
## [1] "Tree 39 out of 50"
## [1] "Tree 40 out of 50"
## [1] "Tree 41 out of 50"
## [1] "Tree 42 out of 50"
## [1] "Tree 43 out of 50"
```

```
## [1] "Tree 44 out of 50"
## [1] "Tree 45 out of 50"
## [1] "Tree 46 out of 50"
## [1] "Tree 47 out of 50"
## [1] "Tree 48 out of 50"
## [1] "Tree 49 out of 50"
## [1] "Tree 50 out of 50"
## [1] "Warning: those bands may have missing values or be innacurate if B is low and su
```

