

HP Color LaserJet Enterprise LaserJet Enterprise M751dn Color **Printer, Ethernet Only; Duplex**

Brand: HP Product family: Color LaserJet Product code: T3U44A

Enterprise

Product name : LaserJet Enterprise M751dn Color Printer, Ethernet Only; Duplex

- Two-sided printing
- Print
- Print speed up to 40 ppm (black) and 40 ppm (color)
- Up to 1200 x 1200 dpi

Color LaserJet Enterprise M751dn

HP Color LaserJet Enterprise LaserJet Enterprise M751dn Color Printer, Ethernet Only; Duplex:

HP JetIntelligence Cartridge

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.





Printing		Performance	
Duplex printing mode	Auto	Coprocessor frequency	1.2 GHz
Print resolution colour	1200 x 1200 DPI	Sound pressure level (printing)	51 dB
Print resolution black	1200 x 1200 DPI	Noise level (ready)	30 dB
Print speed (colour, normal quality, A4/US Letter)	41 ppm	Sound power level (printing)	6.6 dB
Colour *	✓	Design	
Print technology *	Laser	Market positioning *	Business
Duplex printing *	✓	Product colour *	White
Maximum resolution *	1200 x 1200 DPI	Built-in display *	•
Print speed (black, normal quality,	41 ppm	Display	LCD
A4/US Letter) *	41 ррш	Colour display	✓
Print speed (colour, draft quality,	41 ppm	Display diagonal	6.86 cm (2.7")
A4/US Letter)		Control type	Buttons
Print speed (black, normal quality, A3)	26 ppm		CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A.
Print speed (colour, normal quality, A3)	26 ppm		
Warm-up time	131 s	Certification	
Time to first page (black, normal)	5.7 s		
Time to first page (colour, normal)	6.1 s		
Print margins (top, bottom, right, left)	5 mm		Other EMC approvals as required by individual countries.
Watermark printing	✓	Power	
Secure printing	✓	Power consumption (printing) *	870 W
		Power consumption (max)	870 W

_			
Features		Power	
Maximum duty cycle *	150000 pages per month	Power consumption (ready)	48 W
Recommended duty cycle	0 - 40000 pages per month	Power consumption (PowerSave)	0.08 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (off)	0.08 W
Number of print cartridges * Page description languages *	4 PCL 5, PCL 6, PDF 1.7, PostScript 3	Energy Star Typical Electricity Consumption (TEC)	0.551 kWh/week
	PostScript, Scalable, TrueType,	AC input voltage	100 - 240 V
Printer fonts	Windows	AC input frequency	50/60 Hz
Country of origin	Japan HP 658A Black LaserJet Toner	System requirements	
	Cartridge (7,000 pages); HP 658A Cyan LaserJet Toner Cartridge (6,000 pages); HP 658A Magenta LaserJet Toner Cartridge (6,000 pages); HP 658A Yellow LaserJet Toner Cartridge (6,000 pages); HP 658X Black LaserJet Toner Cartridge (33,000 pages); HP 658X Cyan LaserJet Toner Cartridge (28,000	Windows operating systems supported Mac operating systems supported	Windows 10, Windows 8, Windows 11, Windows 8.1, Windows 7 Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra
		Other operating systems supported	Android, iOS
Replacement cartridges		Operational conditions	
		Operating temperature (T-T)	10 - 32.5 °C
	pages); HP 658X Magenta LaserJet Toner Cartridge (28,000 pages); HP	Storage temperature (T-T)	-20 - 40 °C
	658X Yellow LaserJet Toner Cartridge (28,000 pages); HP 660A Original LaserJet Imaging Drum	Operating relative humidity (H-H)	10 - 80%
		Sustainability	
	(65,000 pages, universal for all 4	•	
	colours)	Sustainability compliance	PL A A SEL ENERGY CTAR EREAT
HP segment	Business	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Input & output capacity	2	Sustainable technologies and materials	Mercury free
Total number of input trays *	2	Doesn't contain	Mercury
Total input capacity *	650 sheets		Mercury
Total output capacity *	250 sheets	Carbon footprint	
Paper tray 1 input capacity	100 sheets	Total carbon footprint (kg of CO2e)	710
Paper tray 2 input capacity	550 sheets	Carbon emissions, manufacturing	449
Paper input type	Sheetfed	(kg of CO2e)	
Multi-Purpose tray		Carbon emissions, logistics (kg of CO2e)	59
Multi-Purpose tray input capacity Maximum number of input trays	100 sheets 6	Total carbon emissions, w/o use	105
Maximum input capacity	4450 sheets	phase (kg of CO2e)	185
Maximum output capacity	250 sheets	Weight & dimensions	
Paper handling		Width	556 mm
Maximum ISO A-series paper size *	A3	Depth	589 mm
Maximum print size	310 x 447 mm	Height	399 mm
Maximum print size	Card stock, Envelopes, Glossy	Pallet dimensions (W x D x H)	790 x 760 x 2359 mm
	paper, Heavy paper, Labels, Plain paper, Recycled paper, Thick paper, Transparencies	Weight	45.1 kg
Paper tray media types *		Packaging data	
ISO A-series sizes (A0A9) *	A3, A4, A5, A6	Package width	786 mm
ISO B-series sizes (B0B9)	B5	Package depth	736 mm
ISO C-series sizes (C0C9)	C5, C6	Package height	558 mm
Non-ISO print media sizes	Oficio, 16K	Package weight	52.9 kg
JIS B-series sizes (B0B9)	B4, B5, B6	Packaging content	
Envelopes sizes	B5, C5, C6, DL	Cables included	AC
Custom media width	64 - 320 mm		
Custom media length	127 - 457.2 mm	Brand-specific features	
Paper tray media weight	60 - 256 g/m²	HP ePrint	✓
Multi-Purpose Tray media weight	60 - 300 g/m²	HP SureSupply	✓
Ports & interfaces		HP Auto-On/Auto-Off	✓
Chandred into Conse	Ethernet, RJ-45, USB 2.0, Wireless	HP Dynamic security	✓
Standard interfaces USB port *	LAN	HP Software provided	; Apple AirPrint™; Mopria™ CertiBed; Google Cloud Print™; HP
·			Roam
USB 2.0 ports quantity Optional connectivity	3 Ethernet, Wireless LAN		(ABT) 192018847972; (ABY)
		LID CTIM (FAMILIES)	192018847989; (ACQ) 192018847996; (B13)
Network Network ready	×	HP GTIN (EAN/UPC) with options	192018848009; (B19) 192018848016; (BAZ) 192018848023

Network		Brand-specific features	
Ethernet LAN * Cabling technology Ethernet LAN data rates	10/100/1000Base-T(X) 10.100.1000 Mbit/s	HP GTIN (EAN/UPC)	192018847972, 192018847989, 192018847996, 192018848009, 192018848016, 192018848023
	EAP-TLS, IPSec, PEAP, SNMPv3,	Logistics data	
Security algorithms	SSL/TLS, WPA2-Enterprise	Pallet gross weight	221.5 kg
Supported network protocols (IPv4)	Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	Layers per pallet	4 pc(s)
		Products per pallet	4 pc(s)
Supported network protocols (IPv6)	Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6	Technical details Master (outer) cases per pallet layer 1 pc(s) General Product Safety Regulation (GPSR) URL	o-color-laserjet-enterprise-m751-printer-series/mode/(199548347sku=T3U44A6serialnumber=T3U44A
		Other features	
		Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service	Recommended humidity operating range	30 - 70%
Performance		Acoustic power emissions (ready)	45 dB
Internal memory *	1536 MB	Acoustic pressure emissions	30 dB
Maximum internal memory	3584 MB	bystander (ready)	One week next husiness day, ensite
Memory slots	1	Mary first are a small	One-year, next-business day, onsite warranty. Warranty and support
Memory type	DDR3	Manufacturer warranty	options vary by product, country
Internal storage capacity	500 GB		and local legal requirements.
Storage media	HDD		
Built-in processor	✓		
Processor frequency	1200 MHz		












































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.