

Fujitsu Intel Xeon Silver 4215 processor 2.5 GHz 11 MB L3

Brand : Fujitsu **Product code:** S26361-F4082-L115

Product name: Intel Xeon Silver 4215

Intel Xeon Silver 4215, 11M Cache, 2.5 GHz, 85 W TDP, FCLGA3647

Fujitsu Intel Xeon Silver 4215. Processor family: Intel Xeon Silver, Processor socket: LGA 3647 (Socket P), Processor lithography: 14 nm. Memory channels: Hexa-channel, Maximum internal memory supported by processor: 1 TB, Memory types supported by processor: DDR4-SDRAM. Market segment: Server, Supported instruction sets: AVX-512, Scalability: 2S. Compatibility: PRIMERGY RX2530 M4 PRIMERGY RX2520 M5



Processor generation 2nd Generation Intel® Xeon® Scalable Processor model * 4215 Processor base frequency * 2.5 GHz Processor family * Intel Xeon Silver Processor cores * 8 Intel® Optane™ Memory module included Processor special features Intel® Hyper Threading Technology (Intel® HT Technology) Intel® Turbo Boost Technology 2.0				
Processor base frequency * 2.5 GHz Processor family * Intel Xeon Silver (Intel® Hyper Threading Technology (Intel® HT Technology)				
Processor family * Intel Xeon Silver (Intel® Hyper Threading Technology) Processor sorre * Intel Xeon Silver (Intel® HT Technology)	Processor special features			
(Intel® HT Technology)				
Processor cores * 8 Intol® Turbo Boost Tochnology 2.0	•			
Processor socket * LGA 3647 (Socket P) Intel® AES New Instructions (Intel® Component for Server/workstation AES-NI)				
Processor lithography * 14 nm Enhanced Intel SpeedStep Processor series Intel Xeon Silver 4000 Series Technology				
Processor threads 16 Intel Trusted Execution Technology 🗸				
Processor operating modes * 64-bit Intel® Speed Shift Technology ✓				
Processor boost frequency 3.5 GHz Intel VT-x with Extended Page				
Processor cache 11 MB Tables (EPT)				
Processor cache type L3 Intel TSX-NI ✓				
Thermal Design Power (TDP) 85 W Intel 64 ✓				
Cooler included * X Intel Virtualization Technology (VT-				
Intel Virtualization Technology for				
Bus type UPI Directed I/O (VT-d) Processor codename Cascade Lake				
Memory Intel Turbo Boost Max Technology 3.0				
Maximum internal memory supported by processor 1 TB AVX-512 Fused Multiply-Add (FMA) units 1				
Memory types supported by processor DDR4-SDRAM Intel® Volume Management Device (VMD)				
Memory clock speeds supported by Mode-based Execute Control (MBE) ✓				
processor	✓			
Memory channels * Hexa-channel ECC				
Tcase 77 °C				
Graphics Logistics data				
On-board graphics card * X Harmonized System (HS) code 85423119				
Discrete graphics card * X Technical details				
Features				
Intel® Run Sure Technology version Execute Disable Bit ✓ Number of UPI links 2				
Market segment Server				
Maximum number of PCI Express lanes 48 Other features PRIMERGY RX2530 M4 F	PRIMERGY RX2530 M4 PRIMERGY RX2520 M5			
(omnatibility				
Supported instruction sets AVX-512				

		u		

Embedded options available





4059595783474

4063872060998

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.