



HP Intel Core i3-6100 processor 3.7 GHz 3 MB Smart Cache

Brand : HP

Product code: 839509-001

Product name : Intel Core i3-6100

Intel Core i3-6100, 3M Cache, 3.7 GHz, 8 GT/s DMI3

[HP Intel Core i3-6100 processor 3.7 GHz 3 MB Smart Cache:](#)

Options, accessories, services and support for all your HP and Compaq products.

HP Intel Core i3-6100. Processor family: Intel® Core™ i3, Processor socket: LGA 1151 (Socket H4), Processor lithography: 14 nm. Memory channels: Dual-channel, Maximum internal memory supported by processor: 64 GB, Memory types supported by processor: DDR3L-SDRAM, DDR4-SDRAM. On-board graphics card model: Intel® HD Graphics 530, Maximum on-board graphics card memory: 64 GB, On-board graphics card outputs supported: DVI, DisplayPort, Embedded DisplayPort (eDP), HDMI. Market segment: Desktop, PCI Express configurations: 1x16, 1x8+2x4, 2x8, Supported instruction sets: AVX 2.0, SSE4.1, SSE4.2. Compatibility: Z240 ProDesk 600 G2

Processor		Features	
Processor generation	6th gen Intel® Core™ i3	Execute Disable Bit	✓
Processor model *	i3-6100	Idle States	✓
Processor base frequency *	3.7 GHz	Thermal Monitoring Technologies	✓
Processor family *	Intel® Core™ i3	Market segment	Desktop
Processor cores *	2	Maximum number of PCI Express lanes	16
Processor socket *	LGA 1151 (Socket H4)	PCI Express slots version	3.0
Component for	PC	PCI Express configurations	1x16, 1x8+2x4, 2x8
Processor lithography *	14 nm	Supported instruction sets	AVX 2.0, SSE4.1, SSE4.2
Processor series	Intel Core i3-6100 Desktop series	Scalability	1S
Processor threads	4	CPU configuration (max)	1
System bus rate	8 GT/s	Embedded options available	✓
Processor operating modes *	64-bit	Graphics & IMC lithography	14 nm
Processor cache	3 MB	Thermal solution specification	PCG 2015C
Processor cache type	Smart Cache	Processor special features	
Thermal Design Power (TDP)	51 W	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Stepping	S0	Intel® Identity Protection Technology (Intel® IPT)	✓
Bus type	DMI3	Intel® Turbo Boost Technology	✗
Memory bandwidth supported by processor (max)	34.1 GB/s	Intel® Quick Sync Video Technology	✓
Processor codename	Skylake	Intel® InTru™ 3D Technology	✓
Memory		Intel® Wireless Display (Intel® WiDi)	✓
Maximum internal memory supported by processor	64 GB	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Memory types supported by processor	DDR3L-SDRAM, DDR4-SDRAM	Intel® Insider™	✓
Memory clock speeds supported by processor	1333,1600,1866,2133 MHz	Intel® AES New Instructions (Intel® AES-NI)	✓
Memory voltage supported by processor	1.35 V	Enhanced Intel SpeedStep Technology	✓
Memory channels *	Dual-channel	Intel Trusted Execution Technology	✗
ECC	✓	Intel VT-x with Extended Page Tables (EPT)	✓
Graphics		Intel® Secure Key	✓
On-board graphics card *	✓	Intel TSX-NI	✗
On-board graphics card model *	Intel® HD Graphics 530	Intel Stable Image Platform Program (SIPP)	✗
Maximum on-board graphics card memory	64 GB	Intel® OS Guard	✓
On-board graphics card outputs supported	DVI, DisplayPort, Embedded DisplayPort (eDP), HDMI		
On-board graphics card base frequency	350 MHz		

Graphics		Processor special features	
On-board graphics card dynamic frequency (max)	1050 MHz	Intel® Small Business Advantage (Intel® SBA)	✓
Number of displays supported (on-board graphics)	3	Intel Clear Video Technology	✓
On-board graphics card DirectX version	12.0	Intel Software Guard Extensions (Intel SGX)	✓
On-board graphics card OpenGL version	4.4	Intel 64	✓
On-board graphics card maximum resolution (DisplayPort)	4096 x 2304 pixels	Intel Virtualization Technology (VT-x)	✓
On-board graphics card maximum resolution (eDP - Integrated Flat Panel)	4096 x 2304 pixels	Intel Virtualization Technology for Directed I/O (VT-d)	✓
On-board graphics card maximum resolution (HDMI)	4096 x 2304 pixels	Conflict-Free processor	✓
On-board graphics card refresh rate at maximum resolution (DisplayPort)	60 Hz	Intel® vPro™ Platform Eligibility	✗
On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel)	60 Hz	Operational conditions	
On-board graphics card refresh rate at maximum resolution (HDMI)	24 Hz	Tcase	65 °C
		Other features	
		Compatibility	Z240 ProDesk 600 G2

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-JUL-2025. Prints or copies of Information are only valid on the printed Publication date