

## Epson LQ-2090IIN dot matrix printer 550 cps

**Brand :** Epson

**Product code:** C11CF40402A0

**Product name :** LQ-2090IIN

- Fast print speed: USD speed of 550 characters per second at 10 characters per inch
- Increased reliability: Mean time between failure of 25,000 power-on hours
- Increased number of copies: Now original plus six copies
- Network capability: Supports both serial and Ethernet connections
- Same consumables: Uses the same ribbons as existing models

Impact dot matrix, 24 pins, 136 columns, 24 Needles, 10 cpi: 550 chars/s, USB 2.0

Epson LQ-2090IIN. Maximum print speed: 550 cps, Character pitch: 10 cpi, Maximum number of copies: 6 copies. Paper tray media types: Envelopes, Continuous paper thickness range: 0.12 - 0.46 mm, Label thickness range: 0.16 - 0.19 mm. Product colour: Black, Buffer size: 128 KB, Sound pressure level (printing): 55 dB. Standard interfaces: Ethernet, Parallel, USB 2.0. Print head: 24-pin, Print head life: 400 million characters, Mean time between failures (MTBF): 25000 h



### Printing

Maximum printing width (columns) \* 136

Colour \* ✗

Maximum print speed \* 550 cps

Character pitch 10 cpi

Maximum number of copies 6 copies

Built-in barcodes Code 128 (A/B/C), Code 39, EAN13, EAN8, Interleaved 2/5, POSTNET, UPC-A, UPC-E

### Paper handling

Paper tray media types Envelopes

Continuous paper thickness range 0.12 - 0.46 mm

Label thickness range 0.16 - 0.19 mm

Multi-part paper thickness range 0.12 - 0.46 mm

Single sheet thickness range 0.065 - 0.14 mm

### Features

Product colour \* Black

Buffer size \* 128 KB

Sound pressure level (printing) \* 55 dB

Country of origin Indonesia

### Ports & interfaces

Standard interfaces \* Ethernet, Parallel, USB 2.0

### Endurance

Print head \* 24-pin

Print head life 400 million characters

Mean time between failures (MTBF) 25000 h

### Power

Power consumption (typical) 49 W

Power consumption (standby) 49 W

Power consumption (economy mode) 49 W

### Operational conditions

Operating temperature (T-T) 5 - 35 °C

Operating relative humidity (H-H) 10 - 80%

### System requirements

Windows operating systems supported Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP

Server operating systems supported Windows Server 2003 x64, Windows Server 2016

Mac compatibility ✗

### Weight & dimensions

Width 612 mm

Depth 375 mm

Height 177 mm

Weight 9.4 kg

### Packaging data

Quantity per pack 1 pc(s)

Package width 451 mm

Package depth 735 mm

Package height 295 mm

Package weight 12.2 kg

### Other features

Print technology Dot matrix

Needles 24

Compatible operating systems Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 x64, Windows Server 2016, Windows Vista, Windows Vista, 64-Bit-Version, Windows XP, Windows XP Professional x64 Edition

### Technical details

Sustainability certificates ENERGY STAR

### Logistics data

Products per pallet 14 pc(s)

Pallet gross weight 0 g

Pallet gross length 120 cm

Pallet gross width 80 cm

Pallet gross height 4.59 m

**Logistics data**

Products per pallet layer	2 pc(s)
Products per pallet layer (UK)	3 pc(s)
Products per pallet (UK)	21 pc(s)
Pallet weight (UK)	0 g
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	4.59 m
Harmonized System (HS) code	84433210



8715946651385

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.