

Brother DS-940DW scanner Sheet-fed scanner 600 x 600 DPI A4 Black, White

Brand : Brother


Product code: DS-940DW

Product name : DS-940DW

- Automatic 2-sided A4 scanning up to 15 pages per minute
- Space saving 'U-path' paper feed system
- Industry leading software to scan documents, receipts and ID cards
- Power directly from a USB 3.0 port on PC
- Built-in rechargeable battery and card reader
- Connect to a wireless network or Brother mobile app

Portable, A4, 15 ppm, 1200 x 1200 dpi, micro USB 3.0 Type B, WLAN, microSD, 319 x 63 x 45.4 mm, 699 g

Brother DS-940DW. Maximum scan size: 215.9 x 1828.8 mm, Optical scanning resolution: 600 x 600 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: Sheet-fed scanner, Product colour: Black, White. Scan to: E-mail, File, Image, Memory card, OCR, Scan drivers: ICA, SANE, TWAIN, WIA, Scanning noise level: 53 dB. Standard input capacity: 1 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plain paper, Plastic Card, Card thickness (max): 1.24 mm



Scanning		Power	
Maximum scan size *	215.9 x 1828.8 mm	Power supply type *	USB
Optical scanning resolution *	600 x 600 DPI	Power consumption (typical)	3.6 W
Enhanced scan resolution	1200 x 1200 DPI	Power consumption (standby)	2.2 W
Colour scanning	✓	Power consumption (off)	0.11 W
Duplex scanning *	✓	Weight & dimensions	
Input colour depth	48 bit	Width	162 mm
Output colour depth	24 bit	Depth	76 mm
ADF scan speed (b/w, A4)	15 ppm	Height	377 mm
ADF scan speed (colour, A4)	15 ppm	Weight	590 g
Duplex ADF scan speed (colour, A4)	30 ipm	Packaging data	
Black/white scanning colour modes	Grayscale, Monochrome	Quantity per pack	1 pc(s)
Design		Package width	377 mm
Scanner type *	Sheet-fed scanner	Package depth	162 mm
Product colour *	Black, White	Package height	76 mm
Built-in display *	✗	Package weight	1.23 kg
Performance		Packaging content	
Scan to	E-mail, File, Image, Memory card, OCR	Warranty card	✓
Scan drivers	ICA, SANE, TWAIN, WIA	Cables included	Micro-USB
Scanning noise level	53 dB	Quick start guide	✓
Sound pressure level (max)	42 dB	System requirements	
Internal memory	512 MB	Windows operating systems supported	✓
Compatible memory cards	MicroSD (TransFlash)	Mac operating systems supported	✓
Input capacity		Linux operating systems supported	✓
Standard input capacity	1 sheets	Operational conditions	
		Operating temperature (T-T)	5 - 35 °C

Paper handling		Operational conditions	
Scanning media types supported	Business Card, Plain paper, Plastic Card	Storage temperature (T-T)	-20 - 60 °C
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	20 - 80%
Card thickness (max)	1.24 mm	Storage relative humidity (H-H)	10 - 90%
Maximum scan width	21.6 cm	Other features	
Maximum scan length	182.9 cm	Spare part retention	5 year(s)
Ports & interfaces		Technical details	
USB port *	✓	Pallet type	800 x 1200 mm
USB version	3.2 Gen 1 (3.1 Gen 1)	Logistics data	
USB connector type	Micro-USB B	Products per pallet	216 pc(s)
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN	Country of origin	China
Network		Master (outer) cases per pallet	72 pc(s)
Wi-Fi	✓	Layers per pallet	8 pc(s)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Pallet gross weight	274.3 kg
Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK	Pallet gross height	15.9 cm
Wi-Fi Direct	✓	Master (outer) cases per pallet layer	9 pc(s)
Supported network protocols (IPv4)	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c, ICMP, Web Services(Scan), HTTP/HTTPS server, LLNMR responder,SNTP Client	Harmonized System (HS) code	84716070



4977766800655



4977766800631



0012502657491



012502657491

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.