

## HP Intel Celeron G3900 processor 2.8 GHz 2 MB Smart Cache

Brand: HP Product code: 839512-001

Product name: Intel Celeron G3900

Intel Celeron G3900, 2M Cache, 2.8 GHz, 8 GT/s DMI3

## HP Intel Celeron G3900 processor 2.8 GHz 2 MB Smart Cache:

Options, accessories, services and support for all your HP and Compaq products. HP Intel Celeron G3900. Processor family: Intel® Celeron® G, Processor socket: LGA 1151 (Socket H4), Processor lithography: 14 nm. Memory channels: Dual-channel, Maximum internal memory supported by processor: 64 GB, Memory types supported by processor: DDR3L-SDRAM, DDR4-SDRAM. On-board graphics card model: Intel® HD Graphics 510, Maximum on-board graphics card memory: 64 GB, On-board graphics card outputs supported: DVI, DisplayPort, Embedded DisplayPort (eDP), HDMI. Market segment: Desktop, PCI Express configurations: 1x16, 1x8+2x4, 2x8, Supported instruction sets: SSE4.1, SSE4.2. Compatibility: ProDesk 600 G2

Processor		Features	
Processor model *	G3900	Execute Disable Bit	<b>✓</b>
Processor base frequency *	2.8 GHz	Idle States	<b>✓</b>
Processor family *	Intel® Celeron® G	Thermal Monitoring Technologies	<b>✓</b>
Processor cores *	2	Market segment	Desktop
Processor socket *	LGA 1151 (Socket H4)	Maximum number of PCI Express	•
Component for	PC	lanes	16
Processor lithography *	14 nm	PCI Express slots version	3.0
Processor series	Intel Celeron Processor G3000 series for Desktop	PCI Express configurations Supported instruction sets	1x16, 1x8+2x4, 2x8 SSE4.1, SSE4.2
Processor threads	2	Scalability	15
System bus rate	8 GT/s	CPU configuration (max)	1
Processor operating modes *	64-bit	Embedded options available	·
Processor cache	2 MB	Graphics & IMC lithography	14 nm
Processor cache type	Smart Cache	Thermal solution specification	PCG 2015C
Thermal Design Power (TDP)	51 W	·	100 20130
Stepping	50	Processor special features	
Bus type  Memory bandwidth supported by	DMI3 34.1 GB/s	Intel® Hyper Threading Technology (Intel® HT Technology)	×
processor (max)	34.1 Gb/S	Intel® Turbo Boost Technology	×
Memory		Intel® Quick Sync Video Technology	✓
Maximum internal memory	64 GB	Intel® InTru™ 3D Technology	✓
supported by processor  Memory types supported by		Intel® Wireless Display (Intel® WiDi)	<b>✓</b>
processor  Memory clock speeds supported by	DDR3L-SDRAM, DDR4-SDRAM	Intel® Clear Video HD Technology (Intel® CVT HD)	<b>✓</b>
processor	1333,1600,1866,2133 MHz	Intel® Insider™	/
Memory voltage supported by processor	1.35 V	Intel® AES New Instructions (Intel® AES-NI)	✓
Memory channels * ECC	Dual-channel	Enhanced Intel SpeedStep	<b>✓</b>
	•	Technology	
Graphics		Intel Trusted Execution Technology	X
On-board graphics card *	<b>✓</b>	Intel VT-x with Extended Page Tables (EPT)	<b>✓</b>
On-board graphics card model *	Intel® HD Graphics 510	Intel® Secure Key	✓
Maximum on-board graphics card memory	64 GB	Intel TSX-NI	×
On-board graphics card outputs supported	DVI, DisplayPort, Embedded DisplayPort (eDP), HDMI	Intel Stable Image Platform Program (SIPP)	×
On-board graphics card base frequency	350 MHz	Intel® OS Guard Intel® Small Business Advantage	×
On-board graphics card dynamic frequency (max)	950 MHz	(Intel® SBA)	×

Graphics		Processor special features	
Number of displays supported (on-	on- 3	Intel Clear Video Technology	✓
board graphics) On-board graphics card DirectX version	12.0	Intel Software Guard Extensions (Intel SGX)	•
		Intel 64	✓
On-board graphics card OpenGL version	4.4	Intel Virtualization Technology (VT-x)	✓
On-board graphics card maximum resolution (DisplayPort)	4096 x 2304 pixels	Intel Virtualization Technology for Directed I/O (VT-d)	<b>✓</b>
On-board graphics card maximum resolution (eDP - Integrated Flat Panel)	4096 x 2304 pixels	Conflict-Free processor	/
		•	•
On-board graphics card maximum		Intel® vPro™ Platform Eligibility	×
resolution (HDMI)	4096 x 2304 pixels	Other features	
On-board graphics card refresh rate at maximum resolution (DisplayPort)	60 Hz	Compatibility	ProDesk 600 G2
On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel)	60 Hz		
On-board graphics card refresh rate at maximum resolution (HDMI)	24 Hz		

