

DELL P Series 24 USB-C Hub Monitor - P2422HE

Brand : DELL Product family: P Series Product code: DELL-P2422HE

Product name : Dell 24 USB-C Hub Monitor - P2422HE

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, VGA, HDMI, DisplayPort

DELL P Series 24 USB-C Hub Monitor - P2422HE:

Stay productive, no matter where you work. Reduce harmful blue light with this sleek 23.8-inch FHD hub monitor with ComfortView Plus.

DELL P Series 24 USB-C Hub Monitor - P2422HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time *	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LCD IPS LED x 250 cd/m ² 8 ms	Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	X -90 - 90° ✓ -45 - 45° ✓ -5 - 21° ✓ Power
Response time * Anti-glare screen	8 ms ✓	Power	
Screen shape * Supported graphics resolutions Supported video modes Aspect ratio Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Horizontal scan range	Flat 1920 x 1080 (HD 1080) 480p, 576p, 720p, 1080i, 1080p 16:9 1000:1 60 Hz 178° 178° 16.7 million colours 5 ms 0.2745 x 0.2745 mm 93 ppi 30 - 83 kHz	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	D Not available 15 kWh 14.5 W 0.3 W 118 W 0.2 W 100 - 240 V 50 - 60 Hz Internal A to G 549713
Vertical scan range Viewable size, horizontal	50 - 76 Hz 52.7 cm	Operational conditions	
Viewable size, vertical Viewable size diagonal Display diagonal (metric)	29.6 cm 60.5 cm 60.47 cm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 10 - 80%

D. I.		0	
Display		Operational conditions	
High Dynamic Range (HDR) supported	×	Storage relative humidity (H-H)	5 - 90%
Colour depth	6 bit	Operating altitude Non-operating altitude	0 - 5000 m 0 - 12192 m
sRGB coverage (typical)	99%		0 - 12192 111
Performance		Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	537.8 mm
Low Blue Light technology	√	Depth (with stand) Height (with stand)	179.6 mm 496.1 mm
	•	Weight (with stand)	5.15 kg
Multimedia		Width (without stand)	537.8 mm
Built-in speaker(s) *	×	Depth (without stand)	52.1 mm
Built-in camera *	×	Height (without stand)	318.5 mm
Design		Weight (without stand)	3.39 kg
Market positioning *	Business	Bezel width (side)	5.38 mm
Product colour *	Black	Bezel width (top)	5.38 mm
Front bezel colour	Black	Bezel width (bottom)	1.67 cm
Detachable stand	✓	Packaging content	
Feet colour	Silver	Stand included	✓
Ports & interfaces		Cables included	AC, DisplayPort, USB Type-C
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-C	Sustainability certificates	ENERGY STAR, EPEAT Gold
Number of upstream ports	1	Doesn't contain	PVC/BFR
Number of USB Type-C upstream ports quantity	1	Carbon footprint	
USB Type-A downstream ports	4	Total carbon footprint (kg of CO2e)	542
quantity USB Type-C DisplayPort Alternate	/	Total carbon emissions, standard deviation (kg of CO2e)	96
Mode USB Power Delivery up to	65 W	Carbon emissions, manufacturing (kg of CO2e)	346.72
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	41.9
HDMI ports quantity	1	COLCI	
		Carbon emissions, energy usage (kg	151
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	151
HDMI version DisplayPorts quantity DisplayPort version	1.4 2 1.2		1512.35
DisplayPorts quantity DisplayPort version Headphone out *	2 1.2 X	of CO2e) Carbon emissions, end-of-life (kg of	151
DisplayPorts quantity DisplayPort version Headphone out * HDCP	2 1.2 × ✓	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	2.35
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type	2 1.2 X USB Type-C	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	2.35
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in	2 1.2 × ✓	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	2.35
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network	2 1.2 X USB Type-C	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features	2.35 391 1.2.15, 2021
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi	2 1.2 X USB Type-C	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free	2.35 391 1.2.15, 2021 Hg (mercury)
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi Ergonomics	2 1.2 X USB Type-C X	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free Compliance certificates	2.35 391 1.2.15, 2021 Hg (mercury)
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi Ergonomics VESA mounting *	2 1.2 X ✓ USB Type-C ✓	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free Compliance certificates Logistics data	2.35 391 1.2.15, 2021 Hg (mercury) RoHS
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi Ergonomics VESA mounting * Panel mounting interface	2 1.2 X USB Type-C X	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free Compliance certificates Logistics data	2.35 391 1.2.15, 2021 Hg (mercury) RoHS
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi Ergonomics VESA mounting * Panel mounting interface Cable lock slot *	2 1.2 X ✓ USB Type-C ✓	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free Compliance certificates Logistics data	2.35 391 1.2.15, 2021 Hg (mercury) RoHS
DisplayPorts quantity DisplayPort version Headphone out * HDCP Charging port type AC (power) in Network Wi-Fi Ergonomics VESA mounting * Panel mounting interface	2 1.2 X ✓ USB Type-C ✓	of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features Heavy metals free Compliance certificates Logistics data	2.35 391 1.2.15, 2021 Hg (mercury) RoHS





5397184505205

5704174872092

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.