

HP 70 130-ml Gray Ink Cartridge

Brand : HP Product code: C9450A

Product name: 70 130-ml Gray Ink Cartridge

- Ideal for professional photographers and graphic designers who want to produce museum-quality fineart and photography prints, proofs and full-colour reproductions with long-lasting image stability. 70 130-ml Gray Ink Cartridge

HP 70 130-ml Gray Ink Cartridge:

Ideal for professional photographers and graphic designers who want to produce museum-quality fineart and photography prints, proofs and full-colour reproductions with long-lasting image stability. Print just what you envision. Then print it again confident you will get the same colour, the same quality and long-lasting prints. It's no problem with HP printing supplies and Original HP Photo Inks. Avoid waste and rework – saving time and money.

HP 70 130-ml Gray Ink Cartridge. Colour ink type: Pigment-based ink, Cartridge capacity: Standard Yield, Black ink volume: 130 ml, Colour ink volume: 130 ml, Printing colours: Grey, Quantity per pack: 1 pc(s)





Features		Packaging data	
Colour ink type Compatibility *	Pigment-based ink HP Designlet Z3100, Z3200 Photo	Package width Package depth	202 mm 40 mm
Quantity per pack * Black ink cartridges quantity	1 pc(s)	Package height Package weight	129 mm 230 g
Black ink volume Colour ink volume	130 ml 130 ml	Brand-specific features	
Type *	Original	HP GTIN (EAN/UPC) Logistics data	885631723722
Cartridge capacity Ink type Printing colours *	Standard Yield Pigment-based ink Grey	Pallet dimensions (W x D x H) Products per pallet	1219 x 1016 x 1500 mm 1680 pc(s)
Brand compatibility * OEM code	HP C9450A	Master (outer) cases per pallet Layers per pallet	84 pc(s) 6 pc(s)
Country of origin	Singapore	Master (outer) cases per pallet layer	14 pc(s)
Quantity per box HP segment	1 pc(s) Business	Pallet gross weight Products per master (outer) case	436 g 20 pc(s)
Operational conditions	20 000/	Master (outer) case gross weight Pallet size (EU)	4.9 g 1219 x 1016 x 1500 mm
Operating relative humidity (H-H) Storage temperature (T-T)	20 - 80% 15 - 35 °C	Products per larger master (outer) case	20 pc(s)
Operating temperature (T-T) Storage relative humidity (H-H)	15 - 35 °C 20 - 80%	Larger master (outer) case gross weight	4.9 g
Weight & dimensions		Maximum number of stacking cartons	6 pc(s)
Width Depth Height Weight	40 mm 202 mm 129 mm 190 g	Harmonized System (HS) code	84439990




























Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.