
Pakistan

Data



Analysis


Number of divergent transitions = 0


Maximum $\hat{R} = 1.008288$

Minimum Bulk ESS = 980.6153

Minimum Tail ESS = 927.7618

 $R_{0, m}$






Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.

Contact rate function:


$$cr(t;t^*,\lambda_j,\kappa) = \lambda_j + \frac{1-\lambda_j}{1+\exp(\kappa(t-t^*))}$$

where


$$\begin{split} &\lambda_{j} \sim \texttt{Beta}(3,1) \\ &\kappa \sim \texttt{NegHalfNormal}(0,1). \end{split}$$



Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.





Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.

$R_{t,m}$ on the last day



Mobility linear model: $\beta_1 \cdot X_{residential} + \beta_2 \cdot X_{transit} + \beta_3 \cdot X_{average}$.





Gilgit-Baltistan



