Examples with {huxtable}

November 22, 2021

Print a plain dataframe

```
df <- penguins %>%
  head(n =10)

df %>% huxtable()
```

species	island	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mass_g	sex	year
Adelie	Torgersen	39.1	18.7	181	3750	male	2007
Adelie	Torgersen	39.5	17.4	186	3800	female	2007
Adelie	Torgersen	40.3	18	195	3250	female	2007
Adelie	Torgersen						2007
Adelie	Torgersen	36.7	19.3	193	3450	female	2007
Adelie	Torgersen	39.3	20.6	190	3650	male	2007
Adelie	Torgersen	38.9	17.8	181	3625	female	2007
Adelie	Torgersen	39.2	19.6	195	4675	male	2007
Adelie	Torgersen	34.1	18.1	193	3475		2007
Adelie	Torgersen	42	20.2	190	4250		2007

Print a Plain Dataframe

```
penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels() %>%
  as_hux_table()
```

{gtsummary} Examples

Default Print Engine

Example where we don't specify print engine:

```
penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels()
```

```
## Table printed with 'knitr::kable()', not {gt}. Learn why at
## http://www.danieldsjoberg.com/gtsummary/articles/rmarkdown.html
## To suppress this message, include 'message = FALSE' in code chunk header.
```

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

Specify Print Engine

```
penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels() %>%
  as_hux_table()
```

With Compact Theme

```
theme_gtsummary_compact()
```

```
## Setting theme 'Compact'
```

```
penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels() %>%
  as_hux_table()
```

```
reset_gtsummary_theme()
```

Add Header

```
penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels()  %>%
  as_hux_table() %>%
  set_caption("Title")
```

Add Footnotes

```
x <- penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels() %>%
  as_hux_table() %>%
  add_footnote(.,
               text = "Custom Footnote")
```

Highlight Specific Values

Two ways to do this below:

```
x <- penguins %>%
  tbl_summary() %>%
  bold_labels() %>%
  italicize_levels()  %>%
  as_hux_table() %>%
  set_caption("Title")

x %>%
```

```
  set_text_color(
    c(1:2, 4:5, 12,14, 16:17, 19:21), 2,
    "purple")
```

```
x %>%
  mutate(new_cond = parse_number(stat_0)) %>%
  set_text_color(
    row = .$new_cond >= 100, 2,  "purple") %>%
  select(-new_cond)
```

```
## Warning: 1 parsing failure.
## row col expected                actual
##  26  -- a number n (%); Median (IQR)
```

Merged Tables with Spanning Headers

```
sum <- penguins %>%
  select(species, island, sex) %>%
  tbl_summary(by = species) %>%
  add_p()
```

```
reg <- glm(species ~ island + sex, family = binomial(), data = penguins)

reg <- reg %>%
  tbl_regression()
```

```
## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred
```

```
## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred

## Warning: glm.fit: fitted probabilities numerically 0 or 1 occurred
```

```
tbl_merge(list(sum, reg),
          tab_spanner = c("**Summary Statistics**", "**Regression***")) %>%

  as_hux_table()
```

Saving Quickly

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

Table 2: Title

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

Table 3: Title

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

Table 4: Title

Characteristic	N = 344
Species	
Adelie	152 (44%)
Chinstrap	68 (20%)
Gentoo	124 (36%)
Island	
Biscoe	168 (49%)
Dream	124 (36%)
Torgersen	52 (15%)
Bill Length Mm	44.5 (39.2, 48.5)
Unknown	2
Bill Depth Mm	17.30 (15.60, 18.70)
Unknown	2
Flipper Length Mm	197 (190, 213)
Unknown	2
Body Mass G	4,050 (3,550, 4,750)
Unknown	2
Sex	
female	165 (50%)
male	168 (50%)
Unknown	11
Year	
2007	110 (32%)
2008	114 (33%)
2009	120 (35%)

n (%); Median (IQR)

	Summary Statistics				Regression*		
Characteristic	**Adelie**, N = 152	**Chinstrap**, N = 68	**Gentoo**, N = 124	**p-value**	**log(OR)**	**95% CI**	**p-value**
Island				<0.001			
Biscoe	44 (29%)	0 (0%)	124 (100%)		—	—	
Dream	56 (37%)	68 (100%)	0 (0%)		-0.78	-1.3, -0.29	0.002
Torgersen	52 (34%)	0 (0%)	0 (0%)		-20	-337, 20	>0.9
Sex				>0.9			
female	73 (50%)	34 (50%)	58 (49%)		—	—	
male	73 (50%)	34 (50%)	61 (51%)		0.01	-0.49, 0.50	>0.9
Unknown	6	0	5				

n (%)

Pearson's Chi-squared test

OR = Odds Ratio, CI = Confidence Interval