



# “SPLICE-FEDRE: a SPL Domain Requirements Specification Tool”

By

**Karla Malta Amorim da Silva**

B.Sc. Dissertation



Federal University of Bahia  
ceagmat@ufba.br  
[wiki.dcc.ufba.br/DCC/](http://wiki.dcc.ufba.br/DCC/)

SALVADOR, November/2015





Federal University of Bahia  
Computer Science Department  
Bachelor's Degree in Computer Science

Karla Malta Amorim da Silva

## **“SPLICE-FeDRE: a SPL Domain Requirements Specification Tool”**

*A B.Sc. Dissertation presented to the Computer Science Department of Federal University of Bahia in partial fulfillment of the requirements for the degree of Bachelor in Computer Science.*

Advisor: *Eduardo Santana de Almeida*  
Co-Advisor: *Raphael Pereira de Oliveira*

SALVADOR, November/2015



*I dedicate this dissertation to my family, friends and  
professors who gave me all necessary support to get here.*



*Blessed is the man who finds wisdom, the man who gains  
understanding.*

—PROVERBS 3:13





# Resumo

Linha de Produto de Software (LPS) é uma metodologia para o desenvolvimento de uma diversidade de produtos de software relacionados e sistemas com uso intensivo de software. Durante o desenvolvimento de uma LPS, uma ampla variedade de artefatos é criada para ser reusável ao longo do desenvolvimento de cada sistema da linha de produto.

Requisitos são um exemplo destes artefatos reusáveis que podem ser instanciados e adaptados para derivar os requisitos de produtos específicos. Gerir requisitos em LPS é uma tarefa árdua porque eles são complexos, interligados, e divididos em comuns, variáveis e requisitos de um produto específico. Assim, o processo de engenharia de requisitos deve ter suporte ferramental para controlar a complexidade e o grande volume de requisitos elicitados.

Neste trabalho, propomos uma ferramenta de suporte para realizar a especificação dos requisitos em LPS de forma sistemática, através do uso de diretrizes, mostrando passo a passo como a especificação deve ser feita.

**Palavras-chave:** linha de produto de software, especificação de requisitos, ferramenta



# Abstract

Software Product Line (SPL) is a methodology for developing a diversity of related software products and software-intensive systems. During the development of a SPL, a wide range of artifacts are created to be reusable throughout the development of each system within the product line.

Requirements are an example of these reusable artifacts that can be instantiated and adapted to derive the requirements for individual products. Managing SPL requirements is a hard task because they are complex, interlinked, and divided into common, variable and product-specific requirements. Thus, the requirements engineering process must be tool-supported to handle complexity and the huge volume of elicited requirements.

In this work, we propose a support tool for performing the specification of the SPL requirements in a systematic way through the use of guidelines, showing step by step how the specification should be done.

**Keywords:** software product line, requirements specification, tool



# Contents

<b>List of Figures</b>	<b>xvii</b>
<b>List of Tables</b>	<b>xix</b>
<b>List of Acronyms</b>	<b>xxi</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Motivation . . . . .	2
1.2 Problem Statement . . . . .	2
1.3 Related Work . . . . .	2
1.4 Out of Scope . . . . .	3
1.5 Statement of the Contributions . . . . .	4
1.6 Research Design . . . . .	4
1.7 Dissertation Structure . . . . .	4
<b>2 An Overview on Software Product Lines, Requirements Engineering, SPL Requirements Engineering and SPLE Tool Support</b>	<b>7</b>
2.1 Software Product Lines . . . . .	7
2.1.1 Introduction . . . . .	7
2.1.2 The Benefits . . . . .	8
2.1.3 The SPL Development Process . . . . .	10
Core Asset Development (Domain Engineering) . . . . .	12
Product Development (Application Engineering) . . . . .	14
Management . . . . .	15
2.2 Requirements Engineering . . . . .	15
2.3 SPL Requirements Engineering . . . . .	16
2.3.1 Risks and Challenges . . . . .	18
2.4 SPLE Tool Support . . . . .	19
2.5 Summary . . . . .	20
<b>3 SPLICE-FEDRE: a SPL Domain Requirements Specification Tool</b>	<b>21</b>
3.1 Introduction . . . . .	21
3.2 FEDRE Overview . . . . .	21
3.2.1 Scoping . . . . .	22
Existing Assets . . . . .	22

---

	Feature Model . . . . .	23
	Feature Specification . . . . .	23
	Product Map . . . . .	23
3.2.2	Requirements Specification for Domain Engineering . . . . .	23
	Glossary . . . . .	23
	Functional Requirements . . . . .	23
	Traceability Matrix . . . . .	24
3.2.3	Guidelines for Specifying SPL Functional Requirements . . . . .	24
3.3	SPLICE Overview . . . . .	24
3.3.1	Metamodel . . . . .	26
3.3.2	Main Functionalities . . . . .	26
3.4	SPLICE-FeDRE Requirements . . . . .	27
3.5	SPLICE-FeDRE Implementation . . . . .	28
3.6	SPLICE-FeDRE in action . . . . .	29
3.6.1	Feature Specification . . . . .	29
3.6.2	FeDRE Guidelines . . . . .	30
3.6.3	Use Case Specification . . . . .	31
3.7	Summary . . . . .	32
<b>4</b>	<b>SPLICE-FeDRE Evaluation</b>	<b>33</b>
4.1	Introduction . . . . .	33
4.2	Definition . . . . .	33
4.2.1	Context . . . . .	33
4.2.2	Research Questions . . . . .	33
4.3	Data collection . . . . .	34
4.3.1	Survey Design . . . . .	34
4.3.2	Developing the Survey Instrument . . . . .	34
4.3.3	Analyzing the data . . . . .	34
4.4	Results . . . . .	35
	Respondents experience . . . . .	35
	Tool usage difficulties . . . . .	35
	Tool Helpfulness . . . . .	35
	Positive points . . . . .	36
	Negative points . . . . .	36
	Suggestions . . . . .	36
4.5	Threats to validity . . . . .	36

---

---

4.6 Findings . . . . .	37
4.7 Summary . . . . .	37
<b>5 Conclusion</b>	<b>39</b>
5.1 Research Contribution . . . . .	40
5.2 Future Work . . . . .	40
<b>Bibliography</b>	<b>42</b>
<b>Appendix</b>	<b>46</b>
<b>A Evaluation Instruments</b>	<b>49</b>
A.1 Form for Expert Survey . . . . .	49





# List of Figures

2.1	Costs for developing systems as single systems compared to product line engineering . . . . .	9
2.2	Comparison of time to market with and without product line engineering	10
2.3	The software product line engineering framework . . . . .	11
2.4	SPL Activities . . . . .	12
2.5	Core Asset Development . . . . .	13
2.6	Product Development . . . . .	14
3.1	Overview of the FeDRE approach . . . . .	22
3.2	Guidelines For Specifying SPL Functional Requirements . . . . .	25
3.3	Assets screen . . . . .	29
3.4	Add feature form . . . . .	30
3.5	FeDRE initial screen . . . . .	30
3.6	Branch example . . . . .	31
3.7	Add use case form . . . . .	31



# List of Tables

2.1	SPL Use Case Example (Addapted from (de Oliveira <i>et al.</i> , 2014)) . . .	18
4.1	Experts Selected . . . . .	35



# List of Acronyms

<b>CAD</b>	Core Asset Development
<b>CRUD</b>	"Create, Read, Update and Delete"
<b>FEDRE</b>	Feature-Driven Requirements Engineering
<b>FEDRE<sup>2</sup></b>	Feature-Driven Requirements Engineering Evolution
<b>RE</b>	Requirements Engineering
<b>RiSE</b>	Reuse in Software Engineering
<b>ORM</b>	Object-relational mapping
<b>PD</b>	Product Development
<b>SPL</b>	Software Product Line
<b>SPLE</b>	Software Product Line Engineering
<b>SE</b>	Software Engineering
<b>SPLICE</b>	Software Product Line Integrated Construction Environment
<b>VCS</b>	Version control systems
<b>VM</b>	Variability Management



# 1

## Introduction

A Software Product Line ([SPL](#)) is outlined as a collection of similar software intensive systems that share a set of common features satisfying the wants of specific customers, market segments or mission. Those similar software systems are developed from a set of core assets, comprised of documents, specifications, components, and other software artifacts that may be reusable throughout the development of each system within the product line ([Capilla \*et al.\*, 2013](#)).

Requirements are typical assets in [SPL](#). They are specified in reusable models, in which commonalities and variabilities are documented explicitly. Thus, these requirements can be instantiated and adapted to derive the requirements for an individual product ([Cheng and Atlee, 2007](#)). New products in the SPL will be much simpler to specify, because the requirements are reused and tailored ([Clements and Northrop, 2002](#)).

Requirements Engineering ([RE](#)) in [SPL](#) has an additional cost. Many [SPL](#) requirements are complex, interlinked, and divided into common, variable and product-specific requirements ([Birk \*et al.\*, 2003](#); [de Oliveira \*et al.\*, 2014](#)). The requirements engineering process must be tool-supported to handle complexity and the huge volume of elicited requirements ([Birk \*et al.\*, 2003](#)).

The focus of this dissertation is to provide a support tool for performing the specification of the [SPL](#) requirements in a systematic way through the use of guidelines, showing step by step how the specification should be done.

This chapter contextualizes the focus of this dissertation and starts by presenting its motivation in Section [1.1](#) and a clear definition of the problem in Section [1.2](#). A brief overview of the proposed solution is presented in Section [1.3](#), while Section [1.4](#) describes some aspects that are not directly addressed by this work. Section [1.5](#) presents the main contributions, Section [1.6](#) presents the research design and, finally, Section [1.7](#) outlines the structure of this dissertation.

## 1.1 Motivation

Within the [SPL](#) paradigm, it is very important to perform a good requirements engineering phase, because it is the basis of the [SPL](#) paradigm. However, existing tools are not designed to support the requirements engineering process for software product lines. Existing tools support only single product development and therefore lack support for modeling commonalities and variabilities as well as variation points in requirements ([Birk et al., 2003](#)).

Some approaches have been proposed to perform the specification and evolution of the [SPL](#) requirements in a systematic way through the use of guidelines: Feature-Driven Requirements Engineering ([FeDRE](#)) and Feature-Driven Requirements Engineering Evolution ([FeDRE<sup>2</sup>](#)). These approaches are considered easy to use and useful, however, they do not have a support tool. The lack of tool support can lead to mistakes during the manual execution of the guidelines, moreover, without a tool support these approaches can have problems with scalability.

In this sense, a [SPL](#) Requirements Engineering tool is proposed to automatize the [SPL](#) requirements specification activities according to the [FeDRE](#) approach. This tool is an extension of the tool Software Product Line Integrated Construction Environment ([SPLICE](#)) ([Cabral et al., 2014](#)), which is an integrated tool for developing [SPL](#).

## 1.2 Problem Statement

This work investigates the problems of complexity and scalability in [SPL](#) requirements specification phase to understand its activities in order to improve automation of these activities. This work promotes effort and mistakes reduction during [SPL](#) requirements specification by providing a [SPL](#) Requirements Engineering tool .

## 1.3 Related Work

Feature-Driven Requirements Engineering ([FeDRE](#)) ([de Oliveira et al., 2014](#)) was defined and evaluated to aid developers in the Requirements Engineering ([RE](#)) activity for [SPL](#) development. The [FeDRE](#) focus is the requirements specification in the Domain Engineering activity. [FeDRE](#) realizes chunks of features from a feature model into functional requirements, which are then specified by use cases. Also, it provides detailed guidelines on how to specify the requirements. A first evaluation of [FeDRE](#) was performed through



an empirical study within a **SPL** project, where **FeDRE** was perceived as easy to learn and useful by the participants.

Software Product Line Integrated Construction Environment (**SPLICE**) is a web-based **SPL** life-cycle management tool that provides traceability and variability management and supports most of the **SPL** process activities such as scoping, testing, version control, evolution, management and agile practices (Vale *et al.*, 2014). **SPLICE** is part of the Reuse in Software Engineering (**RiSE**) (Almeida *et al.*, 2004), formerly called **RiSE** Project, whose goal is to develop a robust framework for software reuse in order to enable the adoption of a reuse program.

The tool **SPLICE** already supports the specification of features and use cases. In order to accomplish the goal of this dissertation, we propose the extension of **SPLICE** so that it will support the **SPL** requirements specification activities established in the **FeDRE** approach. The new version of the tool must enable the requirements engineers involved in this phase, to specify the **SPL** requirements following the guidelines proposed in the **FeDRE** approach, while providing guidance, and a reduction of effort and mistakes as the **SPL** scope scales.

## 1.4 Out of Scope

The following topics are not considered in the scope of this dissertation:

- **SPL Domain Requirements Evolution**

Although an approach has already been proposed for the **SPL** domain requirements evolution phase **FeDRE**<sup>2</sup>, we still do not support this approach, but it is certainly a direction we intend to follow in the future.

- **SPL Application Requirements Engineering**

In this work we do not consider the **SPL** Application Engineering process, then our contributions do not cover the **SPL** Application Requirements Engineering.

- **Non-SPL Tools**

This work is concerned with Software Product Lines development and tools and environments that support the **SPL** approach. Non-SPL tools are out of scope.

## 1.5 Statement of the Contributions

As a result of the work presented in this dissertation, the following contribution can be highlighted:

- **Tool support for a SPL domain requirements specification approach (FeDRE)**  
We extended the tool [SPLICE](#), a [SPL](#) lifecycle management tool and automated Feature-Driven Requirements Engineering ([FeDRE](#)), thus improving the automation of Software Product Lines ([SPL](#)) requirements engineering phase.

## 1.6 Research Design

The first step of our work was to investigate the software product line area. This informal study also included to understand the requirements engineering phase for single systems and software product lines. As a result, we could write out the second chapter with some foundations on these subjects.

During the informal study we identified the need for tools that appropriately support the domain requirements engineering phase of software product lines. After choosing a requirements specification approach ([FeDRE](#)), we extended an existing [SPL](#) lifecycle management tool ([SPLICE](#)) providing tool support for this approach.

In order to evaluate the proposed tool, we conducted a survey to identify limitations and needed improvements for the tool.

## 1.7 Dissertation Structure

The remainder of this dissertation is organized as follows:

- **Chapter 2** reviews the essential topics related to this work: Software Product Lines [SPL](#); requirements engineering; [SPL](#) requirements engineering; and Software Product Line Engineering ([SPLE](#)) tool support.
- **Chapter ??** describes the tool [SPLICE](#), its architecture and the set of frameworks and technologies used during its development. Also, presents the new functional and non-functional requirements proposed for [FeDRE](#) implementation based upon [SPLICE](#).
- **Chapter ??** describes an evaluation of [FeDRE](#) implementation.

- **Chapter 5** provides the concluding remarks. It discusses our contributions, limitations, threats to validity, and outlines directions for future work.



# 2

## An Overview on Software Product Lines, Requirements Engineering, SPL Requirements Engineering and SPLE Tool Support

This chapter presents fundamental information for the understanding of four topics that are relevant to this work: software product lines, requirements engineering, and [SPL](#) requirements engineering. Section [2.1](#) discusses the motivation, benefits, and the SPL development process. Section [2.2](#) presents requirements engineering. Section [2.3](#) presents [SPL](#) requirements engineering. Section [2.4](#) presents [SPLE](#) Tool Support. Finally, Section [2.5](#) presents a summary of this chapter.

### 2.1 Software Product Lines

#### 2.1.1 Introduction

Nowadays we experience the age of customization, but it was not always like that. There was a time when goods were handcrafted for individual costumers. Over the years, the number of people who could afford to buy several kinds of products has increased ([Pohl et al., 2005](#)). In order to meet this rising demand, the production line was invented, which enabled production for a mass market much more cheaply than individual product.

Customers were satisfied with mass produced products for a while ([Pohl et al., 2005](#)), however that kind of product lacks sufficient diversification to meet individual customers' wishes. Individualized products also have a drawback; they are a lot more expensive

than standardized products. In that context, the industry was challenged to provide customized products at reasonable costs to satisfy the wishes of specific customers and market segments. The combination of mass customization and common platforms was the key to achieve that goal.

Mass customization is the large-scale production of goods tailored to individual customers' needs. It requires a higher technological investment which leads to higher prices for the individualized products and/or to lower profit margins for the company. The platform approach though, enables manufacturers to offer a larger variety of products and to reduce costs at the same time. A platform is defined as a base of technologies on which other technologies or processes are built. The combination of mass customization and a common platform allows us to reuse a common base of technology and to bring out products in close accordance with customers' wishes ([Pohl et al., 2005](#)).

In the software domain, that combination resulted in a software development paradigm called Software Product Line Engineering ([SPLE](#)). A Software Product Line ([SPL](#)) is a set of software-intensive systems that share a common, managed feature set, satisfying a particular market segment's specific needs or mission and that are developed from a common set of core assets in a prescribed way ([Clements and Northrop, 2002](#)).


### 2.1.2 The Benefits

Developing software under the Product Line Engineering paradigm offers many benefits for a company, some examples follow:

- **Reduction of Development Costs**

A good reason for applying the Product Line Engineering paradigm is the reduction of costs as the reuse of assets increases. Through the reuse of artifacts from the platform in different systems, the development of each of these systems becomes cheaper. First, the company has to invest in the development of the platform. Also, the way in which the artefacts from the platform will be reused has to be well planned beforehand. Then, from a certain point, called break-even point, the initial investment will be paid off. The precise location of this point is influenced by many characteristics of the company, the market it has envisaged, its customers, expertise, kinds of products, the way the product line is created and others.

Figure [2.1](#) shows that the costs to develop a few systems in an [SPL](#) approach are higher than in a single systems approach. However, using product line engineering, the costs are significantly lower for larger systems quantities.



**Figure 2.1** Costs for developing systems as single systems compared to product line engineering (Pohl *et al.*, 2005)

- **Quality improvement**


Creating products under the [SPL](#) paradigm improves the quality of all products of a product family. The shared components from the platform are reviewed and tested in many products. They have to work properly in more than one kind of product. The extensive quality assurance indicates a significantly higher opportunity of detecting faults and correcting them, thereby improving the quality of all products (Pohl *et al.*, 2005).

- **Reduction of Time-to-market**

Another very important success factor for a product is the time to market. [SPL](#) engineering demands a high upfront investment, which makes time to market initially higher if compared with to single-systems engineering. However, as the reuse of artefacts grow, the time to market is significantly shortened for new products, as can be seen in Figure 2.2.

- **Reduction of Maintenance Effort**

When a reusable asset from the platform is changed, this change may be propagated to all products in which it is being used. It usually leads to a simpler and cheaper maintenance and evolution, if compared to maintain and evolve a bunch of single products in a separate way.



**Figure 2.2** Comparison of time to market with and without product line engineering (Pohl *et al.*, 2005)

- **Benefits for the Customers**


The benefits for the customers are higher quality products at reasonable prices because the production costs become lower in [SPL](#) engineering. Besides, products are adapted to their real needs and wishes.

### 2.1.3 The SPL Development Process

There are a number of different definitions for the Software Product Line ([SPL](#)) Development Process on the literature. (Pohl *et al.*, 2005) introduced a framework for SPLE paradigm, shown in Figure 2.3. This framework is divided in two processes:


- **Domain engineering:** This is the process that aims to establish a reusable platform and define the commonality and the variability of the product line. Domain Engineering is composed of five sub-processes: domain requirements, domain design, domain realization, domain testing, and product management (Pohl *et al.*, 2005).
- **Application engineering:** This process is responsible for deriving product line applications from the platform created in domain engineering, where the previously developed components are assembled to compose a product. The application engineering is composed of four sub-processes: application requirements engineering, application design, application realization, and application test (Pohl *et al.*, 2005).





**Figure 2.3** The software product line engineering framework (Pohl *et al.*, 2005)

Another popular definition of the Software Product Line (SPL) Development Process can be related to the aforementioned approach. (Clements and Northrop, 2002) defined three essential activities to Software Product Lines: **Core Asset Development (CAD)**, **Product Development (PD)** and **Management activity**, illustrated in Figure 2.4. In essence, Core Asset Development (CAD) activity is the Domain engineering process, and the Product Development (PD) activity is the Application engineering process. The main difference between these approaches is the Management activity, which is not considered as a process in the first mentioned approach (Pohl *et al.*, 2005).




**Figure 2.4** SPL Activities (Clements and Northrop, 2002)

### Core Asset Development (Domain Engineering)

Core Asset Development (CAD), also called by (Pohl *et al.*, 2005) as domain engineering, is an activity that aims to develop assets to be further reused in other activities. In Figure 2.5, it is shown the core asset development activity, which is interactive, and its inputs and outputs influence each other. The inputs of this activity are product constraints; production constraints; architectural styles; design patterns; application frameworks; production strategy and preexisting assets. This phase is composed of the following sub processes (Pohl *et al.*, 2005):

- **Product Management** deals with the economic aspects associated with the software product line and in particular with the market strategy.
- **Domain Requirements Engineering** involves all activities for eliciting and documenting the common and variable requirements of the product line.
- **Domain Design** encompasses all activities for defining the reference architecture of the product line,
- **Domain Realization** deals with the detailed design and the implementation of reusable software components.
- **Domain Testing** is responsible for the validation and verification of reusable components.




**Figure 2.5** Core Asset Development (Clements and Northrop, 2002)

This activity has three outputs: **Product Line Scope**, **Core Assets** and **Production Plan**. The Product Line Scope describes the products that will compose the product line or that the product line can include. This description is recommended to be detailed and well specified, for example, including market analysis activities in order to determine the product portfolio and to encompass which assets and products will be part of the product line. This specification must be driven by economic and business reasons to keep the product line competitive (Capilla *et al.*, 2013).

Core assets are the basis for production of products in the product line. It includes an architecture that will fulfill the needs of the product line, specify the structure of the products and the set of variation points required to support the spectrum of products. It may also include components and their documentation (Clements and Northrop, 2002).

Lastly, the production plan describes how products are produced from the core assets. It details the overall scheme of how the individual attached processes can be fitted together to build a product (Clements and Northrop, 2002). It is what links all the core assets together, guiding the product development within the constraints of the product line.

### Product Development (Application Engineering)



**Figure 2.6** Product Development (Clements and Northrop, 2002)

The inputs for this activity are the outputs of the core asset development activity (product line scope, core assets, and production plan) and the requirements specification for individual products as seen in Figure 2.6. The production plan guides how individual products within a product line are constructed using the core assets.

The outputs from this activity should be analyzed by the software engineer and the corrections must be fed back to the Core Asset Development (CAD) activity. During the product development process, some insights happen and it is important to report problems and faults encountered to keep the core asset base healthy.

### Management

The management activity is responsible for the production strategy and is vital for success of the product line (Pohl *et al.*, 2005). It is performed in two levels: technical and organizational. The technical management supervise the CAD and PD activities by certifying that both groups that build core assets and products are focused on the activities they are supposed to, and follow the process. The organizational management must ensure that the organizational units receive the right resources in sufficient amounts (Clements and Northrop, 2002).

## 2.2 Requirements Engineering

Software requirements are descriptions of what the system is expected to do, the services that it must provide and the constraints it must satisfy (Sommerville, 2011). Software requirements are usually classified in a classic way as functional and non-functional. Functional requirements describe what the system must do and non-functional requirements place constraints on how these functional requirements are implemented (Sommerville, 2005).

According to (Sommerville and Kotonya, 1998), Requirements Engineering (RE) is the process by which the software requirements are defined. They state that a process is an organized set of activities that transforms inputs to outputs. Thus, a complete description of a RE process should include what activities are carried out, the structuring or schedule of these activities, who is responsible for each activity and the tools used to support the RE activities.

The RE lifecycle includes requirements elicitation, analysis, negotiation, specification, verification, and management, where (Clements and Northrop, 2002; Sommerville, 2005):

- **Elicitation** identifies sources of requirements information and discovers the users' needs and constraints for the system.
- **Analysis** understands the requirements, their overlaps, and their conflicts.
- **Negotiation** reaches agreement to satisfy all stakeholders, solving conflicts that are identified.
- **Specification** documents the user's needs and constraints clearly and precisely.
- **Verification** checks if the requirements are complete, correct, consistent, and clear.

- **Management** controls the requirements changes that will inevitably arise.

## 2.3 SPL Requirements Engineering

Requirements are typical assets in **SPL**. They are specified in reusable models, in which commonalities and variabilities are documented explicitly. Thus, these requirements can be instantiated and adapted to derive the requirements for an individual product ([Cheng and Atlee, 2007](#)). During product derivation, for each variant asset, it is decided whether the asset is (or is not) supported by the product to be built. When a domain requirement is instantiated, it can become a concrete product requirement. Thus, new products in the **SPL** will be much simpler to specify, because the requirements are reused and tailored ([Clements and Northrop, 2002](#)).

Deciding which products to build depends on business goals, market trends, technological feasibility, and so on. On the other hand, there are many sources of information to be considered and many trade-offs to be made. The **SPL** requirements must be general enough to support reasoning about the scope of the **SPL**, predicting future changes in requirements and anticipated **SPL** growth.

In practice, establishing the requirements for an **SPL** is an iterative and incremental effort, covering multiple requirements sources with many feedback loops and validation activities ([Chastek et al., 2001](#)). Thus, Requirements Engineering (**RE**) in **SPL** has an additional cost. Many **SPL** requirements are complex, interlinked, and divided into common, variable and product-specific requirements ([Birk et al., 2003](#); [de Oliveira et al., 2014](#)). Regarding to single systems, **RE** for **SPL** has some differences, such as ([Clements and Northrop, 2002](#); [Pohl et al., 2005](#); [Thurimella and Bruegge, 2007](#)):

- **Elicitation** captures anticipated variations over the foreseeable life-cycle of the **SPL**. **RE** must anticipate prospective changes in requirements, such as laws, standards, technology changes, and market needs for future products. Thus, its sources of information are probably larger than for single-system requirements elicitation.
- **Analysis** identifies variations and commonalities, and discovers opportunity for reuse.
- **Negotiation** solves conflicts not only from a logical viewpoint, but also taking into consideration economical and market issues. The **SPL** requirements may

require sophisticated analysis and intense negotiation to agree on both common requirements and variation points that are acceptable for all the systems.

- **Specification** documents a [SPL](#) set of requirements. Notations are used to represent the product line variabilities and enable the product instantiation.
- **Verification** checks if the [SPL](#) requirements can be instantiated for the products, ensuring the reusability of the requirements.
- **Management** must provide a systematic mechanism for proposing changes, evaluating how the proposed changes will impact the [SPL](#), specifically its core asset base. Evolution can affect the reuse and customization, therefore, appropriate mechanisms must be used to manage the variabilities.

In [SPL](#), [RE](#) also has influence of several stakeholders that participate of the [SPL](#). Identifying stakeholders that directly influence the [RE](#) is essential to define the requirements negotiation participants. They are responsible for resolving conflicts and providing information.

Each stakeholder plays a role with respect to the [SPL](#). Many of the stakeholders that help to define the requirements also use them. These users have different expectations of the outputs of [SPL](#) analysis. Some may simply want to confirm that their interests have been represented (e.g., marketers, domain expert and analyst domain). Others (e.g., architects and developers) may want to describe proposed functional and non-functional capabilities, and their commonality and variability across the [SPL](#), thus, those decisions about architectural solutions and asset construction should be taken into account ([Chastek et al., 2001](#)).

Several approaches to deal with the definition and specification of functional requirements in [SPL](#) development have been proposed over the last few years. Some approaches specify the [SPL](#) requirements through features and use cases ([Griss et al., 1998](#); [Bayer et al., 2000](#); [Moon et al., 2005](#); [Eriksson et al., 2005](#); [Bonifácio and Borba, 2009](#); [Alfárez et al., 2011](#); [Mussbacher et al., 2012](#); [Shaker et al., 2012](#); [de Oliveira et al., 2014](#)). A [SPL](#) functional requirement represented as an use case has at least the following fields: identifier, name, description, associated feature(s), pre and post-conditions, and the main success scenario, as shown in Table 2.1. It may also have alternative scenarios, includes/extends relationships, and so on. The feature associated to the use case handles the variability within the [SPL](#).

**Table 2.1** SPL Use Case Example (Adapted from (de Oliveira *et al.*, 2014))

<b>*ID:</b>	Use case identifier		
<b>*Name:</b>	Use case name		
<b>*Description:</b>	Use case description		
<b>*Associated feature:</b>	Feature associated to the use case	<b>Actor(s) [0..*]:</b>	Actor associated to the use case
<b>*Pre-condition:</b>	Use case pre-condition	<b>*Post-condition:</b>	Use case post-condition
<b>*Main Success Scenario</b>			
<b>Step</b>	<b>Actor Action</b>	<b>Blackbox System Response</b>	
Step represented by a number	Actor action	System response	

\*Mandatory Fields

However, most of the approaches for specifying **SPL** functional requirements do not propose guidelines, showing step by step how the specification should be done. This lack of guidelines may lead to some challenges and risks (de Oliveira *et al.*, 2014).

### 2.3.1 Risks and Challenges

A key **RE** challenge for **SPL** development includes strategic and effective techniques for analyzing domains, identifying opportunities for **SPL**, and identifying the commonalities and variabilities of an **SPL** (Cheng and Atlee, 2007). Another challenge related to **RE** is that the applicability of more systematic techniques and tools is limited, partly because such techniques are not yet designed to cope with **SPL** development's inherent complexities (Birk *et al.*, 2003).

Regarding to the risks associated with **RE** for **SPL**, the major risk is failure to capture the right requirements, and their variabilities, over the life of the **SPL** (Clements and Northrop, 2002). Documenting the wrong or inappropriate requirements, failing to keep the requirements up-to-date, or failing to document the requirements at all, may affects the subsequent activities (architecture, implementation, tests, and so on). They will be unable to produce systems that satisfy the customers and fulfill the market expectations. Moreover, inappropriate requirements can result from the following (Clements and Northrop, 2002):

- **Failure in the communication between core assets requirements development and product requirements development.** The core asset builders need to know the requirements they must build, while the product-specific software builders must know what is expected of them. The lack of communication between these two development stages may lead to inconsistent requirements or even unnecessary variabilities in the requirements.
- **Insufficient generality.** Insufficient generality in the requirements leads to a design that is too fragile to deal with the change actually experienced over the life-cycle



of the [SPL](#).

- **Excessive generality.** Excessive generality on requirements leads to excessive effort in producing both core assets (to provide that generality) and specific products (which must turn that generality into a specific instantiation).
- **Wrong variation points.** Incorrect determination of the variation points results in inflexible products and the inability to respond rapidly to customer needs and market shifts.
- **Failure to account for qualities other than behavior.** [SPL](#) requirements (and software requirements in general) should capture requirements for quality attributes such as performance, reliability, and security.

## 2.4 SPLE Tool Support

Since the early days of computer programming, software engineers use a variety of tools to support software development. Software Engineering ([SE](#)) tools and environments are becoming progressively important as the demand for software, its diversity and complexity increases. The computer industry is a competitive industry and there is a pressure to produce software at lower costs and faster because time-to-market is a decisive factor for success. Thus, modern software engineering cannot be accomplished without reasonable tool support ([Ossher et al., 2000](#)).

The commercial potential of the [SPL](#) approach has already been demonstrated in numerous case studies. While product line development is increasingly accepted, professional tool support is still insufficient and represents a key challenge for future research ([Pohl et al., 2005](#); [Schmid et al., 2006](#)).

Software Product Line Engineering ([SPLE](#)) tool support focuses almost exclusively on a single, cross-cutting aspect of [SPLE](#): variability management Variability Management ([VM](#)), or making software and artifacts (such as requirements, tests, and documentation) configurable in a way that they can be developed together, while each product still receives its specifically adapted version ([Schmid and Santana de Almeida, 2013](#)). Thus, an effective and efficient variability management [VM](#) is the base of the successful reuse of development artifacts ([Boutkova, 2011](#)).

Variability Management ([VM](#)) tools support four main activities: modeling variability, modeling the relationship between variability and a generic artifact, supporting config-

---

uration of generic artifacts, and deriving customized products ([Schmid and Santana de Almeida, 2013](#)).

The requirements engineering process must be tool-supported to handle the huge volume of elicited requirements. There are several differences between a single product development and a product line development and therefore a tool must be capable to support that development, including the additional activities that must be performed in the requirements engineering phase. However, existing tools are not designed to support the requirements engineering process for software product lines. Existing tools support only single product development and therefore lack support for modeling commonalities and variabilities as well as variation points in requirements ([Birk \*et al.\*, 2003](#)).

## 2.5 Summary

In this chapter, we discussed about important concepts to this work: the area of Software Product Line ([SPL](#)), Requirements Engineering ([RE](#)) , [SPL](#) Requirements Engineering and [SPLE](#) tool support.

Next chapter presents an extension of Software Product Line Integrated Construction Environment ([SPLICE](#)), a web-based, collaborative support tool for the [SPL](#) lifecycle steps.

# 3

## SPLICE-FeDRE: a SPL Domain Requirements Specification Tool

### 3.1 Introduction

In this chapter, we present functional and non-functional requirements for a tool we call SPLICE-FeDRE, and its implementation. The tool is an extension of Software Product Line Integrated Construction Environment ([SPLICE](#)), built in order to support and integrate [SPL](#) activities, such as, requirements management, architecture, coding, testing, tracking, and release management, providing process automation and traceability across the process.


The remainder of this chapter is organized as follows: Section [3.2](#) presents the [FeDRE](#) approach; Section [3.3](#) describes the tool [SPLICE](#); Section [3.4](#) presents the requirements of SPLICE-FeDRE; details of the implementation of SPLICE-FeDRE are discussed in Section [3.5](#); Section [3.6](#) shows the tool SPLICE-FeDRE in operation; and, finally, Section [3.7](#) presents the summary of the chapter.

### 3.2 FeDRE Overview

The Feature-Driven Requirements Engineering ([FeDRE](#)) approach ([de Oliveira et al., 2014](#)) for [SPL](#) has been defined by considering the feature model as the main artifact for specifying [SPL](#) requirements. The aim of the approach is to perform the requirements specification by systematically utilizing the features identified in the [SPL](#) domain through the use of guidelines that establish traceability links between features and requirements.

The main activities of the [FeDRE](#) approach are: Scoping and Requirements Speci-

fication for Domain Engineering. Figure 3.1 shows the activities of **FeDRE**, which are detailed in this chapter. The following roles are involved in these activities: Domain Analyst, Domain Expert, Market Expert and the Domain Requirements Analyst.



**Figure 3.1** Overview of the FeDRE approach (de Oliveira *et al.*, 2014)

### 3.2.1 Scoping

The first activity performed in **FeDRE** is the Scoping. This determines not only what products to include in an **SPL** but also whether or not an organization should launch the **SPL**. Three main artifacts are produced as a result of the Scoping activity: the Feature Model, the Feature Specification, and the Product Map, using the Existing Assets (if any) as the input artifact. These three artifacts will drive the **SPL** requirements specification for domain engineering. Each of these artifacts (input and outputs) is detailed below.

#### Existing Assets

Existing assets (e.g., user manual or existing systems) help the Domain Analyst and the Domain Expert to identify the features and products in the **SPL**. When they do not exist, a proactive approach can be followed to build the **SPL** from scratch.

### **Feature Model**

Feature modeling is a technique that is used to model common and variable properties, and can be used to capture, organize and visualize features in the [SPL](#).

### **Feature Specification**

The Domain Analyst is responsible for specifying the features using a feature specification template. This template captures the detailed information of the features and maintains traceability with all the artifacts involved.

### **Product Map**

Each of the identified features is assigned to the corresponding products in the [SPL](#). The set of relationships among features and products produces the Product Map artifact, which describes all the features that are required to build a specific product in the [SPL](#). All these artifacts are the input for the Requirements Specification for Domain Engineering activity, which is described next.

## **3.2.2 Requirements Specification for Domain Engineering**

This activity specifies the [SPL](#) requirements for domain engineering. These requirements allow realization of the features and desired products identified in the Scoping activity. The steps required to perform this activity are described in the Guidelines for Specifying SPL Functional Requirements, Sub-section [3.2.3](#) below.

This activity, seen in Figure [3.1](#), uses the Feature Model, Feature Specification and Product Map as input artifacts and produces the Glossary, Functional Requirements and Traceability Matrix as output artifacts. Each of these output artifacts is detailed below.

### **Glossary**

The Glossary describes and explains the main terms in the domain in order to provide the stakeholders with a common vocabulary and avoid misconceptions.

### **Functional Requirements**

This artifact contains all the functional requirements identified (common or variable), for the family of products that constitute the [SPL](#). Use cases are used to specify the [SPL](#) functional requirements. Each functional requirement has a unique Use case id, a Name,

---

a Description, Associated Feature(s), Pre and Post-Conditions, and the Main Success Scenario. A functional requirement can also be related to an Actor and may have Include and/or Extend relationships with other use case(s).

### Traceability Matrix

The Traceability Matrix is a matrix that contains the links among features and the functional requirements.


### 3.2.3 Guidelines for Specifying SPL Functional Requirements

The purpose of the guidelines is to guide the Requirements Analyst in the specification of [SPL](#) functional requirements for domain engineering. The guidelines have been structured to specify functional requirements by addressing the following questions: i) Which features or set of features will be grouped to be specified by use cases? ii) What are the specific use cases for the feature or set of features? iii) Where should the use cases be specified? (when there is a set of features in a hierarchy, do we specify the use cases for each individual feature or only for the parent features?) and iv) How is the use case specified in terms of steps?

Activities, tasks and steps are used in the process of specifying requirements for [SPL](#). Figure 3.2 shows the guidelines with the detailed steps of each task for specifying [SPL](#) functional requirements.

## 3.3 SPLICE Overview

Software Product Line Integrated Construction Environment ([SPLICE](#)) ([Cabral et al., 2014](#)) is an open source (GNU General Public License), Python, web-based software product line lifecycle management tool, providing traceability and variability management and supporting most of the [SPL](#) process activities such as scoping, requirements, architecture, testing, version control, evolution, management and agile practices. This tool assists the engineers involved in the process, with the assets creation and maintenance, while providing traceability and variability management, as well offering detailed reports and enabling engineers to easily navigate between the assets using the traceability links.

Figure 3.2 Guidelines For Specifying SPL Functional Requirements (de Oliveira *et al.*, 2014)

### 3.3.1 Metamodel

**SPLICE** proposes a lightweight metamodel, representing the interactions among **SPL** assets, developed in order to provide a way of managing traceability and variability. The proposed metamodel represents the reusable assets involved in a **SPL** project, and simplified description of the models is presented next.

- **Scoping Module** comprises the Feature and the Product Model. Many artifacts relates directly with the Feature Model including Use Case, Glossary, User Story and Scope Backlog. A Product is composed of one or more Features.
- **Requirements Module** involves the requirements engineering traceability and interactions issues, considering the variability and commonality in the **SPL** products. The main object of this **SPL** phase is Use Case. The concept of User stories is used in this metamodel to represent what a user does or needs to do as part of his or her job function.
- **Testing Module** is composed of a name, description, the Expected result and a set of Test Steps. One Test Case can have many Test Execution that represent one execution of it. The reasoning for the Test Execution is to enable a test automation machinery. The metamodel also represents the acceptance testing with the Acceptance Test and Acceptance Test Execution.
- **Agile Planning Module** contains Sprint Planning models, which are composed of a number of Tickets, a deadline, an objective and a start date. At the end of the sprint, it happens a retrospective, represented in the model by Sprint Retrospective, that contains a set of Strong Points and Should be Improved models that express what points in the spring was adequate, and what needs improvement.

### 3.3.2 Main Functionalities

The main functionalities of **SPLICE** include:

- **Metamodel Implementation.** All the screens are completely auto-generated based on the models descriptions, allowing the Software Engineer to easily modify the process. For every model, a complete "Create, Read, Update and Delete" (**CRUD**) system is created. The **SPLICE** also provides advanced features such as filtering and classification.



- **Issue Tracking.** [SPLICE](#) has a full-featured Issue Tracking. It was extended to implement [SPL](#) specific features and to provide traceability between other assets.
- **Traceability.** [SPLICE](#) provides total traceability for all assets in the metamodel, and is able to report direct and indirect relations between them. In reports, assets have hyperlinks, enabling the navigation between them.
- **Custom SPL Widgets.** [SPLICE](#) has a set of custom widgets to represent specific [SPL](#) models. Such as Feature Map, Product Map, and Agile Poker planning.
- **Change history and Timeline.** [SPLICE](#) has a rich set of features to visualize how the project is going, where the changes are happening, and who did it. For every Issue or Asset, a complete Change history is recorded.
- **Unified Control Panel.** The tool aggregates the configuration of all external tools in a unified interface. With the same credentials, the user is able to access all [SPLICE](#) features, including external tools as Version control systems ([VCS](#)).
- **Agile Planning.** The [SPLICE](#) supports a set of Agile practices such as effort estimation, where team members use effort and degree of difficulty to estimate their own work. The Features can be dragged by the mouse, and their position is updated in accordance.
- **Automatic reports generation.** [SPLICE](#) has the ability of creating reports, including PDFs. The generated report includes a cover, a summary and the set of the chosen artifact related to the product. This format is suitable for the requirements validation by stakeholders. The tool is also able to collect all reports for a given Product, and create a compressed file containing the set of generated reports.

## 3.4 SPLICE-FeDRE Requirements

In the SPLICE-FeDRE specification, the following functional requirements were defined:

- **FR1 - FeDRE Feature Specification.** The tool should provide a complete [CRUD](#) (Create, Read, Update and Delete) for the model Feature that satisfies the [FeDRE](#) approach needs. The model Feature should include a unique Feature id, name, description, priority (high, medium or low), type (abstract or concrete), variability (mandatory, optional, OR ou XOR), binding time (compile, runtime), parent feature,

glossary, use case diagram, similar feature(s), required feature(s) and excluded feature(s).

- **FR2 - FeDRE Use Case Specification.** The tool should provide a complete [CRUD](#) (Create, Read, Update and Delete) for the model Use Case that satisfies the [FeDRE](#) approach needs. The model Use Case should include a unique Use case id, name, description, associated feature(s), pre-conditions, post-conditions, and the main success scenario. A Use Case can also be related to an actor and may have include and/or extend relationships with other use case(s), and alternative scenarios.
- **FR3 - FeDRE Guidelines.** The tool should implement the [FeDRE](#) guidelines for specifying [SPL](#) functional requirements. The Features must be stored hierarchically in order to enable [FeDRE](#) guidelines implementation. This should be done by storing Features as an n-ary tree data structure that represents the Feature Model.

### 3.5 SPLICE-FeDRE Implementation

The tool [SPLICE](#) was implemented using the Django Framework and the Python programming language. According to ([Python Software Foundation, 2014](#)), “Python is a dynamic object-oriented programming language that is used in a wide variety of application domains. It has a very clear, readable syntax, offers strong support for integration with other languages and tools, comes with extensive standard libraries, and can be learned in a few days. Many Python programmers report substantial productivity gains and feel the language encourages the development of higher quality, more maintainable code”. Other languages used to develop the tool were JavaScript, CSS, HTML, XML, YAML and make.

According to the [SPLICE](#) developer, this choice was motivated by the unprecedented flexibility that the Django Object-relational mapping ([ORM](#)) empowers its users, making the metamodel changes effortless. Also, Python is becoming the introductory language for a number of computer science curriculums ([Sanders and Langford, 2008](#)). Python is also frequently used on many scientific workflows ([Bui et al., 2010](#)) making the project attractive for future data scientists experiments and for undergraduate projects.

The implementation of the new version called SPLICE-FeDRE adopted the same set of programming languages and framework for development. In SPLICE-FeDRE, the features are stored hierarchically using a modified preorder tree traversal algorithm. We can think of the feature model as an n-ary tree of features, where the root node is


a special node that represents the product line. This tree is traversed using a depth-first search algorithm, then the **FeDRE** flow of activities, tasks and steps is executed for each subtree of the root node, one at a time.

## 3.6 SPLICE-FeDRE in action

In order to demonstrate how the tool SPLICE-FeDRE works, this section shows the operation of selected features, with a brief description.


### 3.6.1 Feature Specification

In the home page of SPLICE-FeDRE, seen in Figure 3.3, an assets menu can be used to manage the assets available.



**Figure 3.3** Assets screen

By clicking in Features, an user can have access to a complete "Create, Read, Update and Delete" (**CRUD**), which is also available for all the models listed in the assets menu. Figure 3.4 shows part of the form used to add a new Feature while specifying the Features. It implements the functional requirement *FR1- Feature Specification*. The model Feature includes a unique Feature id, name, description, priority (high, medium or low), type (abstract or concrete), variability (mandatory, optional, OR ou XOR), binding time (compile, runtime), parent feature, glossary, use case diagram, similar feature(s), required feature(s) and excluded feature(s).




The image shows a web form titled "Add feature". At the top, there is a button labeled "Add feature". Below it, a yellow banner states "Fields in bold are required." The form itself has a light gray border and contains the following fields: "Name:" with a text input field; "Description:" with a large text area; "Priority:" with a dropdown menu showing "-----"; "Type:" with a dropdown menu showing "-----"; and "Variability:" with a dropdown menu showing "-----".

**Figure 3.4** Add feature form

### 3.6.2 FeDRE Guidelines

The [FeDRE](#) page is depicted in [Figure 3.5](#). Once the features specification is finished, the user can start the flow of [FeDRE](#) guidelines in order to specify the requirements of each subtree of features, one by one. It implements the functional requirement *RF3 – FeDRE Guidelines*.



**Figure 3.5** FeDRE initial screen

For each branch, the user can see a hierarchy of this branch features, and lists of the features that must have use cases, the features that may have use cases and the features that should not have use cases. Also, it is shown a list of steps to be accomplished before moving to the next branch, as seen in [Figure 3.6](#).




Figure 3.6 Branch example

### 3.6.3 Use Case Specification

As mentioned above, a complete [CRUD](#) is also accessible for the model Use Case. Implementing the requirement *FR2 - Use Case Specification*, the model Use Case includes a unique Use case id, name, description, associated feature(s), pre-conditions, post-conditions, and the main success scenario. A Use Case can also be related to an actor and may have include and/or extend relationships with other use case(s), and alternative scenarios. See Figure [3.7](#) below:

Figure 3.7 Add use case form

## 3.7 Summary

In this chapter, it was presented the Feature-Driven Requirements Engineering ([FeDRE](#)) approach and the Software Product Line Integrated Construction Environment ([SPLICE](#)), a web-based tool for [SPL](#) lifecycle management, and how it was extended to automate the [FeDRE](#) approach. Next chapter presents an evaluation of SPLICE-FeDRE performed during the development of the tool.

# 4

## SPLICE-FeDRE Evaluation

### 4.1 Introduction

This chapter describes a survey applied to validate the tool developed for this work. It is organized as follows: Section 4.2 defines this evaluation; in Section 4.3 the data collection model is presented; Section 4.4 describes the results and its interpretation; the Section 4.5 analyzes the threats to validity of the evaluation; Section 4.6 and Section 4.7 describe some findings and summarize the chapter.

### 4.2 Definition

#### 4.2.1 Context

A survey was applied, after the complete implementation of SPLICE-FeDRE, in order to validate the application developed in regard to its usefulness when it comes to handling complexity and scalability problems during requirements specification. The survey was applied at Software Engineering Laboratory, in November 2015, and we had two participants that were master students, all members of Reuse in Software Engineering (RiSE) Lab.

#### 4.2.2 Research Questions

In this evaluation the main objective is to analyze the usefulness of the tool for handling complexity and scalability problems that may arise during requirements specification phase of a Software Product Line (SPL). In order to evaluate these aspects in our proposal, we defined two research questions:

- **Is the proposed tool useful for handling complexity during the SPL Requirements Engineering process?**

Rationale: The goal is to verify if the tool helps handling complexity during the [SPL](#) Requirements Engineering process.

- **Is the proposed tool useful for handling scalability problems during the SPL Requirements Engineering process?**

Rationale: The goal is to verify if the tool helps handling scalability problems during the [SPL](#) Requirements Engineering process.

### 4.3 Data collection

#### 4.3.1 Survey Design

The data collection instrument selected in this evaluation is the Expert Survey. A survey is a mechanism of data gathering in which participants answers questions or statements previously developed and they are probably the most commonly used instrument to gather opinions from experts according to ([Kitchenham and Pfleeger, 2008](#)).

This survey design is based on the design proposed by ([Kitchenham and Pfleeger, 2008](#)) and it is composed of a set of personal questions, closed-ended and open-ended questions related to the research questions. Also, to give the respondents the necessary understanding about the application, a training was offered to them. The remain of this section contains the overall process applied in this evaluation and the methodology used.

#### 4.3.2 Developing the Survey Instrument

The questionnaire was composed of three personal questions, five closed questions with justification fields, and three open questions. The closed questions were formulated to measure and quality the data, while getting personal feedback. The open questions were built to collect the experts' experiences and their impressions about the tool. The questionnaire can be seen in the Appendix 1.

#### 4.3.3 Analyzing the data

In order to collect the data, the experts filled a printed questionnaire. After designing and running the survey, the next step was to analyze the collected data. The main analysis



Respondent	Occupation	RE experience	SPL experience
1	M.Sc student	4 years	3 years and 5 months
2	M.Sc student	6 years	3 years

**Table 4.1** Experts Selected

procedure was to check all responses, tabulate the data, identify the findings and classify the options.

## 4.4 Results

In this section the analysis of the collected data are presented, discussing the given answer for each question.

### Respondents experience

The first three questions were personal questions such as name and experience, and their answers are summarized in Table 4.1.

### Tool usage difficulties

Considering the questions **“Did you have any difficulty during the execution of any activity in the tool?”** and **“Did you have any problems creating use cases?”**, none of the respondents reported any difficulty to use the tool.

### Tool Helpfulness

In the question **“Do you think that the proposed tool would aid you during a SPL Requirements Engineering process? Would you spontaneously use the tool hereafter?”** all the respondents agreed that the tool would aid them to specify requirements and would keep using the tool from that moment on. However, one of them stated that the FeDRE steps could be more detailed in the tool.

Considering the question **“Do you think the proposed tool is useful to handle the complexity of SPL Requirements Engineering process?”**, both respondents answered yes, and one of them stated that the tool reduces the effort to specify requirements using FeDRE guidelines.

All the respondents indicated in the question **“Do you think the proposed tool is useful to handle scalability problems during a SPL Requirements Engineering**

**process?”** that the proposed tool is useful to handle scalability problems that may arise during [SPL](#) Requirements Engineering process.

### Positive points

We asked the experts the question **What are the positive points of using the tool?**, and the positive points of the tool according to them are:

- Centralized information;
- More accuracy when choosing the use cases to be specified;;
- Time saving.

### Negative points

In Contrast with the previous question, we also asked **What are the negative points of using the tool?**. Only one point was mentioned, as follow:

- An external tool is needed to draw the use case diagrams.

### Suggestions

Lastly, we asked **“Please, write down any suggestion you think might be useful”**. One expert suggested that we implement a use case drawing feature as part of the tool to avoid the use of external tools. The another expert suggested a more illustrated interface.

## 4.5 Threats to validity

There are some threats to the validity of our study, which were briefly described and discussed:

- **Research questions.** The research questions we defined cannot provide complete coverage of all the features covered by the tool. We considered just some important points: complexity and scalability problems handling.
- **Sample size.** The number of respondents is an important detail in a survey. Due to the limited availability of respondents with a [SPL](#) background, the evaluation may contain biases. A higher number of participants helps generalizing the results obtained.

- **Quality of training.** The quality of the training conducted before applying the questionnaire may have compromised the correct understanding of the [FeDRE](#) approach and the application evaluated.
- **Translation of the answers.** All the responses were written in portuguese and translated to english by the author. This may have changed the direction of the response.

## 4.6 Findings

### 4.7 Summary

This chapter presented the definition, planning, analysis and interpretation of a survey to evaluate the SPLICE-FeDRE tool. The survey was applied to experts at Software Engineering Laboratory. The two participants were members of [RiSE](#) Lab. After concluding the questionnaires, we gathered information that can be used as a guide to improve the tool, and an indicator about the actual status of the tool. The results of the experiment pointed out that the SPLICE-FeDRE addresses the complexity and scalability problems that may arise during [SPL](#) requirements engineering phase. However, some points of improvements were raised, that we plan to fix on future versions. Next chapter presents the concluding remarks and future work of this dissertation.



# 5

## Conclusion

Software Product Line ([SPL](#)) has proven to be the methodology for developing a diversity of software products and software-intensive systems at lower costs, in shorter time, and with higher quality. Many reports document the significant achievements and experience gained by introducing software product lines in the software industry ([Pohl \*et al.\*, 2005](#)). However, the complexity of product lines processes implicate that tool support is inevitable to facilitate smooth performance and to avoid costly errors ([Dhungana \*et al.\*, 2007](#)).

An upcoming concept is the **ALM!** (**ALM!**), which deals with approaches, methodologies and tools for integrated management of all aspects of software development. Its goal is to making software development and delivery more efficient and predictable by providing a highly integrated platform for managing the various activities of the development lifecycle from inception through deployment ([Kääriäinen and teknillinen tutkimuskeskus, 2011](#)). Chapter 2 summarized the basic concepts about software product lines, **ALM!** tools, **CASE!** (**CASE!**) tools and their aspects. We also presented an informal study of features available in commercial tools.

In this sense, in order to facilitate the process usage and to aid the Software Engineering ([SE](#)) during the [SPL](#) process, this dissertation presented, in Chapter 3, a lightweight metamodel for [SPL](#) using agile methodologies. We also described in details, the Software Product Line Integrated Construction Environment ([SPLICE](#)) tool, build in order to support and integrate [SPL](#) activities, such as, requirements management, architecture, coding, testing, tracking, and release management, providing process automation and traceability across the process. We presented the functional and non-functional requirements, its architecture, as well as the involved frameworks and technologies.

An evaluation of the [SPLICE](#) tool was presented in Chapter 4, with a case study conducted inside the research laboratory. The results demonstrated that the [SPLICE](#)

address the traceability problem and was considered useful to all experts.

## 5.1 Research Contribution

The main contributions of this research are described as follows:

- **Informal review of available ALM! tools.** Through this study, was conducted an informal search for similar commercial or academic tools. Fourteen characteristics and functionalities that is interesting to be covered in an Application lifecycle tool. A table was created comparing all the tools, that companies can use as a way to identify the best tool according to their needs.
- **SPL Lightweight Metamodel.** Based on a previous metamodel, and the need for applying agile methodologies, we introduced a proposal for a lightweight metamodel that represents the interaction among asserts of a [SPL](#) during its lifecycle.
- **SPLICE tool.** To implement the metamodel proposed, it was presented a web-based tool for [SPL](#) lifecycle management, including the set of functional and non-functional requirements, architecture, frameworks and technologies adopted during its construction.
- **Case Study.** After the tool development, a case study was performed to evaluate the [SPLICE](#) tool and gather opinions and critics about the product, to guide further development.

## 5.2 Future Work

An initial prototype was developed and evaluated in this work. However, we are aware that some enhancements and features must be implemented, as well as some defects must be fixed. Experts reported some of the enhancements and defects during our survey, and others were left out because they were out of scope of a graduation project. Thus, some important aspects are described as follows:

- **Visual metamodel editing.** One main objective of this work is to present a flexible tool, giving the possibility to adapt the implemented metamodel for specific project needs. Therefore, a visual editor must be implemented during the project setup to be more intuitive to users.

- **Source code variation.** The tool actually do not support source-code variability, since the users are only able to perform assets derivation. With source-code variation support, we could archive a complete derivation process.
- **Risk Management.** According to [Sommerville \(2011\)](#), Risk Management (RM) is important because of the inherent uncertainties that most projects face. We did not implement this model in our metamodel. As consequence, we intend to consider this feature in the next improvements.
- **Further evaluation.** In this work, we presented a case study. A more detailed evaluation is needed by applying the proposed case study protocol in other contexts in order to provide richer findings for the stakeholders.





# Bibliography

- Alf  rez, M., Lopez-Herrejon, R. E., Moreira, A., Amaral, V., and Egyed, A. (2011). Supporting consistency checking between features and software product line use scenarios. In *Top Productivity through Software Reuse*, pages 20–35. Springer.
- Almeida, E. S., Alvaro, A., Lucr  dio, D., Garcia, V. C., and Meira, S. R. L. (2004). Rise project: Towards a robust framework for software reuse. In *IEEE International Conference on Information Reuse and Integration (IRI)*, pages 48–53, Las Vegas, NV, USA.
- Bayer, J., Muthig, D., and Widen, T. (2000). Customizable domain analysis. In *Generative and Component-Based Software Engineering*, pages 178–194. Springer.
- Birk, A., Heller, G., John, I., Joos, S., Muller, K., Schmid, K., and von der Massen, T. (2003). Report of the gi work group" requirements engineering for product lines.
- Bonif  cio, R. and Borba, P. (2009). Modeling scenario variability as crosscutting mechanisms. In *Proceedings of the 8th ACM international conference on Aspect-oriented software development*, pages 125–136. ACM.
- Boutkova, E. (2011). Experience with variability management in requirement specifications. In *Software Product Line Conference (SPLC), 2011 15th International*, pages 303–312. IEEE.
- Bui, P., Yu, L., and Thain, D. (2010). Weaver: Integrating distributed computing abstractions into scientific workflows using python. In *Proceedings of the 19th ACM International Symposium on High Performance Distributed Computing, HPDC '10*, pages 636–643, New York, NY, USA. ACM.
- Cabral, B., Vale, T., and Almeida, E. (2014). Splice: Software product lines integrated construction environment. *V Congresso Brasileiro de Software: Teoria e Pr  tica (CBSOft), S  sse Ferramentas*.
- Capilla, R., Bosch, J., and , K. (2013). *Systems and Software Variability Management: Concepts, Tools and Experiences*. SpringerLink : B  cher. Springer.
- Chastek, G., Donohoe, P., Kang, K. C., and Thiel, S. (2001). Product line analysis: a practical introduction. Technical report, DTIC Document.

## BIBLIOGRAPHY

---

- Cheng, B. H. and Atlee, J. M. (2007). Research directions in requirements engineering. In *2007 Future of Software Engineering*, pages 285–303. IEEE Computer Society.
- Clements, P. and Northrop, L. (2002). *Software Product Lines: Practices and Patterns*. The SEI series in software engineering. Addison Wesley Professional.
- de Oliveira, R. P., Blanes, D., Gonzalez-Huerta, J., Insfran, E., Abrahão, S., Cohen, S., and de Almeida, E. S. (2014). Defining and validating a feature-driven requirements engineering approach. *Journal of Universal Computer Science*, **20**(5), 666–691.
- Dhungana, D., Rabiser, R., Grünbacher, P., and Neumayer, T. (2007). Integrated tool support for software product line engineering. In *Proceedings of the Twenty-second IEEE/ACM International Conference on Automated Software Engineering, ASE '07*, pages 533–534, New York, NY, USA. ACM.
- Eriksson, M., Börstler, J., and Borg, K. (2005). The pluss approach—domain modeling with features, use cases and use case realizations. In *Software Product Lines*, pages 33–44. Springer.
- Griss, M. L., Favaro, J., and Alessandro, M. D. (1998). Integrating feature modeling with the rseb. In *Software Reuse, 1998. Proceedings. Fifth International Conference on*, pages 76–85. IEEE.
- Kääriäinen, J. and teknillinen tutkimuskeskus, V. (2011). *Towards an Application Lifecycle Management Framework*. VTT julkaisu. VTT.
- Kitchenham, B. and Pfleeger, S. (2008). Personal opinion surveys. In F. Shull, J. Singer, and D. Sjøberg, editors, *Guide to Advanced Empirical Software Engineering*, pages 63–92. Springer London.
- Moon, M., Yeom, K., and Chae, H. S. (2005). An approach to developing domain requirements as a core asset based on commonality and variability analysis in a product line. *Software Engineering, IEEE Transactions on*, **31**(7), 551–569.
- Mussbacher, G., Araújo, J., Moreira, A., and Amyot, D. (2012). Aoun-based modeling and analysis of software product lines. *Software Quality Journal*, **20**(3-4), 645–687.
- Ossher, H., Harrison, W., and Tarr, P. (2000). Software engineering tools and environments: a roadmap. In *Proceedings of the Conference on the Future of Software Engineering*, pages 261–277. ACM.

- Pohl, K., Böckle, G., and van der Linden, F. (2005). *Software Product Line Engineering: Foundations, Principles, and Techniques*.
- Python Software Foundation (2014). Python Programming Language. <http://www.python.org>. Last access on Jan/2014.
- Sanders, I. D. and Langford, S. (2008). Students' perceptions of python as a first programming language at wits. *SIGCSE Bull.*, **40**(3), 365–365.
- Schmid, K. and Santana de Almeida, E. (2013). Product line engineering. *Software, IEEE*, **30**(4), 24–30.
- Schmid, K., Krennrich, K., and Eisenbarth, M. (2006). Requirements management for product lines: extending professional tools. In *Software Product Line Conference, 2006 10th International*, pages 10–pp. IEEE.
- Shaker, P., Atlee, J. M., and Wang, S. (2012). A feature-oriented requirements modelling language. In *Requirements Engineering Conference (RE), 2012 20th IEEE International*, pages 151–160. IEEE.
- Sommerville, I. (2005). Integrated requirements engineering: A tutorial. *Software, IEEE*, **22**(1), 16–23.
- Sommerville, I. (2011). *Software Engineering*. Addison Wesley, 9 edition.
- Sommerville, I. and Kotonya, G. (1998). *Requirements engineering: processes and techniques*. John Wiley & Sons, Inc.
- Thurimella, A. K. and Bruegge, B. (2007). Evolution in product line requirements engineering: A rationale management approach. In *Requirements Engineering Conference, 2007. RE'07. 15th IEEE International*, pages 254–257. IEEE.
- Vale, T., Cabral, B., Alvim, L., Soares, L., Santos, A., Machado, I., Souza, I., Freitas, I., and Almeida, E. (2014). Splice: A lightweight software product line development process for small and medium size projects. In *Software Components, Architectures and Reuse (SBCARS), 2014 Eighth Brazilian Symposium on*, pages 42–52. IEEE.



# Appendix





# Evaluation Instruments

## A.1 Form for Expert Survey

**Name:**

---

**What is your experience with Requirements Specification (in months/years)?**

---

---

**What is your experience with Software Product Lines (in months/years)?**

---

---

**Did you have any difficulty during the execution of any activity in the tool?**

☐ Yes. ☐ No.

**In case you answered Yes, detail the difficulty encountered:**

---

---

---

---

**Did you have any problems creating use cases?**

☐ Yes. ☐ No.

**In case you answered Yes, describe the problems encountered:**

---

---

## APPENDIX A. EVALUATION INSTRUMENTS

---

**Do you think that the proposed tool would aid you during a SPL Requirements Engineering process? Would you spontaneously use the tool hereafter?**

---

---

---

---

**Do you think the proposed tool is useful to handle the complexity of SPL Requirements Engineering process?**

---

---

---

---

**Do you think the proposed tool is useful to handle scalability problems during a SPL Requirements Engineering process?**

---

---

---

---

**What are the positive points of using the tool?**

---

---

---

---

**What are the negative points of using the tool?**

---

---

---



## A.1. FORM FOR EXPERT SURVEY

---

---

**Please, write down any suggestion you think might be useful.**

---

---

---

---