

Read all of the directions below and make sure you fill out your scantron correctly!

1) What's your **name**? _____
(Last name) (First name)

2) What's your **net ID** (email)? _____

3) Which **section** are you in? Circle one below.

i) L2 (Karle Flanagan In Person) ii) O1 (Karle Flanagan Online) iii) O2 (Jonas Reger Online)

This test is ALL multiple choice. **Circle all answers on this exam and fill in the corresponding bubble on your orange scantron.** All questions have exactly one answer. If you circle/bubble in more than one answer, you will automatically be marked wrong. Make sure to circle the answers on this test and fill out your scantron. **If you don't do both, you will get a 0.**

- Print and bubble in your LAST NAME with **no spaces** starting in the left most column.
- Print and bubble in your FIRST INITIAL in the right-most column.
- Print and bubble in your University Identification Number (UIN) in the Student Number box.
- Print and bubble in your NET ID with **no spaces** in the NETWORK ID box (ex. kflan).
 - Be sure to include the numbers. Do not bubble in any dashes.
- Write *Stat 100* on the COURSE line.
- Write your instructor's name on the INSTRUCTOR line.
- Write your section (L2, O1, or O2) on the SECTION line.
- Sign your name, and right underneath the student signature line PRINT your name


Failure to fill out your scantron correctly will result in a loss of 2 points on your exam!

All cheating including being caught with a non-permissible calculator or formula sheet will result in a 0 and an academic integrity violation on your University record.

There is NO CLASS on Thursday!

Scores will be posted on Canvas by Monday at noon and exams will be returned in class next week. Online students may pick up their exam in 0060 Siebel Center for Design during office hours next week.


Questions 1-4 pertain to the four scatterplots below.



Match the 4 plots to their correlation coefficient.


1. $r = 0.56$
a) Plot A b) Plot B c) Plot C d) Plot D
2. $r = 0.89$
a) Plot A b) Plot B c) Plot C d) Plot D
3. $r = -0.91$
a) Plot A b) Plot B c) Plot C d) Plot D
4. $r = -0.52$
a) Plot A b) Plot B c) Plot C d) Plot D

Questions 5-8: Match the 4 plots to their descriptions.



5. Party hours versus drinks per week
a) Plot A b) Plot B c) Plot C d) Plot D
6. Temperature in Fahrenheit versus Temperature in Celsius
a) Plot A b) Plot B c) Plot C d) Plot D
7. Number of questions correct versus number of questions incorrect on Exam 1
a) Plot A b) Plot B c) Plot C d) Plot D
8. Missed classes and grade in a math class
a) Plot A b) Plot B c) Plot C d) Plot D

The next 3 questions pertain to the scatter plots below! Each of these scatter plots has an outlier (circled). Does **including** the outlier make r stronger or weaker for each plot? For each of the scatter plots, circle **Stronger** or **Weaker** to indicate the outlier's effect on r .




9. Including the outlier in Plot A makes r :
a) weaker b) stronger
10. Including the outlier in Plot B makes r :
a) weaker b) stronger
11. Including the outlier in Plot C makes r :
a) weaker b) stronger

Questions 12-20 pertain to this set of X and Y points.

Part 1: Fill in the table and plot the 5 points. The **average of X=7** and the average of **Y=6**. The **SD of X and Y are both 2**.
(NOTE: X and Y have DIFFERENT averages)

X	Y	Z-score for X	Z-score for Y	Products
4	9	Blank 1		
6	7		Blank 2	
7	5			
8	6			Blank 3
10	3			
Totals		Total should = ____	Total should = ____	Total = ____



12. What number goes in Blank 1? a) -0.5 b) 0 c) -1 d) -1.5 e) 0.5
13. What number goes in Blank 2? a) -0.5 b) 0 c) -1 d) -1.5 e) 0.5
14. What number goes in Blank 3? a) -0.5 b) 0 c) -1 d) -1.5 e) 0.5
15. The totals of the z-score for X and the z-score for Y columns should equal: a) 0 b) a positive number c) 1 d) 100
16. To find the correlation coefficient, you should:
a) sum the products b) take the average of the products c) square the products and take the average d) sum the z-scores
17. The scatterplot you drew above should: a) slope up and to the right b) slope down and to the right c) form no linear pattern

Part 2: The correlation of the Original List in Part 1 is -0.95. What would be the new r if the lists were changed as shown below.
HINT: Compare the X Y data sets below to the original X Y data set in Part A (also listed below) and think about changes affect r?

18. What is r for New List 1? a) 0.95 b) -0.95 c) -1.9 d) 1	Original List	<table><tr><th>X</th><th>Y</th></tr><tr><td>4</td><td>9</td></tr></table>	X	Y	4	9	<table><tr><th>X</th><th>Y</th></tr><tr><td>8</td><td>9</td></tr></table>	X	Y	8	9	<table><tr><th>X</th><th>Y</th></tr><tr><td>9</td><td>4</td></tr></table>	X	Y	9	4	<table><tr><th>X</th><th>Y</th></tr><tr><td>4</td><td>-90</td></tr></table>	X	Y	4	-90
		X	Y																		
4	9																				
X	Y																				
8	9																				
X	Y																				
9	4																				
X	Y																				
4	-90																				
19. What is r for New List 2? a) 0.95 b) -0.95 c) -1.9 d) 1		<table><tr><td>6</td><td>7</td></tr></table>	6	7	<table><tr><td>12</td><td>7</td></tr></table>	12	7	<table><tr><td>7</td><td>6</td></tr></table>	7	6	<table><tr><td>6</td><td>-70</td></tr></table>	6	-70								
		6	7																		
12	7																				
7	6																				
6	-70																				
<table><tr><td>7</td><td>5</td></tr></table>	7	5	<table><tr><td>14</td><td>5</td></tr></table>	14	5	<table><tr><td>5</td><td>7</td></tr></table>	5	7	<table><tr><td>7</td><td>-50</td></tr></table>	7	-50										
7	5																				
14	5																				
5	7																				
7	-50																				
20. What is r for New List 3? a) 0.95 b) -0.95 c) -1.9 d) 1		<table><tr><td>8</td><td>6</td></tr></table>	8	6	<table><tr><td>16</td><td>6</td></tr></table>	16	6	<table><tr><td>6</td><td>8</td></tr></table>	6	8	<table><tr><td>8</td><td>-60</td></tr></table>	8	-60								
		8	6																		
16	6																				
6	8																				
8	-60																				
<table><tr><td>10</td><td>3</td></tr></table>	10	3	<table><tr><td>20</td><td>3</td></tr></table>	20	3	<table><tr><td>3</td><td>10</td></tr></table>	3	10	<table><tr><td>10</td><td>-30</td></tr></table>	10	-30										
10	3																				
20	3																				
3	10																				
10	-30																				


Questions 21-28 pertain to the number of hours worked per week and percent of tuition paid by parents for 563 female students who responded to Survey 2 this semester. Here are the 5 rounded summary statistics:

Hours Worked: Avg = 6, SD = 5 **% Tuition Parents Paid:** Avg = 64, SD = 20 **Correlation: r = -0.25 (note the negative sign)**
Compute the regression estimates by filling in the blanks in the table below.

Hours Worked	Hours Z Score	r	Tuition % Z Score	% Tuition Parents Paid
16 Hours	Blank 1 Z = _____	r = -0.25	Blank 2 Z = _____	Blank 3 _____ %
Blank 6 _____ hours	Blank 5 Z = _____	r = -0.25	Blank 4 Z = _____	84

21. What goes in Blank 1? a) 1 b) 2 c) 5 d) -0.25 e) -2.4
22. What goes in Blank 2? a) 0.5 b) 1 c) -0.5 d) -0.25 e) 0.6
23. What goes in Blank 3? a) 3.5 b) 54 c) 74 d) 59 e) 8.5
24. What goes in Blank 4? a) 1 b) 1.4 c) 2 d) -1 e) 15.6
25. What goes in Blank 5? a) -4 b) 0.25 c) 1 d) 0.75 e) -0.25
26. What goes in Blank 6? a) 20 b) 4.75 c) 7.25 d) 2.5 e) 11
27. What is the slope of the regression equation when predicting the percent of tuition paid by parents from the number of hours worked?
- a) 1 b) $\sqrt{1 - (-0.25)^2} \times 5$ c) $\sqrt{1 - (-0.25)^2} \times 20$ d) $-0.25 \times (5/20)$ e) $-0.25 \times (20/5)$
28. What is the SD of the prediction errors when predicting the percent of tuition paid by parents from the number of hours worked?
- a) 1 b) $\sqrt{1 - (-0.25)^2} \times 5$ c) $\sqrt{1 - (-0.25)^2} \times 20$ d) $-0.25 \times (5/20)$ e) $-0.25 \times (20/5)$

The next set of questions pertain to the following situation: A recent Harvard study analyzed the relationship between the number of hours worked per year and reported happiness by nation. The results are displayed below for 34 nations.



29. The SD line and regression line are shown. Which line is the SD Line?
- a) Line 1 is the SD Line- it is steeper than Line 2.
b) Line 2 is the SD Line- it is flatter than Line 1.
c) Cannot be determined.
30. What is the correlation coefficient?
- a) -0.95 b) -0.65 c) 0 d) 0.65 e) 0.95
31. The average of all the residuals is...
- a) 1 b) -1 c) 0 d) not enough info is given to know
32. What's the general trend observed from this data?
- a) At a national level, as work hours increase, happiness tends to decline.
b) At a national level, as work hours increase, happiness tends to increase.
c) In all nations, an individual who works 2000 hours/year will be happier than an individual who works 1800 hours/year.
d) There is no correlation between the number of hours worked and level of happiness.
33. What is Nation A's residual? a) -15 b) -5 c) 0 d) 5 e) 15
34. What is Nation B's residual? a) -15 b) -5 c) 0 d) 5 e) 15
35. Nation B is _____ predicted. a) More happy than b) Less happy than c) Exactly as happy as
36. Suppose we made a new scatter plot with every individual plotted instead of their respective nation's average. How would the correlation tend to change?
- a) More data will give us a stronger correlation.
b) The extra scatter of the added dots will tend to weaken the correlation. This is an example of ecological correlations.
c) The two scatter plots would be based off of the same data, so the correlation would be the same.

Questions 37-42 pertain to the shoe size and the fastest speed ever driven in mph for the 1,046 students who responded to Survey 1. Here are the 5 rounded summary statistics:

	Average	SD
Shoe Size	9	2
Fastest Speed (in mph)	90	20

Correlation: $r = 0.25$

The regression equation for predicting Fastest Speed from shoe size is: **Fastest Speed** = _____ x **Shoe Size** + _____

37. What is the slope of the regression line? a) 10 b) 0.25 c) 2.5 d) 0.025 e) 19.36
38. What is the y-intercept? a) 67.5 b) 0.25 c) 2.5 d) -216 e) 19.36
39. Now use the regression equation to predict the speed of a student with a size 11 shoe.
a) 0 b) 60 c) 90 d) 95 e) none of the above
40. The SD of the prediction errors (the RMSE) when predicting speed from shoe size is closest to...
a) 2.5 b) 2 c) 17.3 d) 19.36 e) 1.9
41. About 68% of the time, our predictions for fastest speed from shoe size will be right within....
a) 1 RMSE b) 1 SD of fastest speed c) 1 SD of shoe size d) 2 RMSEs e) none of the above
42. What is the best explanation for why our survey responses show a positive correlation between shoe size and speed?
a) Bigger shoes are heavier and tend to exert more pressure on the gas pedal increasing the speed of the car.
b) Bigger shoes are longer and can exert more leverage on the gas pedal making the car go faster.
c) Males tend to have bigger feet and males tend to drive faster (Males are the confounder.)
d) Clowns often wear very big shoes and clowns tend to drive at high speeds. (Clowns are the confounder)
e) The correlation coefficient is inflated due to ecological correlations.



Questions 43-44 pertain to the following situation: Suppose you decide to have 3 children. (Assume the same chance of having a boy or a girl each time).

43. What is the probability that you have all girls?
a) $1/2+1/2+1/2$ b) $(1/2)^3$ c) $1-(1/2)^3$ d) $(1/2)^3+(1/2)^3$ e) $(1/2)^3+(1/2)^3+(1/2)^3$
44. What is the probability that you have either all boys or all girls?
a) $1/2+1/2+1/2$ b) $(1/2)^3$ c) $1-(1/2)^3$ d) $(1/2)^3+(1/2)^3$ e) $(1/2)^3+(1/2)^3+(1/2)^3$

Questions 45-51 are based on this scenario: Suppose listening skills and speaking skills follow the normal curve but have different correlations among different populations. Consider 5 populations where the correlation coefficients between listening and speaking skills are as given in the table below. If someone is in the 10th percentile in listening skills, estimate his percentile in speaking skills in each population.

Listening Skills Percentile	r	Speaking Skills Percentile
10 th	-1	45. a) 10 th b) 26 th c) 50 th d) 74 th e) 90 th
10 th	0.50	46. a) 10 th b) 26 th c) 50 th d) 74 th e) 90 th
10 th	0	47. a) 10 th b) 26 th c) 50 th d) 74 th e) 90 th

If a student is in the 90th percentile in listening skills where $r = 0.5$, estimate her speaking percentile *by filling in the table below*.

Listening Skills Percentile	Listening Z	r	Speaking Z	Speaking Skills Percentile
<p>Student is in the 90th percentile for listening skills. 48. What middle area on the table should you look up to find the Z score?</p> <p>a) 90 b) 80 c) 10 d) 5 e) 40</p> 	<p>49. Z = _____</p> <p>a) 1.65 b) 0.5 c) 0.15 d) 1.3 e) 0.05</p>	$r = 0.5$	<p>50. Z = _____</p> <p>a) 0.825 b) 0.5 c) 0.65 d) 2.6 e) 1</p>	<p>51. Speaking Skills Percentile = _____</p> <p>a) 48 b) 74 c) 26 d) 52 e) 38</p> 

The table below shows our class survey responses to the questions “Are you a member of a fraternity or a sorority (Greek)?” and “How many classes do you plan to skip on Unofficial?” Suppose you randomly draw from 776 students who answered this survey:

	How many classes students plan to skip				Total
	None	Exactly One	Some (more than one but less than all)	All	
Greek	112	53	20	69	254
Not Greek	389	65	23	45	522
Total	501	118	43	114	776

- 52.** What is the chance that you’ll get a student who plans to skip all classes?
a) 114/776 b) 501/776 c) 662/776 d) 275/776
- 53.** What is the chance that you’ll get a student who plans to skip at least one class?
a) 114/776 b) 501/776 c) 662/776 d) 275/776
- 54.** What’s the chance you’ll get someone who either answered “Not Greek” or answered “None”?
a) 1023/776 b) 776/766 c) 634/776 d) $1 - 1023/776$ e) $522/776 * 501/776$
- 55.** About 60% of those who plan to skip all classes are Greek, about what percent of Greeks plan to skip all classes?
a) 27% b) 33% c) 40% d) 45% e) 60%
- 56.** What’s the chance of drawing 3 students **with** replacement and getting all Greeks?
a) $254/776 * 253/775 * 252/774$ b) $(254/776)^3$ c) $522/776 * 521/775 * 520/774$ d) $(522/776)^3$
- 57.** What’s the chance of drawing 3 students **without** replacement and getting all Greeks?
a) $254/776 * 253/775 * 252/774$ b) $(254/776)^3$ c) $522/776 * 521/775 * 520/774$ d) $(522/776)^3$

Questions 58-63 pertain to the following situation:

Suppose a machine contains 8 fair dice-- 4 red, 3 blue and 1 yellow. The machine shakes up the dice and then randomly rolls one out at a time, without replacement (so each is equally likely to land 1, 2, 3, 4, 5, or 6.)

- 58.** What’s the probability that the machine first rolls out a blue?
a) 1/8 b) 3/8 c) 4/8 d) $1/8 * 1/6$ e) $3/8 * 1/6$
- 59.** What’s the probability that the machine first rolls out a blue and that it lands 6?
a) 1/6 b) 3/8 c) 4/8 d) $1/8 * 1/6$ e) $3/8 * 1/6$
- 60.** What’s the probability that the first is a blue **and** the second is a red (remember it’s without replacement)?
a) 7/8 b) $3/8 + 4/7$ c) $3/8 * 4/8$ d) $3/8 * 4/7$ e) $3/8 + 1/6 - (3/8 * 1/6)$
- 61.** What’s the probability that **none** of the first 3 rolls are 6’s?
a) $5/6 + 5/6 + 5/6$ b) $(5/6)^3$ c) $1 - (5/6)^3$ d) $(1/6)^3$ e) $1 - (1/6)^3$

62. What's the probability that **not all** of the first 3 rolls are 6's?
 a) $1/6+1/6+1/6$ b) $(5/6)^3$ c) $1 - (5/6)^3$ d) $(1/6)^3$ e) $1 - (1/6)^3$
63. What's the probability that the first 2 rolls sum to 5?
 a) $2/36$ b) $3/36$ c) $4/36$ d) $5/36$ e) $6/36$

Questions 64-68 pertain to the following scenario: Karle often walks from *Siebel Center for Design* (SCD) to *Siebel Center for Computer Science* (SCS) (i.e., the Siebel-to-Siebel Trek). Consider the travel times of her recent Siebel-to-Siebel trips (given in minutes):

Walk Times: 16, 20, 36, 18, 24, 28, 32, 23

64. What is the median of Karle's walk times? a) 23.5 b) 21 c) 10.5 d) 17
65. What is the 1st Quartile (Q1) of Karle's walk times? a) 19 b) 28 c) 8.5 d) 11
66. What is the 3rd Quartile (Q3) of Karle's walk times? a) 30 b) 28 c) 13.5 d) 22
67. What is the IQR of Karle's walk times? a) 11 b) 6 c) 5 d) 10
68. Are there any outliers in Karle's walk times?
 a) No b) Yes, low outlier c) Yes, high outlier d) Yes, high and low outlier e) Not enough information

EXAM 2 FORMULAS

$$\text{IQR} = Q3 - Q1$$

$$\text{Low outliers} < Q1 - 1.5 * \text{IQR}$$

$$\text{High outliers} > Q3 + 1.5 * \text{IQR}$$


$$\text{Slope of Regression Line} = r * \text{SD}_y / \text{SD}_x$$

$$\text{RMSE} = \sqrt{(1 - r^2) * \text{SD}_y^2}$$

$$P(\text{at least one}) = 1 - P(\text{none})$$

$$P(\text{not all}) = 1 - P(\text{all})$$

STANDARD NORMAL TABLE



z	<i>Area</i>		z	<i>Area</i>		z	<i>Area</i>
0.00	0.00		1.50	86.64		3.00	99.730
0.05	3.99		1.55	87.89		3.05	99.771
0.10	7.97		1.60	89.04		3.10	99.806
0.15	11.92		1.65	90.11		3.15	99.837
0.20	15.85		1.70	91.09		3.20	99.863
0.25	19.74		1.75	91.99		3.25	99.885
0.30	23.58		1.80	92.81		3.30	99.903
0.35	27.37		1.85	93.57		3.35	99.919
0.40	31.08		1.90	94.26		3.40	99.933
0.45	34.73		1.95	94.88		3.45	99.944
0.50	38.29		2.00	95.45		3.50	99.953
0.55	41.77		2.05	95.96		3.55	99.961
0.60	45.15		2.10	96.43		3.60	99.968
0.65	48.43		2.15	96.84		3.65	99.974
0.70	51.61		2.20	97.22		3.70	99.978
0.75	54.67		2.25	97.56		3.75	99.982
0.80	57.63		2.30	97.86		3.80	99.986
0.85	60.47		2.35	98.12		3.85	99.988
0.90	63.19		2.40	98.36		3.90	99.990
0.95	65.79		2.45	98.57		3.95	99.992
1.00	68.27		2.50	98.76		4.00	99.9937
1.05	70.63		2.55	98.92		4.05	99.9949
1.10	72.87		2.60	99.07		4.10	99.9959
1.15	74.99		2.65	99.20		4.15	99.9967
1.20	76.99		2.70	99.31		4.20	99.9973
1.25	78.87		2.75	99.40		4.25	99.9979
1.30	80.64		2.80	99.49		4.30	99.9983
1.35	82.30		2.85	99.56		4.35	99.9986
1.40	83.85		2.90	99.63		4.40	99.9989
1.45	85.29		2.95	99.68		4.45	99.9991