

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	55	PM _{2.5}	1
2	Ahmedabad	Satisfactory	77	O ₃	1
3	Aizawl	Good	12	PM ₁₀	1
4	Ajmer	Satisfactory	51	O ₃	1
5	Alwar	Satisfactory	69	PM ₁₀	1
6	Amaravati	Good	45	O ₃	1
7	Ambala	Satisfactory	66	PM _{2.5}	1
8	Amritsar	Moderate	169	PM ₁₀	1
9	Asanol	Satisfactory	52	PM ₁₀	1
10	Aurangabad	Satisfactory	51	PM ₁₀	1
11	Bagalkot	Satisfactory	78	PM ₁₀	1
12	Ballabgarh	Moderate	123	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	37	PM ₁₀	1
14	Bengaluru	Good	47	PM ₁₀ , CO	8
15	Bhiwadi	Satisfactory	80	PM ₁₀	1
16	Bhiwani	Satisfactory	78	PM ₁₀	1
17	Bhopal	Good	38	PM ₁₀	1
18	Bulandshahr	Satisfactory	78	PM ₁₀	1
19	Chandigarh	Good	50	PM ₁₀	1
20	Chandrapur	Good	35	PM ₁₀	2
21	Charkhi Dadri	Moderate	158	O ₃	1
22	Chennai	Satisfactory	82	O ₃ , CO	4
23	Chikkaballapur	Satisfactory	59	PM ₁₀	1
24	Chikkamagaluru	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	56	NO ₂	1
26	Damoh	Good	28	PM ₁₀	1
27	Delhi	Satisfactory	76	PM ₁₀ , CO	33
28	Dewas	Satisfactory	58	PM ₁₀	1
29	Dharuhera	Moderate	118	со	1
30	Ernakulam	Moderate	106	со	1
31	Faridabad	Satisfactory	84	PM ₁₀ , PM _{2.5}	2
32	Gandhinagar	Good	49	PM ₁₀	1
33	Gaya	Good	47	PM ₁₀	1
34	Ghaziabad	Satisfactory	79	PM ₁₀	3
35	Greater Noida	Satisfactory	93	PM ₁₀	1
36	Gurugram	Satisfactory	88	PM _{2.5} , PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Good	38	PM ₁₀	1
38	Gwalior	Satisfactory	63	O ₃	1
39	Hajipur	Good	35	PM ₁₀	1
40	Hapur	Satisfactory	58	со	1
41	Hisar	Satisfactory	92	PM _{2.5}	1
42	Howrah	Satisfactory	51	PM ₁₀ , O ₃	2
43	Hubballi	Good	46	PM ₁₀	1
44	Hyderabad	Good	46	PM ₁₀ , NO ₂ , PM _{2.5}	6
45	Indore	Satisfactory	61	PM ₁₀	1
46	Jabalpur	Good	50	СО	1
47	Jaipur	Satisfactory	69	03	3
48	Jalandhar	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Satisfactory	73	PM _{2.5}	1
50	Jodhpur	Moderate	112	PM ₁₀	1
51	Jorapokhar	Moderate	158	O ₃	1
52	Kaithal	Satisfactory	72	PM ₁₀	1
53	Kalaburgi	Good	26	PM ₁₀	1
54	Kalyan	Good	48	PM ₁₀	1
55	Kannur	Good	30	PM ₁₀	1
56	Kanpur	Good	45	O ₃	1
57	Karnal	Satisfactory	89	SO ₂	1
58	Katni	Satisfactory	51	со	1
59	Khanna	Satisfactory	75	PM ₁₀	1
60	Kochi	Satisfactory	81	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Good	43	PM ₁₀ , O ₃	5
62	Kollam	Satisfactory	87	со	1
63	Kota	Good	36	PM ₁₀	1
64	Kozhikode	Good	37	PM ₁₀	1
65	Kurukshetra	Satisfactory	79	PM ₁₀	1
66	Lucknow	Satisfactory	68	PM _{2.5} , O ₃ , CO	4
67	Ludhiana	Satisfactory	76	PM ₁₀	1
68	Maihar	Good	24	NO ₂	1
69	Mandi Gobindgarh	Moderate	125	PM _{2.5}	1
70	Mandideep	Good	42	O ₃	1
71	Mandikhera	Satisfactory	51	PM ₁₀	1
72	Manesar	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Satisfactory	66	O ₃ , CO, PM _{2.5}	3
74	Moradabad	Satisfactory	68	со	1
75	Mumbai	Good	41	CO, PM ₁₀ , NO ₂	8
76	Muzaffarnagar	Satisfactory	69	PM ₁₀	1
77	Muzaffarpur	Satisfactory	62	O ₃	1
78	Mysuru	Good	23	O ₃	1
79	Nagpur	Good	45	PM ₁₀	1
80	Narnaul	Satisfactory	83	PM ₁₀	1
81	Nashik	Good	47	PM ₁₀	1
82	Navi Mumbai	Good	47	PM ₁₀	1
83	Noida	Satisfactory	69	CO, PM ₁₀	3
84	Pali	Satisfactory	76	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Satisfactory	57	PM _{2.5}	1
86	Panipat	Moderate	126	PM ₁₀	1
87	Patiala	Satisfactory	59	PM ₁₀	1
88	Patna	Satisfactory	60	CO, PM ₁₀ , O ₃	6
89	Pithampur	Satisfactory	69	PM ₁₀	1
90	Pune	Good	46	СО	1
91	Rajamahendravaram	Satisfactory	62	PM ₁₀	1
92	Ratlam	Moderate	127	PM _{2.5}	1
93	Rohtak	Satisfactory	68	PM _{2.5}	1
94	Rupnagar	Satisfactory	86	PM ₁₀	1
95	Sagar	Good	46	СО	1
96	Satna	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	42	03	1
98	Siliguri	Good	27	NO ₂	1
99	Singrauli	Satisfactory	56	SO ₂	1
100	Sirsa	Satisfactory	59	PM ₁₀	1
101	Solapur	Moderate	105	со	1
102	Sonipat	Satisfactory	91	PM ₁₀	1
103	Talcher	Good	22	PM _{2.5}	1
104	Thiruvananthapuram	Good	44	PM ₁₀	2
105	Tirupati	Good	36	PM ₁₀	1
106	Udaipur	Satisfactory	52	со	1
107	Ujjain	Satisfactory	55	O ₃	1
108	Vapi	Satisfactory	52	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Good	47	SO ₂	1
110	Vatva	Satisfactory	61	PM ₁₀	1
111	Vijayapura	Good	37	со	1
112	Visakhapatnam	Satisfactory	98	PM ₁₀	1
113	Yadgir	Good	48	PM ₁₀	1
114	Yamunanagar	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	isfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Brajrajnagar, Eloor, Fatehabad, Nandesari, Palwal, Ramanagara, Thane as data was not available. # Some stations have data available at 3PM

website (http://cpcb.nic.in) may be referred.

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,