

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	101	PM _{2.5}	1
2	Ahmedabad	Satisfactory	78	O ₃	1
3	Aizawl	Good	8	со	1
4	Ajmer	Satisfactory	82	PM ₁₀	1
5	Alwar	Satisfactory	97	PM ₁₀	1
6	Amaravati	Good	35	O ₃	1
7	Ambala	Moderate	104	PM ₁₀	1
8	Amritsar	Moderate	114	PM ₁₀	1
9	Ankleshwar	Satisfactory	52	со	1
10	Asanol	Satisfactory	55	PM ₁₀	1
11	Aurangabad	Good	38	PM ₁₀	1
12	Bagalkot	Good	36	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	184	PM ₁₀	1
14	Bahadurgarh	Moderate	114	PM ₁₀	1
15	Ballabgarh	Poor	227	PM _{2.5}	1
16	Bengaluru	Good	38	PM _{2.5} , CO, PM ₁₀	9
17	Bhiwadi	Moderate	196	PM _{2.5}	1
18	Bhiwani	Moderate	150	PM ₁₀	1
19	Bhopal	Good	43	PM ₁₀	1
20	Bulandshahr	Moderate	155	PM ₁₀	1
21	Chandigarh	Satisfactory	81	PM ₁₀	1
22	Chandrapur	Good	28	PM ₁₀ , O ₃	2
23	Charkhi Dadri	Very Poor	308	PM _{2.5}	1
24	Chennai	Moderate	132	O ₃ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	42	PM ₁₀	1
26	Chikkamagaluru	Good	30	PM ₁₀	1
27	Coimbatore	Good	44	NO ₂	1
28	Damoh	Good	36	PM ₁₀	1
29	Delhi	Moderate	156	PM _{2.5} , PM ₁₀ , O ₃	34
30	Dewas	Good	40	PM ₁₀	1
31	Dharuhera	Moderate	106	PM _{2.5}	1
32	Eloor	Good	28	PM ₁₀	1
33	Ernakulam	Moderate	105	со	1
34	Faridabad	Moderate	190	PM ₁₀	2
35	Gandhinagar	Satisfactory	70	PM ₁₀	1
36	Gaya	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	162	PM ₁₀ , PM _{2.5}	4
38	Greater Noida	Moderate	154	PM ₁₀	2
39	Gurugram	Poor	204	PM _{2.5}	4
40	Guwahati	Good	30	PM _{2.5}	1
41	Gwalior	Moderate	102	03	1
42	Hajipur	Satisfactory	60	PM ₁₀	1
43	Hapur	Satisfactory	99	PM ₁₀	1
44	Hisar	Moderate	175	PM _{2.5}	1
45	Howrah	Good	40	PM ₁₀ , O ₃	3
46	Hubballi	Good	26	O ₃	1
47	Hyderabad	Good	31	NO ₂ , PM ₁₀ , PM _{2.5}	5
48	Indore	Satisfactory	57	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad, Panchkula, Rohtak, Siliguri, Sirsa as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	57	PM ₁₀	1
50	Jaipur	Moderate	112	PM ₁₀ , PM _{2.5}	3
51	Jalandhar	Moderate	128	PM _{2.5}	1
52	Jind	Moderate	153	PM _{2.5}	1
53	Jodhpur	Satisfactory	90	PM ₁₀	1
54	Jorapokhar	Satisfactory	87	PM ₁₀	1
55	Kaithal	Moderate	145	PM ₁₀	1
56	Kalaburgi	Good	20	PM ₁₀	1
57	Kannur	Good	23	PM _{2.5}	1
58	Kanpur	Satisfactory	81	PM _{2.5}	1
59	Karnal	Moderate	114	PM _{2.5}	1
60	Katni	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad, Panchkula, Rohtak, Siliguri, Sirsa as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	118	PM ₁₀	1
62	Kochi	Satisfactory	82	со	1
63	Kolkata	Good	40	O ₃ , CO, PM ₁₀	6
64	Kota	Satisfactory	55	PM ₁₀	1
65	Kurukshetra	Moderate	136	PM _{2.5}	1
66	Lucknow	Moderate	125	PM _{2.5}	4
67	Ludhiana	Moderate	139	PM ₁₀	1
68	Maihar	Good	34	PM ₁₀	1
69	Mandi Gobindgarh	Moderate	167	PM _{2.5}	1
70	Mandideep	Good	48	O ₃	1
71	Mandikhera	Moderate	109	PM ₁₀	1
72	Manesar	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Moderate	110	PM ₁₀ , CO	3
74	Mumbai	Good	34	SO ₂ , CO, PM ₁₀	7
75	Muzaffarnagar	Moderate	113	PM _{2.5}	1
76	Muzaffarpur	Satisfactory	67	O ₃	1
77	Mysuru	Good	22	O ₃	1
78	Nagpur	Good	35	PM ₁₀	1
79	Nandesari	Moderate	120	NO ₂	1
80	Narnaul	Moderate	142	PM ₁₀	1
81	Nashik	Good	24	PM ₁₀	1
82	Navi Mumbai	Good	19	NO ₂	1
83	Noida	Moderate	160	PM _{2.5} , PM ₁₀	3
84	Pali	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad, Panchkula, Rohtak, Siliguri, Sirsa as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Moderate	151	PM _{2.5}	1
86	Panipat	Poor	209	PM ₁₀	1
87	Patiala	Moderate	109	PM ₁₀	1
88	Patna	Satisfactory	72	CO, PM ₁₀	4
89	Pithampur	Good	41	PM ₁₀	1
90	Pune	Satisfactory	66	со	1
91	Rajamahendravaram	Good	37	O ₃	1
92	Ramanagara	Good	28	03	1
93	Ratlam	Good	38	PM ₁₀	1
94	Rupnagar	Satisfactory	68	PM _{2.5}	1
95	Sagar	Satisfactory	52	PM ₁₀	1
96	Satna	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	21	PM _{2.5}	1
98	Singrauli	Good	50	O ₃	1
99	Solapur	Moderate	104	со	1
100	Sonipat	Moderate	179	PM ₁₀	1
101	Talcher	Good	45	O ₃	1
102	Thane	Satisfactory	87	со	1
103	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
104	Tirupati	Good	29	со	1
105	Udaipur	Good	44	со	1
106	Ujjain	Good	44	O ₃	1
107	Vapi	Satisfactory	84	СО	1
108	Varanasi	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vatva	Satisfactory	55	PM ₁₀	1
110	Vijayapura	Good	35	O ₃	1
111	Visakhapatnam	Satisfactory	65	PM ₁₀	1
112	Yadgir	Good	40	PM _{2.5}	1
113	Yamunanagar	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda,
 Brajrajnagar, Fatehabad, Kalyan, Kollam, Kozhikode, Moradabad,
 Panchkula, Rohtak, Siliguri, Sirsa as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.