



Feature		Scer	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S
validate the login functionality	4 m 22.673 s	17	16	1	0	62	58	1	3

FEATURES SUMMARY -- 3 --




#	Feature Name	T	P	F	S	Duration
1	validate the login functionality	17	16	1	0	4 m 22.673 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	validate the login functionality	User logins into the application with valid credentials	4	4	0	0	1 m 2.591 s
2	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	16.272 s
3	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	16.320 s
4	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	13.151 s
5	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	11.089 s
6	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	9.571 s
7	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	13.496 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	validate the login functionality	User should not be able to login into the application without any credentials	4	4	0	0	12.450 s
9	validate the login functionality	User should not be able to login into the application with only username	4	4	0	0	11.165 s
10	validate the login functionality	User should not be able to login into the application with only password	4	4	0	0	10.017 s
11	validate the login functionality	verify if error messages are shown when user try login without any credentials	4	4	0	0	11.634 s
12	validate the login functionality	Verify error message for invalid username	4	0	1	3	16.400 s
13	validate the login functionality	Verify error message for invalid username and invalid password	4	4	0	0	13.199 s
14	validate the login functionality	Validate placeholder text on email and password text fields	2	2	0	0	10.426 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	validate the login functionality	Validate if forgot password link is available and working properly on login page	4	4	0	0	11.770 s
16	validate the login functionality	Validate the page title and Url of the login page	2	2	0	0	12.289 s
17	validate the login functionality	Validate headings and text of login button on login page	2	2	0	0	10.534 s

validate the login functionality




User logins into the application with valid credentials




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	55.144 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.419 s
3	And clicks on login button	PASSED	0.071 s
4	Then user logged in sucessfully	PASSED	3.018 s

User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	13.532 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	0.331 s
3	And clicks on login button	PASSED	0.067 s
4	Then user not able to login	PASSED	0.016 s

User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	12.914 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	0.373 s
3	And clicks on login button	PASSED	0.068 s
4	Then user not able to login	PASSED	0.013 s


User should not be able to login into the application with invalid credentials

PASSED	DURATION - 13.151 s	10	ורי	_	_							-	\neg	Steps			
/ C:45:50 750 m	// C:4C:0F 004 pm /	8	-	 	H	 	 		 		 	 	 	Total - 4			
/ 6:15:52.750 pr	m // 6:16:05.901 pm /	6	1	 		 	 1		 	!-	 	 + -	 -	Pass - 4			
validate the logi	in functionality	4	1	 		 	 !		 	!-	 	 	 -	Fail - 0		4	
		2	1	 		 		_	 		 	 		Skip - 0	l N		•
		0	-1!		-	 	 		 	1	 	 1	 -				
					1		- 2			3		4					

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.448 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	0.312 s


#	Step / Hook Details	Status	Duration
3	And clicks on login button	PASSED	0.061 s
4	Then user not able to login	PASSED	0.013 s

User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.116 s
2	When user enters invalid username akash329**&\$% and password akash123	PASSED	0.273 s
3	And clicks on login button	PASSED	0.065 s
4	Then user not able to login	PASSED	0.012 s


User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.867 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	0.286 s
3	And clicks on login button	PASSED	0.062 s
4	Then user not able to login	PASSED	0.012 s


DETAILED SECTION -- 10 --

User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	10.743 s
2	When user enters invalid username akash@memorres and password y4 <ep3>T</ep3>	PASSED	0.307 s
3	And clicks on login button	PASSED	0.078 s
4	Then user not able to login	PASSED	0.016 s


User should not be able to login into the application without any credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.705 s
2	When user does not enter any username "" and password ""	PASSED	0.157 s
3	And clicks on login button	PASSED	0.070 s
4	Then user not able to login	PASSED	0.014 s


User should not be able to login into the application with only username

DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.412 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.341 s
3	And clicks on login button	PASSED	0.059 s
4	Then user not able to login	PASSED	0.017 s


User should not be able to login into the application with only password



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.308 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.233 s
3	And clicks on login button	PASSED	0.063 s
4	Then user not able to login	PASSED	0.015 s


verify if error messages are shown when user try login without any credentials

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.735 s
2	When user does not enter any username "" and password ""	PASSED	0.155 s
3	And clicks on login button	PASSED	0.067 s
4	Then error messages are displyed for email and password fields	PASSED	0.136 s

Verify error message for invalid username




#	Step / Hook Details	Status	Duration
1	Given user is on login page	FAILED	0.681 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:565) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81)</init></init></init>		0.001
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:49) at utils.TestBase.WebDriverManager(TestBase.java:33)</init>		
	at utils.TestContextSetup. <init>(TestContextSetup.java:18)</init>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		

L	Step / Hook Details	Status	Duration
Г	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	aused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.4.0', revision:		
'e	5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.13.188', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.		
V	ersion: '17.0.2' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
_	FTER STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	13.255 s


#	Step / Hook Details	Status	Duration
	Clinimise Login to your account Tax		
2	When user enters invalid username "akash@memorres"	SKIPPED	0.000 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then error message is displayed for email field	SKIPPED	0.000 s

Verify error message for invalid username and invalid password



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.408 s
2	When user enters invalid username ledeyi1355@adroh.com and password Ak@sh123	PASSED	0.322 s
3	And clicks on login button	PASSED	0.061 s
4	Then error message is shown for invalid credentials	PASSED	1.317 s


Validate placeholder text on email and password text fields



DETAILED SECTION -- 16 --


#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.052 s
2	Then verify placeholder texts are visible coorectly on email and password text fields	PASSED	0.120 s

Validate if forgot password link is available and working properly on login page



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.254 s
2	And check if forgot password link is available	PASSED	0.082 s
3	When user clicks on forgot password link	PASSED	0.066 s
4	Then user redirected to forgot password page	PASSED	0.006 s


Validate the page title and Url of the login page



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.991 s
2	Then verify if url and page title are visible correctly on login page	PASSED	3.028 s

Validate headings and text of login button on login page

DETAILED SECTION -- 17 --



	#	Step / Hook Details	Status	Duration
1	L	Given user is on login page	PASSED	8.023 s
2	2	Then verify if headings and text of login button on login page are visible properly	PASSED	0.216 s