

Cucumber Report

08-Nov-2022, 6:09:24 pm

Start : Nov 08, 6:06:57.257 pm

End : Nov 08, 6:09:21.878 pm

Duration : 2 m 24.621 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 12



FAILED - 1

SKIPPED - 0


PASSED - 51

FAILED - 1


SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>validate the login functionality</u>	2 m 24.621 s	13	12	1	0	52	51	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	13	12	1	0	2 m 24.621 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	<u>User logs into the application with valid credentials</u>	4	4	0	0	16.222 s
2	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	10.304 s
3	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	11.425 s
4	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	10.938 s
5	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	11.012 s
6	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	9.881 s
7	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	9.992 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>validate the login functionality</u>	<u>User should not be able to login into the application without any credentials</u>	4	4	0	0	10.095 s
9	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only username</u>	4	4	0	0	10.217 s
10	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only password</u>	4	4	0	0	10.477 s
11	<u>validate the login functionality</u>	<u>verify if error messages are shown when user try login into appliation without any credentials</u>	4	4	0	0	11.133 s
12	<u>validate the login functionality</u>	<u>Verify error message for invalid username</u>	4	4	0	0	10.006 s
13	<u>validate the login functionality</u>	<u>Verify error message for invalid username and invalid password</u>	4	3	1	0	12.554 s

validate the login functionality



FAILED	DURATION - 2 m 24.621 s	Scenarios Total - 13 Pass - 12 Fail - 1 Skip - 0		Steps Total - 52 Pass - 51 Fail - 1 Skip - 0	
/ 6:06:57.257 pm // 6:09:21.878 pm /					

User logs into the application with valid credentials

PASSED	DURATION - 16.222 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:06:57.268 pm // 6:07:13.490 pm /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.547 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.812 s
3	And clicks on login button	PASSED	0.272 s
4	Then user logged in sucessfully	PASSED	3.060 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 10.304 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:07:13.531 pm // 6:07:23.835 pm /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.518 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	1.060 s
3	And clicks on login button	PASSED	0.227 s
4	Then user not able to login	PASSED	0.107 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 11.425 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:07:23.849 pm // 6:07:35.274 pm /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.620 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	0.978 s
3	And clicks on login button	PASSED	0.335 s
4	Then user not able to login	PASSED	0.055 s



User should not be able to login into the application with invalid credentials

PASSED		DURATION - 10.938 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:07:35.299 pm // 6:07:46.237 pm /						
validate the login functionality						

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.040 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	1.130 s



#	Step / Hook Details	Status	Duration
3	And clicks on login button	PASSED	0.224 s
4	Then user not able to login	PASSED	0.045 s

User should not be able to login into the application with invalid credentials


PASSED		DURATION - 11.012 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 6:07:46.285 pm // 6:07:57.297 pm /							
validate the login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.210 s
2	When user enters invalid username akash329**&\$% and password akash123	PASSED	1.007 s
3	And clicks on login button	PASSED	0.239 s
4	Then user not able to login	PASSED	0.046 s


User should not be able to login into the application with invalid credentials

PASSED		DURATION - 9.881 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 6:07:57.342 pm // 6:08:07.223 pm /							
validate the login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.141 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	1.014 s
3	And clicks on login button	PASSED	0.251 s
4	Then user not able to login	PASSED	0.055 s


User should not be able to login into the application with invalid credentials

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.144 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	0.953 s
3	And clicks on login button	PASSED	0.252 s
4	Then user not able to login	PASSED	0.049 s

User should not be able to login into the application without any credentials


#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.894 s
2	When user does not enter any username "" and password ""	PASSED	0.462 s
3	And clicks on login button	PASSED	0.197 s
4	Then user not able to login	PASSED	0.052 s

User should not be able to login into the application with only username





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.616 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.815 s
3	And clicks on login button	PASSED	0.279 s
4	Then user not able to login	PASSED	0.046 s

User should not be able to login into the application with only password





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.873 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.861 s
3	And clicks on login button	PASSED	0.287 s
4	Then user not able to login	PASSED	0.055 s

verify if error messages are shown when user try login into appliation without any credentials

<div>PASSED</div>	<div>DURATION - 11.133 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:08:48.135 pm // 6:08:59.268 pm /</div>				
<div>validate the login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.227 s
2	When user does not enter any username "" and password ""	PASSED	0.533 s
3	And clicks on login button	PASSED	0.252 s
4	Then error messages are dispalyed for email and password fields	PASSED	0.628 s

Verify error message for invalid username

PASSED		<i>DURATION - 10.006 s</i>			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 6:08:59.291 pm // 6:09:09.297 pm /							
validate the login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.561 s
2	When user enters invalid username "akash@memorres"	PASSED	0.619 s
3	And clicks on login button	PASSED	0.290 s
4	Then error message is displayed for email field	PASSED	0.130 s

Verify error message for invalid username and invalid password

<div><div>FAILED</div><div>DURATION - 12.554 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 3</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 6:09:09.324 pm // 6:09:21.878 pm /				
validate the login functionality				

#	Step / Hook Details	Status	Duration				
1	Given user is on login page	PASSED	6.785 s				
2	When user enters invalid username <username> and password <password>	PASSED	0.997 s				
3	And clicks on login button	PASSED	0.261 s				
4	Then error message is shown for invalid credentials	FAILED	0.025 s				
<table><tr><td>username</td><td>password</td></tr><tr><td>ledeyi1355@adroh.com</td><td>Ak@sh123</td></tr></table>				username	password	ledeyi1355@adroh.com	Ak@sh123
username	password						
ledeyi1355@adroh.com	Ak@sh123						
<div>io.cucumber.core.exception.CucumberException: Step [^error message is shown for invalid credentials\$] is defined with 0 parameters at 'stepDefinitions.Login.error_message_is_shown_for_invalid_credentials()'. However, the gherkin step has 1 arguments: * Table: username password ledeyi1355@adroh.com Ak@sh123 Step text: error message is shown for invalid credentials at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)</div>							

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.431 s
	<p>image</p> 