### **FINAL ASSESSMENT 2**

In [1]: #importing libraries

 ${\color{red}\textbf{import}} \ \, \text{pandas} \ \, {\color{red}\textbf{as}} \ \, \text{pd}$ 

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

In [2]: #importing dataset

data=pd.read\_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")

data

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
	<b>0</b> 0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	-;
	<b>1</b> 1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	
	<b>2</b> 2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	
	<b>3</b> 3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	:
	4 4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	1
	<b></b>												
411	<b>1</b> 4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
411	<b>2</b> 4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	
411	<b>3</b> 4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
411	<b>4</b> 4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	
411	<b>5</b> 4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	

4116 rows × 20 columns

SUB HIMALAYAN WEST BENGAL & SIKKIM

In [3]: df=data.iloc[437:552]
 df

#### Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ос
437	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.
438	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.
439	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.
440	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.
441	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.
547	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.
548	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.
549	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.
550	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.
551	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.

115 rows × 20 columns

# **Data Cleaning and Preprocessing**

In [4]: df.head()

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ос
437	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.
438	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.
439	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.
440	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.
441	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.

In [5]: df.tail()

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
547	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.7
548	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.4
549	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.8
550	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.2
551	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.6

localhost:8888/notebooks/4.SUB HIMALAYAN WEST BENGAL %26 SIKKIM.ipynb

```
In [6]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 437 to 551
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
44	Cl+C4/4	7) :+(4/2) -	L + / 4 \

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

In [7]: #filling null values
 df1=df.fillna(0)
 df1

Out[7]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
437	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	
438	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	
439	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	1
440	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	1
441	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	
547	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	
548	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	1
549	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	1
550	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	

	index SUBDIVISION Y		YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
	551	SUB HIMALAYAN 551 WEST BENGAL & SIKKIM		2015	2015 15.7 15.0		0 64.8 149.0 3		304.6	304.6 508.2 393		626.6	354.9	_	
	115 rov	vs × 2	20 colur	nns											~
	4														•
In [8]:	df1.de	escri	be()												
Out[8]:		index YEA		<b>YEAR</b>	JAN		FEB		MA	۱R	APR	R MAY			
	count	115.0	000000	115.00	115.000000 115		00000 115.000000 11		115.00000	15.000000 115.000000		115.000000		115.0	
	mean	494.0	000000	1958.00	3.000000		14.083478		22.974783 43.135652		52 110	110.681739		3478	537.8
	std	33.3	341666	33.34	11666	17.066089		19.583787		30.851319 55.688697		5.688697	69.790921		134.1
	min	437.0	000000	1901.00	00000	0.000000		0.100000		0.000000 4.800000		142.000000		261.7	
	25%	465.5	500000	1929.50	00000	2.250000		8.650000		15.100000 71.300000		1.300000	217.100000		447.4
	50%	494.0	000000	1958.00	00000	9.400	0000	19.600000		42.600000 110.900		0.900000	269.40	0000	527.8
	75%	522.5	500000	1986.50	00000	19.550	0000	33.400	0000	63.650000 14		1.850000	311.10	0000	611.2
	max	551.0	000000	2015.00	00000	103.000	0000	109.900	0000 1	32.10000	00 281	000008.1	503.100000		896.0
	4														•
In [9]:	df1.co	lumn	S												
Out[9]:	Index(	່ງU 'Ma	N', 'J	IUL', ' , 'Jun	AUG',	'SEP'	', '0	CT', '	-	-	-	'APR', NUAL',		-	

## **Data Visulaization**


In [10]: df1.plot.line()

#### Out[10]: <AxesSubplot:>




In [11]: df1.plot.bar()

#### Out[11]: <AxesSubplot:>




In [12]: df1.plot.box()

#### Out[12]: <AxesSubplot:>




In [13]: df1.plot.hist()

Out[13]: <AxesSubplot:ylabel='Frequency'>




In [14]: df1.plot.scatter(x="SUBDIVISION",y="YEAR")


Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>



```
In [15]: df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```


Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)






In [16]: sns.pairplot(df1)

Out[16]: <seaborn.axisgrid.PairGrid at 0x24db2340b50>



In [17]: sns.displot(data["Jun-Sep"])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x24dbeab5a00>



In [18]: sns.heatmap(df1.corr())

#### Out[18]: <AxesSubplot:>

