D - 1 -	_	
ם זכוו	-	
Date		

NO.1 INSTITUTE FOR IAS/IFOS EXAMINATIONS



MATHEMATICS CLASSROOM TEST

2020-21

Under the guidance of K. Venkanna

MATHEMATICS

COMPLEX ANALYSIS CLASS TEST

Date: 1	<u> L3 Sept</u>	<u> 2020 </u>

Time: 03:00 Hours Maximum Marks: 250

INSTRUCTIONS

- 1. Write your Name & Name of the Test Centre in the appropriate space provided on the right side.
- Answer must be written in the medium specified in the admission Certificate issued to you, which must be stated clearly on the right side. No marks will be given for the answers written in a medium other than that specified in the Admission Certificate.
- 3. Candidates should attempt All Question.
- 4. The number of marks carried by each question is indicated at the end of the question. Assume suitable data if considered necessary and indicate the same clearly.
- 5. Symbols/notations carry their usual meanings, unless otherwise indicated.
- 6. All questions carry equal marks.
- 7. All answers must be written in blue/black ink only. Sketch pen, pencil or ink of any other colour should not be used.
- 8. All rough work should be done in the space provided and scored out finally.
- 9. The candidate should respect the instructions given by the invigilator.
- The question paper-cum-answer booklet must be returned in its entirety to the invigilator before leaving the examination hall. Do not remove any page from this booklet.

READ	INSTR	UCT	ONS	ON THE
LEFT	SIDE	ΟF	THIS	PAGE
CAREF	ULLY			

0,	AKEI OLLI
Na	ime:
Mc	obile No.
Te	st Centre
_	
En	nail.:
	have read all the instructions and shal bide by them
	Cinnerture of the Operation
	Signature of the Candidate
-	
	have verified the information filled by the andidate above
	Signature of the invigilator
-	

2 of 32

INDEX TABLE

Question	Page No.	Max. Marks	Marks Obtained
1.		10	
2.		10	
3.		10	
4.		12	
5.		12	
6.		16	
7.		10	
8.		15	
9.		10	
10.		10	
11.		10	
12.		16	
13.		16	
14.		15	
15.		15	
16.		15	
17.		20	
18.		10	
19.		18	

Total Marks

1.	Prove that the function f defined by	
	$f(z) = \begin{cases} \frac{z^5}{ z ^4}, z \neq 0\\ 0, z = 0 \end{cases}$ is not differentiable at $z = 0$	
	$f(z) = \int_{ z ^4}^{\frac{1}{4}} z \neq 0$ is not differentiable at $z = 0$	[10]
	$\int (z) - z $ is not differentiable at $z = 0$	[10]
	(0, z = 0)	

2.	Expand the function $f(z) = -\frac{1}{2}$	$\frac{2z^2 + 11z}{z + 1)(z + 4)}$	in a Laurent's series valid for 2 < z < 3.
	(-	2 1 1)(2 1 1)	[10]



3.	If $f(z) = u + iv$ is analytic function and $u - v = e^x$ (cos $y - \sin y$), find $f(z)$ in terms of	\tilde{z} .
		10]
	·	-



4. Using Cauchy's theorem and / or Cauchy's integral formula, calculate the following integrals:

(i)
$$\int_C \frac{\cosh(\pi z)dz}{z(z^2+1)}$$
, where C is circle $|z| = 2$


(ii)
$$\int_C \frac{e^{az}dz}{\left(z-\pi i\right)}$$
, where C is the ellipse $|z-2|+|z+2|=6$.

(iii)
$$\int_{C} \frac{(\sin z)^2 dz}{\left(z - \frac{\pi}{6}\right)^3}$$
, where C is circle $|z| = 1$.



5.	(A) Show that the function e^{-l/z^2} has no singularities.	
	(B) Find residue of $f(z) = e^z \csc^2 z$ at all poles in the finite plane.	[12]








6.	Evaluate $\int_0^{2\pi} \frac{d\theta}{\left(a + b\cos^2\theta\right)^2}$, where $a > b > 0$.	[16]







$$f\left(z\right) = \frac{x^{3}\left(1+i\right) - y^{3}\left(1-i\right)}{x^{2} + y^{2}} \left(z \neq 0\right), f\left(0\right) = 0$$

is continuous and that Cauchy-Reimann equations are satisfied at the origin, yet f''(z) does not exist there. [10]









9.	Obtain the first three terms of Laurent series expansion of the function $f(z) = \frac{1}{(e^z - 1)}$		
	about the point $z = 0$ valid int he region $0 < z < 2\pi$. [10]		



10.	Prove that if b $e^{a+1} < 1$ where a and b are positive and real, then the function z^n
	$e^{-a} - b e^{z}$ has n zeroes in the unit circle. [10]
	• • •



11. Show that the function defined by

$$f(z) = \begin{cases} \frac{x^3 y^5 (x + iy)}{x^6 + y^{10}}, & z \neq 0\\ 0, & z = 0 \end{cases}$$

is not analytic at the origin though it satisfies Cauchy-Riemann equations at the origin. **[10]**

13.	Expand $f(z) = \frac{1}{(z-1)^n}$	$\frac{1}{(z+3)}$	in a Laurent's	series	valid for	the region	ıs
-----	-----------------------------------	-------------------	----------------	--------	-----------	------------	----


(i)
$$|z| < 1$$

(ii)
$$1 < |z| < 3$$

(i)
$$|z| < 1$$
 (ii) $1 < |z| < 3$ (iii) $|z| > 3$ (iv) $0 < |z+1| < 2$.

[16]








14.	Using contour integral method, prove that $\int_0^\infty \frac{x \sin mx}{a^2 + x^2} dx = \frac{\pi}{2} e^{-ma}$	[15]



15.	For a function $f:\mathbb{C}\to\mathbb{C}$ and $n\geq 1$, let $f(n)$ denote the nth derivative of f and $f(0)=f$.
	Let f be an entire function such that for some $n \ge 1$, $f^{(n)}\left(\frac{1}{k}\right) = 0$ for all $k = 1, 2, 3, \ldots$ Show that f is a polynomial. [15]








16. Let f = u + iv be an analytic function on the unit disc $D = \{z \in \mathbb{C} : |z| < 1\}$. Show that


$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0 = \frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} \text{ at all points of D.}$$
 [15]

17.	 (A) Prove that the function u = e^{-x} (x cos y + y sin y) is harmonic and find the corresponding analytic function v(x, y) = ln (x² + y²) + x + y is harmonic. Find its conjugate harmonic function u(x, y). Also find the corresponding analytic function f(z) = u + iv in terms of z. [10+10=20]










(i)
$$\int_{|z|=1} \frac{z+3}{z^4+az^3} dz$$
; $(|a|>1)$ (ii) $\int_{|z|=4} \frac{z^4}{(z-i)^3} dz$

(B) If
$$f(z) = \frac{x^3y(y-ix)}{x^6 + y^2}$$
, $z \ne 0$ and $f(0) = 0$, show that $\frac{f(z) - f(0)}{z} \to 0$ as $z \to 0$ along any

radius vector but not as $z \rightarrow 0$ in any manner.

[10+10=20]









19.	(A) If a function f(z) is analytic for all finite values of z and as $ z \to \infty$, $ f(z) = A$	$\mathbf{z} ^{^{\mathrm{k}}}$),
	then show that $f(z)$ is a polynomial of degree $\leq k$. (B) Determine all entire functions $f(z)$ such that 0 is a removable singularity of $f\left(\frac{1}{z}\right)$.	f 18]





















No. 1 INSTITUTE FOR IAS/IFOS EXAMINATIONS



OUR ACHIEVEMENTS IN IAS (FROM 2008 TO 2019)



HEAD OFFICE: 25/8, Old Rajender Nagar, Delhi-60. BRANCH OFFICE: 105-106, Top Floor, Mukherjee Tower Mukherjee Nagar, Delhi-9

© Ph.:011-45629987, 9999197625 www.ims4maths.com e-Mail: ims4maths@gmail.com

Regional Office: H.No. 1-10-237, 2nd Floor, Room No. 202 R.K'S-Kancham's Blue Sapphire Ashok Nagar, Hyderabad-20. Ph.: 9652351152, 9652661152