```
1 % Kavya Manchanda
 2 % 11/1/2022
 3 % ECE 202: Project 1 - Power Expansion Series of function of the form
 4 % Acos(wt)
 5 % Phase 3: Making the script more robust and general
7 clear; clf;
8 format shortG;
9
10 A = 12;
                    % amplitude
11 w = 40;
                    % angular frequency in rad/s
12 \text{ nonzero} = 6;
                    % Number of non-zero terms
13
                    % in ms
14 \text{ tmin} = 0;
15 \text{ tmax} = 200;
                    % in ms
16 N = 400;
                    % intervals
17
18 tms = linspace(tmin, tmax, N+1); % time array in ms
19 t = tms/1000;
                                      % time array in s
20 n = 0:2:(2*nonzero - 2);
                                      % array of nth term
21
22 % The angular frequency in rad/s
23 an = (A.*(-1).^(n./2).*w.^n)./factorial(n);
24
25 coefTable = table(n.',an.','VariableNames',{'n', 'an'})
26
27 f1 = an(1)*t.^n(1);
                             % first sum (ie. first term) in the power series
28 f2 = f1 + an(2)*t.^n(2); % sum of first two terms
29 f3 = f2 + an(3)*t.^n(3); % sum of first three terms
30 f4 = f3 + an(4)*t.^n(4); % sum of first four terms
31 f5 = f4 + an(5)*t.^n(5); % sum of first five terms
32 f6 = f5 + an(6)*t.^n(6); % sum of first six terms
34 %---- plotting the graph and its attributes --
35 hold on
36
37 plot([0,200],[0,0], 'k', 'LineWidth', 1);
38 p1 = plot(tms,f1,tms,f2,tms,f3,tms,f4,tms,f5,'LineWidth',2.5);
39 p2 = plot(tms, f6, 'LineWidth', 5);
40 legend([p1;p2],"Up to n = " + n,"FontSize",18,"Location","bestoutside")
41
42 ax = gca;
43 \text{ ax.GridAlpha} = 0.4;
44 ax.FontSize = 16;
45 xlabel('time t (ms)', 'FontSize', 18);
46 ylabel('f(t)', 'FontSize', 18)
47 ylim([-1.25*A,1.25*A])
48 str1 = sprintf("Power series expansion of f(t) = %gcos(%gt)",A,w);
49 str2 = sprintf("using truncated sums up to %g non-zero terms", nonzero);
50 title(["ECE 202, Project 1 Phase 3:",str1,str2],"FontSize",22)
51
52 grid on
53 hold off
54
55\ \% The output for Phase 3 is the same as the output for Phase 2.
```

## >> project1phase3

coefTable =

6×2 table

| n  | $a_n$       |
|----|-------------|
|    |             |
| 0  | 12          |
| 2  | -9600       |
| 4  | 1.28e+06    |
| 6  | -6.8267e+07 |
| 8  | 1.9505e+09  |
| 10 | -3.4675e+10 |

>>

ECE 202, Project 1 Phase 3:

Power series expansion of f(t) = 12cos(40t)

using truncated sums up to 6 non-zero terms

