

Deploying your first docker image on Code Engine



In this lab you will learn how to deploy a **Hello World** web application from GitHub on Code Engine. IBM Cloud Code Engine has been made available to you through this lab environment.

Estimated Time: 20 mins

Learning Objectives:

After completing this lab you will be able to:

1. Start Code Engine service to create applications
2. Use the code engine service to deploy an application from a docker image and create a remote access URL for the application.
3. List the applications you have deployed.

Deploying the docker image

1. Go to the Code engine CLI terminal. If you don't have one, click below to set it up.

► [Click here to see how to set up one](#)

You will now use the CLI to deploy the Hello World application.

2. Run the following command to see the list of applications that exist.

```
1. 1
1. ibmcloud ce app list
```

Copied! Executed!

3. You will clone the code from github, dockerize it and deploy the web application which serves one REST API endpoint at the root level and returns the string `Hello World`. Run the following command to clone the code.

```
1. 1
1. git clone https://github.com/ibm-developer-skills-network/danum-pythonflaskserver
```

Copied! Executed!

4. Change to the cloned directory by running the following command.

```
1. 1
1. cd danum-pythonflaskserver
```

Copied! Executed!

5. Now run `docker build` in the current directory and tag the image. Note that in the below command we are naming the app `helloworld2` as we may have the earlier instance of `helloworld` still in the project space.

```
1. 1
1. docker build . -t us.icr.io/${SN_ICR_NAMESPACE}/helloworld2
```

Copied! Executed!

6. Now push the image to the namespace so that you can run it.

```
1. 1
1. docker push us.icr.io/${SN_ICR_NAMESPACE}/helloworld2
```

Copied! Executed!

7. Now that the image is all set to be deployed, run the following command. Please note that since we already built and pushed the image, we can create the application without mentioning the build source. You will see that the command creates the application and also internally sets up the required infrastructure. It takes a few seconds and it finally gives a confirmation along with the URL.

```
1. 1
1. ibmcloud ce application create --name helloworld2 --image us.icr.io/${SN_ICR_NAMESPACE}/helloworld2 --registry-secret icr-secret --port 5000
```


Copied! Executed!

```
theia@theiadosker-lavanyas:/home/project/danum-pythonflaskserver$ ibmcloud ce application create --name helloworld2 --image us.icr.io/${SN_ICR_NAMESPACE}/helloworld2 --registry-secret icr-secret --port 5000
```

```
Creating application 'helloworld2'...
Configuration 'helloworld2' is waiting for a Revision to become ready.
Ingress has not yet been reconciled.
Waiting for load balancer to be ready.
Run 'ibmcloud ce application get -n helloworld2' to check the application status.
OK
```

```
https://helloworld2.vjuxldzxxcg.us-south.codeengine.appdomain.cloud
```

8. Press `ctrl`(Windows)/`cmd`(Mac) and the link that is created. Alternatively copy the link and paste it in a browser page and press enter. The `hello world` application page renders as given below.



Practice Exercise:

- [Click here for the solution](#)

- Congratulations! You have completed this lab successfully and deployed your first application on Code Engine.

Author(s)

Lavanya T S

Changelog

Date	Version	Changed by	Change Description
2022-11-21	0.1	Lavanya	Initial version created

(C) IBM Corporation 2023. All rights reserved.