alloc1 実行結果

01_sample103-1.c

Test 1 passed

入力:

10

出力:

num > str: aaaaaaaaa

Test 2 passed

入力:

5

出力:

num > str: aaaaa

- Passed: 2
- Failed: 0

02_sample103-2.c

Test passed

入力:

出力:

```
---show_range(test, 2, 4)---
*ptr+2: 55, ptr+2: 0x7ffd35cdbb48
*ptr+3: 22, ptr+3: 0x7ffd35cdbb4c
*ptr+4: 75, ptr+4: 0x7ffd35cdbb50
---show_range(test, 1, 3)---
*ptr+1: 60, ptr+1: 0x7ffd35cdbb44
```

```
*ptr+2: 55, ptr+2: 0x7ffd35cdbb48
 *ptr+3: 22, ptr+3: 0x7ffd35cdbb4c
Passed: 1
    Failed: 0
03_prog3-1.c
   Test 1 passed
入力:
5
出力:
num > 7 7 7 7 7
   Test 2 passed
入力:
10
出力:
num > 7 7 7 7 7 7 7 7 7 7
    Passed: 2
    Failed: 0
04_prog3-2.c
   Test 1 passed
入力:
8
出力:
```

num > mystr: aaaaaaaa

Test 2 passed

入力:

3

出力:

```
num > mystr: aaa
```

Passed: 2Failed: 0

05_prog3-3.c

Test passed

入力:

出力:

```
---make_even(7)---
0 2 4 6 8 10 12
---make_even(10)---
0 2 4 6 8 10 12 14 16 18
```

Passed: 1Failed: 0

06_prog3-4.c

Test passed

入力:

出力:

```
---fill_alpha(5)---
mystr: abcde
---fill_alpha(20)---
mystr: abcdefghijklmnopqrst
```

• Passed: 1

• Failed: 0