Quarto Clean Theme

A Minimalistic Theme for Quarto + Typst + Touying

Kazuharu Yanagimoto o

kazuharu.yanagimoto@cemfi.edu.es

CEMFI

September 9, 2024

Section Slide as Header Level 1

Slide Title as Header Level 2

Subtitle as Header Level 3

You can put any content here, including text, images, tables, code blocks, etc.

- first unorder list item
 - \rightarrow A sub item
- 1. first ordered list item
 - i. A sub item

Next, we'll brief review some theme-specific components.

- ▶ Note that all of the standard Quarto + Typst features can be used with this theme
- Also, all the Touying features can be used by Typst native code

Before You Go...

The clean theme does not depend on any languages. You can use it with any language supported by Quarto, including R, Python, Julia.

For this demo, I use R code to show the figures and tables usage in the slides.

♠ Required Software (this demo only)
R Packages:
install.packages(c("modelsummary", "tinytable", "dplyr", "ggplot2"))

Ordered & Unordered Lists

Here we have an unordered list.

- first item
 - → sub-item
- second item

And next we have an ordered one.

- 1. first item
 - i. sub-item
- 2. second item

Alerts & Cross-refs

Some extra things you can do with the clean theme

Special classes for emphasis

- .alert class for default emphasis, e.g. the second accent color.
- ▶ .fg class for custom color, e.g. with fill="#5D639E".
- bg class for custom background, e.g. with the default color.

To cross-reference, you have several options, for example:

- ► Beamer-like .button class provided by this theme, e.g. ► Appendix
- ▶ Sections are not numbered in Touying, you cannot use @sec- cross-references

Citations

Citations follow the standard Quarto format and be sourced from BibLaTeX, BibTeX, or CLS files. For example:

- Topic 1: Spatial Frictions (Fajgelbaum et al. 2018)
- ► Topic 2: Suárez Serrato and Zidar (2016)

Small Citations

In many cases, you may want to use small citations, like

Spatial Frictions (Fajgelbaum, Morales, Serrato, and Zidar 2018; Hsieh and Moretti 2019; Moretti 2011)

A helper class .small-cite is provided for this purpose.

Blocks

Quarto provides dedicated environments for theorems, lemmas, and so forth.

But in presentation format, it's arguably more effective just to use a Callout Block.

i Regression Specification

The main specification is as follows:

$$y_{it} = X_{it}\beta + \mu_i + \varepsilon_{it}$$

Animations

Animations

Touying's simple animations is available as {{< pause >}} and {{< meanwhile >}}

Animations

Touying's simple animations is available as {{< pause >}} and {{< meanwhile >}}

Animations in Lists

Simple animations can be used in lists

First

Animations

Touying's simple animations is available as {{< pause >}} and {{< meanwhile >}}

Animations in Lists

Simple animations can be used in lists

- First
- Second

Animations

Touying's simple animations is available as {{< pause >}} and {{< meanwhile >}}

Animations in Lists

Simple animations can be used in lists

- ► First
- Second

Other Features

- pause and meanwhile can use in Typst Math code Appendix
- handout: true in YAML header is available for handout mode (without animations)

Ad-hoc Styling

Typst CSS

- Quarto supports Typst CSS for simple styling
- ► You can change colors, backgrounds, and opacity for span elements

You can also change the font size and family for div elements.

Vertical Spacing

- ► A helper shortcode {{< v DIST >}} is provided to add vertical spacing
- ► This is converted to a Typst code #v(DIST) internally.

This is a **2em** vertical spaced from above.

YAML Settings

Fonts

```
format:
    cleantouying-typst:
        font-size: 20pt
        font-heading: Josefin Sans
        font-body: Montserrat
        font-weight-heading: bold
        font-weight-body: normal
        font-size-title: 2.5em
        font-size-subtitle: 1.5em
```

- ▶ font-size is the default font size for the slide. Other font sizes are relative to this
- font-heading and font-body are the font families for headings and body text
- Since the title slide is important, size of the title font-size-title and font-sizesubtitle can be set separately

YAML Settings


Colors

```
format:
   cleantouying-typst:
     color-jet: "#272822"
     color-accent: "$accent$"
     color-accent2: "$accent2$"
```

- color-jet is the main color for text. #000000 is too dark, and the default is #131516
- color-accent is used for the subtitle of the slide, buttons, lists, and the link colors
- color-accent2 is used for the alert colors


Figures & Tables

Figures



This is a facet_wrap example with penguins dataset.

Figures



This is an example of layout-ncol: 2 for two figures.

Tables

	Male					Female			
	Bill	Bill	Flipper	Body	Bill	Bill	Flipper	Body	
	Length	Depth	Length	Mass	Length	Depth	Length	Mass	
	(mm)	(mm)	(mm)	(g)	(mm)	(mm)	(mm)	(g)	
Adelie	40.39	19.07	192.4	4043	37.26	17.62	187.8	3369	
Gentoo	49.47	15.72	221.5	5485	45.56	14.24	212.7	4680	
Chinstra	p51.09	19.25	199.9	3939	46.57	17.59	191.7	3527	

► You can easily create Typst tables by tinytable

Tables

	Male				Female			
	Bill	Bill	Flipper	Body	Bill	Bill	Flipper	Body
	Length	Depth	Length	Mass	Length	Depth	Length	Mass
	(mm)	(mm)	(mm)	(g)	(mm)	(mm)	(mm)	(g)
Adelie	40.39	19.07	192.4	4043	37.26	17.62	187.8	3369
Gentoo	49.47	15.72	221.5	5485	45.56	14.24	212.7	4680
Chinstrap51.09		19.25	199.9	3939	46.57	17.59	191.7	3527

- ► You can easily create Typst tables by tinytable
- You can highlight by tinytable::style_tt()!

Regression Table

	Bill Length (mm)			Body Mass (g)			
	(1)	(2)	(3)	(4)	(5)	(6)	
Chinstrap	10.042**	10.010**	10.037**	32.426	26.924	27.229	
	(0.432)	(0.341)	(0.340)	(67.512)	(46.483)	(46.587)	
Gentoo	8.713**	8.698**	8.693**	1375.354**	1377.858**	1377.813**	
	(0.360)	(0.287)	(0.286)	(56.148)	(39.104)	(39.163)	
Male		3.694**	3.694**		667.555**	667.560**	
		(0.255)	(0.254)		(34.704)	(34.755)	
Year			0.324*			3.629	
			(0.156)			(21.428)	
Observations	342	333	333	342	333	333	

⁺ p < 0.1, * p < 0.05, ** p < 0.01

Last Words

Installation

quarto install extension kazuyanagimoto/quarto-cleantouying-typst

Limitations

- Multiple columns are not supported
 - → You can use page columnization of Touying Appendix
 - → Not perfect, but a workaround
- ► More complex animations are available in Toying, see Complex Animations
- Background colors and images are not supported

Appendix

You can use {{< appendix >}} to start an appendix section. Slide numbering will be freezed. (Next Slides)

Appendix

Touying Math Animations

```
Touying equation with pause:

$
f(x) &= pause x^2 + 2x + 1 \
    &= pause (x + 1)^2 \
$
Touying equation is very simple.
```

Touying equation with pause:

$$f(x) =$$

Touying equation is very simple.



Touying Math Animations

```
Touying equation with pause:

$
f(x) &= pause x^2 + 2x + 1 \
    &= pause (x + 1)^2 \
$
Touying equation is very simple.
```

Touying equation with pause:

$$f(x) = x^2 + 2x + 1$$
$$=$$

Touying equation is very simple.



Touying Math Animations

```
Touying equation with pause:

$ f(x) \&= pause x^2 + 2x + 1 \setminus \&= pause (x + 1)^2 \setminus \&= Touying equation is very simple.
```

Touying equation with pause:

$$f(x) = x^2 + 2x + 1$$
$$= (x+1)^2$$

Touying equation is very simple.



Multiple Columns


Column 1

Here is a long sentence that will wrap onto the next line as it hits the column width, and continue this way until it stops.

Column 2

Some other text in another column.

A second paragraph.



References

- Fajgelbaum, Pablo D, Eduardo Morales, Juan Carlos Suarez Serrato, and Owen Zidar. 2018. "State Taxes and Spatial Misallocation", 90–91
- Hsieh, Chang-Tai, and Enrico Moretti. 2019. "Housing Constraints and Spatial Misallocation". *American Economic Journal: Macroeconomics* 11 (2): 39–40
- Moretti, Enrico. 2011. "Local Labor Markets". In *Handbook of Labor Economics*. Vol. 4. Elsevier
- Suárez Serrato, Juan Carlos, and Owen Zidar. 2016. "Who Benefits from State Corporate Tax Cuts? A Local Labor Markets Approach with Heterogeneous Firms". American Economic Review 106 (9)