
Kangchen Bai, Pengchuan Zhang, Yerong Li

1 Overview

2 Data Manipulation

Here are some aspects we are considering in data manipulation

Tokenization In data processing, we make it easy, which is to say we did not tokenize some words into phrases, but instead, we try on higher order model of Markov Chain and Hidden Markov Chain. And this is actually what happens in language as well as poetry. Let us take the phrase '**fairest creatures**' as an example, the word '**fairest**' and word '**creatures**' does have to be together all the time, by using higher order probability models, namely 2nd order Markov chain for instance, we are trying to implement the idea that '**fairest**' and word '**creatures**' can be together with some probability p and they do not have to be together with probability $1 - p$. We think this is more natural and subjective. And this is what happens in real life.

rhyme NEED SOME TEXT

training backwards NEED SOME TEXT

Grouping For the rhyme consideration, we group the Shakespeare's poetry set according to the rhyme scheme *abab cdcd efef gg*, so there are six groups in total, namely a, b, c, d, e, f . Then we train different groups separately and generate different lines belonging to different groups. In training as well as generation, we reverse each line so we can take care of the rhyme in the last word in each line. And we generate lines in pairs with our well-built rhyme dictionary.

3 Unsupervised Learning

We worked on Hidden Markov Model and Markov Model in this project for poem

Hidden Markov Model

In training HMM, we tried on several number of hidden state in our model and chose the number of state with the highest emission probabilities as the favorite model in the project. To be specific, we tried on models with 5, 10, 20, 40, 80, 100, 500, 1000. We are working on model with 1000 hidden states because there are around 3000 words in Shakespeare's poetry set.

Here is a figure illustrating the performance of HMM with different state. Here the vertical axis is ...
NEED SOME TEXT

Markov Model

1st order Markov Chain Model

We also worked on Markov model in this project. In the basic (1st) Markov Chain Model the joint probability is given by

$$p(x_{1:M}) = p(x_1)p(x_2|x_1)p(x_3|x_2)...p(x_M|x_{M-1}) = p(x_1) \prod_{m=2}^M p(x_m|x_{m-1}) \quad (1)$$

But when we first get our trial on this **first order Markov Chain Model**, it does not give us perspective result, because this is extremely similar to what we have done in our **(1st order) Hidden Markov Model**, as what we have stated above, instead of tokenized the words into phrases, we tried the second order model instead, for the simple reason that this will do the tokenization automatically and is much more subjective in tokenization.

2nd order Markov Chain Model

In the **second order Markov Chain Model**, the assumption on the transition probability is:

$$p(x_m|x_{1:m-1}) = p(x_m|x_{m-1}, x_{m-2}) \quad (2)$$

So, different from that in the first order model

$$p(x_{1:M}) = p(x_1, x_2)p(x_3|x_2, x_1)p(x_4|x_3, x_2)\dots p(x_M|x_{M-1}, x_{M-2}) = p(x_1, x_2) \prod_{m=3}^M p(x_m|x_{m-1}, x_{m-2}) \quad (3)$$

What should be mentioned is that we do counting and normalization for computing the prior probabilities $p(x_1x_2)$ and trains on the transition probabilities $p(x_m|x_{m-1})$. Since we have around three thousand words in Shakespear's Sonnet, the number of parameters (for $p(x_1x_2)$ and $p(x_m|x_{m-1})$) is not substantially large, so the running time for 2nd order Markov Chain Model is affordable.

4 Visualization and Interpretation for HMM

5 Poetry Generation

We present results from the models we worked on in this project.

1st Hidden Markov Model

1st order Markov Chain Model

2nd order Markov Chain Model

6 A reference for our document

7 Conclusion