

# Visual Editor Final Report

Graham Baker, Walker Bohannen, Jessica Penick,  
Steve Marx, Vikram Nilakantan, Eli Spiegel

December 19, 2013

# 1 Project Summary

Edith is educational software designed to introduce new computer science students to programming. New students of any age can learn basic object-oriented programming concepts prior to learning a particular programming language in detail (syntax, data types and structures, etc.). Edith provides a graphical user interface through which users can create a "script" that animates 2-D characters, or sprites, provided by the program or loaded or created by the user. The user creates the script by piecing together provided blocks of program structure in a functional way. Similar programs (e.g., Alice, Scratch) have been shown to increase the interest level and retention of students taking their first programming classes. Edith is written primarily in JavaScript and is available over the internet. The software is expected to be open-source to allow further development and additional educational opportunities.

The first step for the user of Edith is to create an account by entering a user name and password. With the account, the user can save projects and come back to work on them later, or share projects with friends and classmates. After an account is created (or a user logs in to an existing account), Edith also allows the user to either select an existing sprite, load a new sprite from a file, or create (draw) his own character within the program by selecting "Make Object." Even new computer users will be able to make simple objects using the provided shapes and drawing methods.

The Visual Editor (VE) module provides a visual programming language editor (in essence, an integrated development environment(IDE)). The user selects a sprite(s) to be added to the canvas and be animated, and the VE allows users to arrange programming elements to create an animation sequence. VE programming elements are contained in three categories, accessed through one of three drop-down boxes. The first category, "Method", allows the user to define methods and variables, and includes an end block for the program. The second category, "Predefined", includes given methods that the user can easily apply to sprites (wait, rotate, move, jump, move right, move left, move up, move down). The final category, "Control", provides if, while and else blocks for the user's animation. The user creates the animation by selecting from the available VE blocks and dragging them to the right of a line to the code sequence area. When a block is dragged to the code sequence area, the user will be prompted for appropriate inputs (e.g., variable names, or the distance for the sprite to move). User inputs are checked for type; if a user enters a word rather than a number for distance moved, the user will be prompted again for a number. Blocks can also be dragged from the code sequence area back to the main VE option area; this removes that section of code in real time. As the user is creating the block of code, the VE, while enforcing syntax rules, converts the program into JavaScript to be executed. Upon creation of an animation sequence, the user will not need to wait for compiling to see if the code "works". Rather, the code, or sequence of events defined by the user, will be always ready to run ("play") unless a script notifies the user otherwise.

## 2 Development Procedures

## 3 Requirements Evaluation

## 4 System Design and Architecture

### 4.1 Code Walkthrough

Our code starts with some global declarations, including universal main which is passed to story creator. Universal main is the string of method calls that the end-user has written. The code then defines some regular expressions that check the input from the users to ensure they are the correct data type. There is some code that animation team added that keeps track of which sprites are currently on the canvas. The array called "tools" contains each of the available methods which come in three types: "method," "predefined," and "control" (defined later). The next major part is a function called "promptUser". This method has two more methods inside it—"loadUpSpritesToAnimate" and "loadSprites", both of which make sure we have a sprite selected from the object box beneath the story canvas. Then there is a series of if statements that check what kind of method has been dragged and prompt for the appropriate arguments. The regular expressions from earlier check that these inputs are the proper types. At the end of promptUser we return a string of the JavaScript block that has been dragged over.

The next big one is "newRect" which makes the draggable boxes seen in the editor. The color of the box is based on what kind of box it is (control, method, etc). "Predefined" boxes are method calls received from animation team; "control" boxes are statements like if, else, and while; and all other boxes ("method" boxes) are default methods (main, etc). The method newRect then sets up the text to display on the box, followed by defining the behaviors of the box on dragstart, double click, and dragend. On dragstart the box is moved across the canvas following the cursor. If the box has not been dragged across the threshold line (created later) before, it's cloned, if it doesn't cross the threshold line, the box gets deleted. Double click only applies to boxes that have been defined as "sortable" (which happens when the box is cloned, since this means it is a box the user has created). Once defined "sortable", we prompt the user, update the text and the size of the box based on the text, allowing users to change their previously generated method calls. Behavior on dragend does a lot of the same things: set the position, check if it has been dropped across the line, if it has been we prompt for parameters again, otherwise the box is deleted. We once again use the "sort" method and set it so that it knows that it has been cloned.

The next important section prepares the stage and the threshold line, which acts as a visual marker for the division between the "staging area" where the boxes are kept, and the "working area" where the user builds their code. A little lower, the function "newTab" draws the tabs in the staging area. The tabs have their own text and rectangle definitions. On switching tabs, the function basically destroys everything that's been drawn beneath them and draws new boxes. Beneath all the tab code, there is a method called "cleanup" that converts

the array of method calls from the user into a JSON string. Below that, the method "loadBlocks" checks through the array we've been keeping everything in (stored as a JSON object), parses it back into an array, and draws the boxes in that array. The last big part of the code is "sortable", which is in its own file. The mainly it has the method "sorter" go through the staging area (the right-hand side) of the canvas checking y-coordinates of the boxes and then adds them to an array in that order. The method beneath it, "lookUp" adds the array to the string universal main, which is later passed to animation.

## **5 Reflection: Vikram Nilakantan**

### **5.1 Challenges**

#### **5.1.1 Technical Challenges**

The biggest technical challenge that I faced while on the Visual Editor team was my personal inexperience with the HTML5 Canvas or any of the graphical JavaScript libraries. After learning that the visual editor was going to be based in an HTML5 Canvas, I started to go through the process of figuring out how it worked and how to use it. I was told that the Canvas was very similar to doing graphics in Java, but since I had little to no experience with Java graphics, that advice did not help me as much. Two things mainly helped me overcome this challenge. The first was my prior experience using JavaScript and HTML. Even though the Canvas was unfamiliar, the language used to control it was very familiar and I was able to use my prior knowledge to accelerate the learning process. The second learning tool was simply trial-and-error. No one on the visual editor team had ever used the HTML5 Canvas or KineticJS before so what really helped us was several test documents trying to figure out how object were created and how we could interact with them.

#### **5.1.2 Organizational Challenges**

Unlike other groups working on the Edith project, our group had six members, opposed to five. Since none of us had any familiarity with the technologies we were working with, our organizational challenges revolved around slow progress. Another challenge that surrounded the visual editor is that it was very difficult to separate work out until we had a solid foundation of what we were doing with Canvas and KineticJS and how we were going to execute such actions. Until we got to a point where we had a plan of action in which we knew how things were going to be done, we were unable to work separately and the only time progress was made was when all of us could meet up and surround one computer while we tried things out. Fortunately, we soon figured out what we were trying to do and were clearly able to divide tasks among group members.

### **5.2 Applied Software Engineering**

Many aspects of the visual editor were designed and implemented according to software engineering techniques, however, I thought that the biggest lesson from software engineering we used was on creating the user interface. We estimated that the visual editor component of Edith is where the typical end-user would

spend the majority of their time. Because of this, we wanted to spend some time on designing the user interface and become aware of exactly what actions users would be able to perform and make sure that certain elements of the editor are presented in a consistent manner.

### **5.3 Different Approach**

One of the largest over-arching challenges that the visual editor team faced was that we were unsure of our requirements for the project and I felt like each of us had 'an idea' of what we were doing, but no one's ideas actually matched up with anyone else's. This posed a big problem at the beginning of this project and until we were sure of what we were doing, our progress stalled and at some points, came to a halt. If I were to do this project again, I would make sure that I was completely aware of the project/section requirements. If I were given more time to continue to work on this project, I would want to improve some of the graphical elements and transitions on the visual editor. The boxes and 'method containers' used currently are functional, but I feel like with more time, I could make those boxes more visually appealing. Another feature I would implement is ease-of-use for the end-user. That is, making sure it is clear how to operate the visual editor and making sure the user is not confused when they are trying to operate the application.

## **6 Reflection: Graham Baker**

### **6.1 Challenges**

Some of the main challenges I experienced during development were learning a new language, dealing with GitHub, and trying to find dividing lines between our group and others. I really enjoyed learning to use JavaScript. While it was pretty difficult at the beginning to work out how to access certain attributes, using global variables and other general points of confusion transitioning from traditional object oriented programming languages, I felt just pounding through trying to get my code to work was extremely beneficial and valuable. GitHub was also a source of confusion and frustration early on. I used the terminal for the first half of the semester and struggled to accomplish what I wanted to do. After I switched to the GitHub application, things got a lot easier. I am glad that I was introduced and got experience working with this important software development tool. Finally, the most difficult challenge this semester was settling on what each group was supposed to do. There were a few times where we were not really sure what we were supposed to be doing because our requirements overlapped with other groups. It was a good experience for us to have to grapple with the miscommunication and complexity that is so often the downfall of many projects. I learned that it is vital to get the requirements and direction of the project as early as possible to make life easier as the project goes on.

### **6.2 Applied Software Engineering**

The technique that I most frequently used over the course of the semester was the idea of iterative development. Since our requirements and goals were constantly

shifting, we had to adapt every time we got a new direction. It was also nice to see that is consistent with how most software engineering firms operate.

### **6.3 Different Approach**

If we started over, I think we would probably seek out another graphics package to use for our user interface. While kinetic.js offered quite a bit of useful tools, I think one that supported text input would have probably suited our needs better. We landed on kinetic.js after trying to get things to work with jQuery UI as well as other graphics packages. As we approached the first implementation, we just had to go with kinetic.js. If we wanted to continue development we could find a better package that would suit our needs more appropriately. Now that we are at a decent position, I think there is a lot that could be done. It would be really great to add method box encapsulation like we wanted to do. Now that things are up and running, it is easy to see things that could be improved on and how to make the software easier to use for the user.

## **7 Reflection: Jessica Penick**

### **7.1 Challenges**

#### **7.1.1 Technical Challenges**

I met a number of challenges in the entirety of this software engineering course, mostly due to the project itself. Firstly I spent the whole semester working intimately with languages that I had no previous familiarity with: JavaScript, LaTeX, and to some extent HTML (though I'd had a little past experience, and probably knew enough). I struggled with git at first. For the most part it made sense conceptually, but using git seemed to be an entire other story, and I one time deleted everyone's lab assignments on accident, which, luckily, could be undone due to the nature of the git (that is, version control). It seemed like everyone got everything faster than I, which was, to say the least, frustrating. My group in particular had technical experience beyond mine, so I took on a supporting position to compensate. I read a bunch of resources on JavaScript, but I think I learned the most about the language from examining their code. Overcoming the challenge of LaTeX was a matter of online inquiries (read: Google), templates, and tutorials.

#### **7.1.2 Organizational Challenges**

The project some organizational challenges over the course of the project as well, both in the code and the group. For example, we never really designated a leader, which at first wasn't an issue, but later when disagreements arose proved problematic. We argued over which library to use, and later what functionality to focus on, but all of these came to peaceable ends, and never got particularly out of hand in the first place. The lack of a leader also lead to rather unsustainable agile module development on our part; often we would meet up then divide different tasks to each person to solve on their own, when I believe a pair system might have benefited us better in the long run. Even though pair programming is somewhat frustrating, two heads are, in fact, better than one.

## 7.2 Applied Software Engineering

There was a lot to take away from this class, too. Chiefly process models, testing methods, architectural patterns, and design patterns. More notably, process models and testing methods were some of the applied techniques of our project. We prepared and implemented a plan-driven development, but I think in the end our project, and more specifically my group's module in it, became a kind of agile development process, which isn't necessarily a bad thing; both models have advantages and disadvantages. Testing, too, played an instrumental part in development. Of course testing should always be instrumental, but linting the code proved especially important since clean code is easier to parse and revise later.

## 7.3 Different Approach

If we were to start over, I would do a few things differently: 1) I'd choose a group I could be more helpful in, 2) I would be more involved in the coding process, or, barring that, I'd have taken more of a stand on the organization of the code/communication within and without the group. There is more to do than coding in a development team, so I would have operated in a position of administration rather than facilitation. If we were to continue developing the code, I would work to optimize it for efficiency—maybe make it more easily maintainable. That includes documenting it thoroughly, observing the interfacing between modules and seeing how they may be improved by the reallocation of responsibilities, or standardization of the information being passed around. Mostly re-imagine it as a project conceived as a single idea from the top down (or more likely, the bottom up). Also, over time, add more features, clean up/unify the interface, and generally expand it (maybe a message board to discuss created stories, or the ability to annotate them? Possibilities are endless).

# 8 Reflection: Eli Spiegel

### 8.0.1 Technical and organizational Challenges

The project started trying to use the waterfall method, however as it progressed the lack of direction made the waterfall method challenging. This led to our team and a few others moving to a more agile approach. Agile helped us get a product that worked in a shorter amount of time as we were able to progress and find different problems instead of spending all of our time planning and then quickly finding new issues. Other issues included communication between people with diverse schedules, and working with tools and languages I was unfamiliar with, mostly JavaScript and GitHub.

### 8.1 Starting this Project Over

I think writing requirements as a class with Joel as the "client" could have made for a better use of the waterfall method as everyone would have a better understanding of the overall project, which would help with moving forward on the individual modules and solve division of labor/dependency issues. Another issue the project had was a lack of experience with the languages/tools groups

would be using took the focus off of the software engineering problems and made them more implementation problems. I believe that a stronger focus on learning the tools and languages at the start of a project will make it clear what problems may arise and possible ways to solve them.

## 8.2 Learning

In the end some of the more valuable things I learned were how to write code as a group, and how to use tools such as GitHub. I also learned that knowledge is the most important tool in software development. If a group comes in knowledgeable about the tools and about what the goal is that they will build even complex projects in fairly short about of time.

# 9 Reflection: Walker Bohannon

## 9.1 Challenges

Developing the Visual Editor platform for the Edith project involved a tremendous amount of work, and creating boxes with which to create and edit code with was not without its difficulties. Some specific challenges that I encountered in the beginning was on deciding which framework to use. Some options we considered were jQuery UI, RaphaelJS, finally settling with KineticJS, which offered the tools to manipulate what we needed to on a HTML5 canvas. Organizational issues often arose with cross-team integration of using GitHub, and resolving conflicts was not always as simple as we might have hoped. In the end, we figured out how to solve these problems, and came away from the problems with renewed expertise and troubleshooting skills regarding GitHub. That being said, I was always extra careful of any changes I made when pushing to Git, and being sure if I needed to modify another group's code I was explicit in what I did and commented my changes so they would not be deleted. Another challenge which required being overcome was a mid-project reassessment of what our role in the project as a whole was. Our requirements were not explicit until this point, and until then there was a lot of, "well the other group is taking care of that," going on not just in our group but in others as well. Other challenges was learning a new language - JavaScript, which I knew none of prior to this course. The syntax quickly came in, and past coding experience helped, and soon I was enjoying using a new language as I had used others, which only minor hiccups along the way.

## 9.2 Applied Software Engineering

A software engineering technique that helped us during the process was using rapid application development, where we constructed prototypes, and would test them (lining up with the deadlines for our integration tests). We iteratively developed our prototypes. We also fulfilled one of the main principles of rapid application development by emphasizing the "business need," which was being able to create and write code using blocks rather than focusing on the technological excellence. We used ourselves to act as the users, testing continuously. In continuity with our integration deadlines, we focused on reducing implementations and making our deadlines with what we had working well. Another useful



technique was to use pair programming, or even group programming, with one person "driving" while the other members looked on. This was especially useful in imparting knowledge of JavaScript (which started at zero), as we started this project. We would switch roles often, with different combinations of different group members taking different roles, so nearly everyone had a chance at the controls.

### 9.3 Different Approach

If I were to start this project over again, I would probably create my own framework, rather than use KineticJS or something else similar to it. Creating our own framework would enable us to manipulate objects and variables in a way which was efficient and could be used in a way to how we could optimize it. Often I felt as though I was spending a majority of the time figuring out how to make the KineticJS work, figuring out correct syntax rather than being able to go through my code and edit and implement new features. That being said, having the KineticJS framework probably did save us an enormous amount of time, rather than discovering halfway through the project that our own implementation was not going to work. As far as continuing work using the existing code we have, I think method encapsulation would be the next step, as well as automatic end bracket creation. However, with how we are implementing it, I think requiring the user to add end brackets is a very relatable aspect of coding, and will teach the user how to code better. That being said, implementing a "compile" function, letting the user know they forgot something syntactically would also be useful.

## 10 Reflection: Steve Marx

### 10.1 Challenges

Two different types of challenges were encountered in the project: technical and organizational. The most obvious hurdle from a technical perspective was the need for the entire team to learn multiple new languages/tools quickly, concurrent with the start of a complex project. New technologies included Javascript and the various frameworks (jQuery, KineticJS, etc.) that could provide functionality to the Visual Editor module, Git collaboration and HTML, among others. Some of the Javascript libraries would work better for particular aspects of the module, but selection was difficult due to the team's collective inexperience with them. The technical challenges were overcome through excellent determination, self-education and trial and error by VE team members. My most important technical take-aways are Git use and general Javascript knowledge. Although Edith is obviously a technical project, organizational challenges seemed to be even more important than technical challenges. It was a good simulation of projects outside of the classroom, in which a person or team is given a task and a completion date and left to accomplish the goal in a mostly self-directed way. However, in some ways it was more challenging. For example, in a company, individuals, teams, and the entire project would have clearly defined roles and management/leadership relationships (as well as likely having more experience with the technical aspects). Projects need managers and

technical contributors and some who can fill both roles. At some point in the project, the class started to see the need for more defined roles and coordination among groups, and assigned a designated contact person for each team. That was just one example of a positive adaptation, and I am sure that if today the class were given another project based on the same languages, it would be done much more effectively. You can only learn through experience, and I definitely have a better idea of how large software projects work in large groups, and how I could improve my performance.

## 10.2 Applied Software Engineering

Software engineering techniques were applied both formally and informally. The most helpful formal use was the creation of the Requirements Specification, including the functional requirements, use cases, UML and non-functional requirements. Although the project still required some changes to teams' understanding of their roles, this document forced the team to be specific about its objectives and served as a guide to development. In general, Visual Editor development was done through an iterative prototyping methodology in which several team members developed different ways to structure the module. Of course, there was duplication of efforts in the early stages, but ultimately the method produced a common platform for everyone to work from. Testing methodologies, including static analysis software, was also helpful.

## 10.3 Different Approach

It is easy to look back and come to the conclusion that you could have done things differently, but is it a useful exercise? I think it is. In my last corporate position, all company divisions were transitioning to a new way of financial reporting. Each quarter, the managers of each division gathered for a "post-mortem" to review what went wrong (and right) with the project that quarter. It was a great chance to share issues with upper management and learn from the successes and challenges of other groups, too. On the Edith project, I would have devoted much more energy in the beginning to ensuring that teams understood their roles in every respect - generally; specifically; the interactions with other modules and teams, etc. In the early weeks, it would have been helpful to spend days at the chalkboard with the whole class present, diagramming out exactly who was doing what - sketches of module appearances, and clear discussion of where one team's module would end and the next team's would begin (including discussion of what would need to be passed from team to team). Confusion over these issues hindered our progress nearly throughout the project and resulted in new roles and confusion essentially through completion. There were many discussions of roles, but they were in the form of conversations between individuals (while many assumptions were made by all the groups - "I think Team X is doing that") and communication was not formalized and widely distributed. If we were to continue developing the Visual Editor module, we would have some more time to focus on the user's learning experience. For example, help boxes and coding tips (e.g., how to use if statements) would be provided for the user. In addition, blocks could be shaped to fit together in logical (allowed) ways for programming, similar to the blocks of Scratch.