

December 15, 2007

Prof. A. Berlind
Vanderbilt University
P.O. Box 351807-B
Nashville, TN 37235

Dear Professor Berlind:

Please accept the attached application for your postdoctoral position advertised in the November 2007 issue of the AAS Job Register. For my thesis (advised by Megan Donahue and Mark Voit), entitled '*Virialization, Entropy, and Feedback in Clusters of Galaxies*', I am studying the coupling of feedback mechanisms – such as AGN, star formation, and conduction in cluster cores – to gas entropy, and the role of this feedback in altering global ICM properties and truncating the high mass end of the galaxy luminosity function. I have also been studying a method for quantifying the virialization state of clusters through the band dependence of X-ray temperatures. For my thesis I assembled a collection of 350 archival *Chandra* observations for 276 clusters totaling 11.6 Msec of data. The results of this laborious effort have been many and are detailed in my research summary.

I am a great research asset for any astrophysics group because of my extensive experience with complex data analysis, innovative technical skills, and ability to independently advance the group's and my own research objectives. I feel the post-doctoral position under your advisory at Vanderbilt is an excellent fit for me and your research goals will benefit from my addition. My expertise in X-ray astrophysics ideally suits me to further work in the area of galaxy cluster evolution and developing better methods for understanding ICM substructure created by both feedback mechanisms and mergers.

Along with this letter are my resumé and a summary of past, current, and future research directions. Letters of recommendation from Megan Donahue, Mark Voit, and Jack Baldwin will arrive under separate cover. Please contact me if there is any further information I can provide as you review my application.

Thank you for your consideration.

Sincerely,

A handwritten signature in black ink, appearing to read 'Ken Cavagnolo', written over a light gray rectangular background.

Kenneth W. Cavagnolo
Michigan State University

RESUMÉ OF KENNETH W. CAVAGNOLO

Office Address

Michigan State University
 Department of Physics & Astronomy
 3265 Biomedical Physical Sciences Building
 East Lansing, MI 48824-2320
 Phone: 1-517-355-9200 ext.2443

Mailing Address

1111 Kimberly Dr, Apt. #7, Lansing MI 48912
 Phone: 1-517-285-9062
 Fax: 1-517-353-4500
 E-mail: cavagnolo@pa.msu.edu
 Web: www.pa.msu.edu/people/cavagnolo/

- | | |
|----------------------------|---|
| Education | Michigan State University 2005 - Present
Ph.D. Astrophysics, Expected May-August 2008
Thesis Title: "Virialization, Entropy, and Feedback in Clusters of Galaxies"
Thesis Advisors: Dr. Megan Donahue & Dr. G. Mark Voit

Michigan State University 2002 - 2005
M.S. Astrophysics

Georgia Institute of Technology 1998 - 2002
B.S. Physics <i>Cum Laude</i> |
| Research Experience | Graduate Research Assistant 2003 - Present
Supervisor: Dr. Megan Donahue, <i>Mich. St. Univ.</i>
Studying clusters of galaxies via their X-ray properties to investigate feedback mechanisms, galaxy evolution, and the process of cluster virialization.

Graduate Research Assistant 2002 - 2003
Supervisor: Dr. Jack Baldwin, <i>Mich. St. Univ.</i>
Analyzing echelle spectra for use in studies of <i>s</i> -process abundances in planetary nebulae.

Undergraduate Research Assistant 2000 - 2002
Supervisor: Dr. James Sowell, <i>Georgia Tech</i>
Obtaining orbital solution for the eclipsing Algol binary ET Tau via UBV light curves and spectroscopic radial velocity curves. |
| Research Interests | <ul style="list-style-type: none"> • GALAXY CLUSTER EVOLUTION • GALAXY FORMATION • FEEDBACK MECHANISMS IN GALAXY CLUSTERS • LARGE SCALE STRUCTURE FORMATION AND COSMOLOGY |
| Teaching Experience | Substitute Instructor Fall 2006
Course: "Visions of the Universe"
Gave lectures covering stellar evolution, supernovae, white dwarves, neutron stars, and black holes.

Physics Tutor Summer 2003
Course: "Introductory Honors Physics I & II" |

Tutored physics students taking introductory physics courses such as classical mechanics, optics, and electromagnetism.

Graduate Teaching Assistant

2002 - 2003

Course: “Visions of the Universe”

Directed and supervised laboratories for non-calculus based astronomy course.

Honors

- College of Natural Science Dissertation Fellow 2007 - Present
- American Astronomical Society Member 2002 - Present
- American Physical Society Member 2002 - Present
- Sigma Pi Sigma National Honor Society 2001 - Present
- NASA Center for Astronomy Education Participant 2007
- Dean’s List, Georgia Tech 1998-2002

Scientific Skills

- Profound skills in reducing and analyzing data taken with *Chandra* X-ray Telescope.
- Extensive experience with customizing and debugging CIAO and CALDB.
- Familiarity with multiwavelength analysis packages: AIPS, IRAF, and PyRAF.
- Fluent in Perl, IDL, L^AT_EX and HTML.
- Working knowledge of Bash, C, csh, Flash, Fortran, MySQL, Supermongo, and Tcl.
- Mastery of multiple computing architectures: UNIX/Linux, Macintosh, and Windows.
- Expert of computer troubleshooting, maintenance, and system construction.

First

Author

“Feedback Mechanisms in Galaxy Clusters and Alteration of ICM Entropy”

Cavagnolo, Kenneth W.; Donahue, Megan; and Voit, G. Mark

Refereed

2008, in prep. for ApJ

Papers

“Star Formation in BCGs: Resurrecting Conduction”

Cavagnolo, Kenneth W.; Donahue, Megan; and Voit, G. Mark

2008, in prep. for ApJ Letters

“Athenaeum of Galaxy Cluster Entropy Profiles”

Cavagnolo, Kenneth W.; Donahue, Megan; Voit, G. Mark; and Sun, Ming

2007, near ApJ Supplement submission

“X-ray Band Dependence of X-ray Temperatures in Galaxy Clusters”

Cavagnolo, Kenneth W.; Donahue, Megan; Voit, G. Mark; and Sun, Ming

2007, ApJ submitted

Other

Refereed

Papers

“Star Formation, Radio Sources, Cooling X-Ray Gas and Galaxy Interactions in the Brightest Cluster Galaxy in 2A0335+096”

Donahue, Megan; Sun, Ming; O’Dea, Christopher P.; Voit, G. Mark; **Cavagnolo, Kenneth W.**

[2007AJ....134..14D](#)

“Entropy Profiles in the Cores of Cooling Flow Clusters of Galaxies”

Donahue, Megan; Horner, Donald J.; **Cavagnolo, Kenneth W.**; Voit, G. Mark

[2006ApJ...643..730D](#)

“s-Process Abundances in Planetary Nebulae”

Sharpee, Brian; Zhang, Yong; Williams, Robert; Pellegrini, Eric; **Cavagnolo, Kenneth**; Baldwin, Jack A.; Phillips, Mark; Liu, Xiao-Wei

[2007ApJ...659.1265S](#)

**Presented
Work
& Talks**

“Library of Galaxy Cluster Entropy Profiles: A Study in Feedback”

Cavagnolo, Kenneth W.; Donahue, Megan; Voit, G. Mark; and Sun, Ming
2008 Winter Meeting of the American Astronomical Society, Poster

“Band Dependence of X-ray Temperatures”

[2007 University of Michigan Astrophysics Seminar, Invited Talk](#)

“The Entropy-Feedback Connection and Quantifying Cluster Virialization”

Cavagnolo, Kenneth W.; Donahue, Megan; Voit, G. Mark; and Sun, Ming
[2007 Eight Years of Science with Chandra Symposium, Poster](#)

“Chandra Studies of Dark Matter and Galaxy Formation: Signatures from the Intracuster Medium”

Donahue, Megan; Sun, M.; **Cavagnolo, K.**; Voit, G.

[2006 Winter Meeting of the American Astronomical Society, Poster](#)

“Abundances of s-process elements in planetary nebulae: Br, Kr & Xe”

Zhang, Y.; Williams, R.; Pellegrini, E.; **Cavagnolo, K.**; Baldwin, J. A.; Sharpee, B.; Phillips, M.; Liu, X.-W.

[2006 IAU Symposium, Proceeding](#)

“Studies of Entropy Distributions in X-ray Luminous Clusters of Galaxies”

Cavagnolo, K. W.; Donahue, M. E.; Voit, G. M.; Sun, M.; Evrard, A. E.

[2005 Winter Meeting of the American Astronomical Society, Poster](#)

“Entropy Distributions in the Cores of Nearby X-ray Luminous Clusters of Galaxies”

Cavagnolo, K. W.; Donahue, M. E.; Voit, G. M.; Horner, D. J.; Evrard, A. E.

[2004 Winter Meeting of the American Astronomical Society, Poster](#)

“Radio-Free Cluster Cooling Flows”

Donahue, M. E.; Voit, G. M.; **Cavagnolo, K.**

[2004 Winter Meeting of the American Astronomical Society, Poster](#)

References

DR. MEGAN DONAHUE

Department of Physics & Astronomy

Michigan State University

East Lansing, MI 48823

(517)-355-9500 ext. 2418

donahue@pa.msu.edu

DR. G. MARK VOIT

Department of Physics & Astronomy

Michigan State University

East Lansing, MI 48823

(517)-355-9500 ext. 2419

voit@pa.msu.edu

DR. JACK BALDWIN
Department of Physics & Astronomy
Michigan State University
East Lansing, MI 48823
(517)-355-9500 ext. 2411
baldwin@pa.msu.edu

- Personal**
Interests
- Academic: environmental sciences, “Cradle2Cradle” design, and urban planning.
 - Athletics: triathlons, baseball, and everything Georgia Tech.
 - Hobbies: reading, building model airplanes, and raising bonsai trees.

Summary of Past Research and Future Interests

The general process of galaxy cluster formation through hierarchical merging is well understood, but many details, such as the impact of feedback sources on the cluster environment and radiative cooling in the cluster core, are not. My thesis research has focused on studying these details via X-ray properties of the ICM in clusters of galaxies. I have paid particular attention to ICM entropy distribution, the process of virialization, and the role of AGN feedback in shaping large scale cluster properties.

Mining the CDA

My thesis makes use of a 350 observation sample (276 clusters; 11.6 Msec) taken from the *Chandra* archive. This massive undertaking necessitated the creation of a robust reduction and analysis pipeline which 1) interacts with mission specific software, 2) utilizes analysis tools (i.e. XSPEC, IDL), 3) incorporates calibration and software updates, and 4) is highly automated. Because my pipeline is written in a very general manner, adding pre-packaged analysis tools from missions such as *XMM*, *Spitzer*, and *VLA* will be straightforward. Most importantly, my pipeline deemphasizes data reduction and accords me the freedom to move quickly into an analysis phase and generating publishable results.

Quantifying Cluster Virialization

The normalization, shape, and evolution of the cluster mass function are useful for measuring cosmological parameters. Cluster evolution tests the effect of dark matter and dark energy on the evolution of dark matter halos, and therefore provides a complementary and distinct constraint on cosmological parameters to those tests which constrain them geometrically (e.g. supernovae and baryon acoustic oscillations). If we could identify a parameter possibly reflecting the degree of relaxation in the cluster we could improve the utility of clusters as cosmological probes by parameterizing and reducing the scatter in mass-observable scaling relations.

One study that examined how relaxation affects the observable properties of clusters was conducted by Mathiesen and Evrard 2001. They found that most clusters which had experienced a recent merger were cooler than the cluster mass-observable scaling relations predicted. They attributed this to the presence of cool, spectroscopically unresolved accreting subclusters.

I have followed up their work by studying the bandpass dependence in determining X-ray temperatures and what this dependence tells us about the virialization state of a cluster. The ultimate goal of this project was to find an aspect-independent measure for a cluster's dynamic state. I thus investigated the net temperature skew of the hard-band (2.0-7.0 keV) and full-band (0.7-7.0 keV) temperature ratio. I have found this temperature ratio is statistically connected to mergers and the presence of cool cores. Having confirmed the predicted effect, the next step is to make a comparison to the predicted distribution of temperature ratios and their relationship to putative cool lumps and/or non-thermal soft X-ray emission in cluster simulations.

Cluster Feedback and ICM Entropy

The picture of the ICM entropy-feedback connection emerging from my work suggests cluster radio luminosity and H α emission are anti-correlated with cluster central entropy. Following my analysis of 169 cluster radial entropy profiles (Fig. 1) I have found an apparent bimodality in the distribution of central entropy and central cooling times (Fig. 2) which is likely related to AGN feedback (and to a lesser extent, mergers). I have also found that clusters with central entropy ≤ 20 keV cm² show signs of star formation (Fig. 3) and AGN activity (Fig. 4) while clusters above this threshold unilaterally do not have star formation and exhibit diminished AGN radio feedback. This entropy level is auspicious as it coincides with the Field length, λ_F , (assuming reasonable suppression from

magnetic fields) at which thermal conduction can stabilize a cluster core against further cooling and gas condensation. It is possible my work has opened a window to solving a long-standing problem in massive galaxy formation (and truncation): how are ICM gas properties coupled to feedback mechanisms such that the system becomes self-regulating?

Future Work

Looking ahead, the natural extension of my thesis is to further study questions regarding cluster environments and their impact on galaxy formation and participating in the analysis of large samples of clusters found in SZE surveys and followed up with X-ray observations. More specifically, I'd like to use these samples to measure the evolution of the cluster mass function as a direct means of breaking the degeneracy between Ω_M and σ_8 . Combined with complementary surveys (specifically those using the SZE which will yield tens of thousands of cluster candidates) X-ray surveys will help further constrain the fundamental parameters defining the current cosmological model.

But, the detailed analysis of the cluster population at redshifts greater than $z \sim 1$ will be very difficult, and establishing the self similar model as a reliable tool for calibrating the cluster mass function will lead to better studies of hierarchical structure formation and dark energy. In addition, if we are to use SZE as effectively as desired SZE flux must be calibrated to accurately predict cluster mass. But even calibration is not enough, we must also understand the scatter in scaling relations. And to this end one needs two components: verification of cluster candidates and methods for quantifying deviation from mean mass-scaling relations. But the simple application of existing metrics which have been calibrated to low- z samples or high resolution simulations may begin to breakdown as spatial and spectroscopic information is reduced at high redshifts, or if there is evolution in scaling relations with redshift. I look forward to being a part of generating new, novel solutions to these problems.

With potentially enumerable, unbiased samples of clusters emerging from SZE surveys and low flux, all-sky X-ray surveys, the entropy distribution and signatures of feedback culled from these samples could tell us a great deal about the evolution of clusters and galaxy formation. Many questions remain unanswered in this area, such as: What are the micro-physics of ICM heating, including the thermalization of mechanical work done by bubbles and the effect of non-thermal sources like cosmic rays. How prevalent are cold fronts and can they be used as an indicator of merger activity and onset of feedback? Also of interest are how accretion onto the cD SMBH is regulated by large-scale ICM properties, what the AGN energy injection function looks like, and how it correlates with cluster environment. It will also be useful to have a low-scatter, universal relation between jet power and radio power – a tool which can then be directly applied to understanding both cluster feedback and could possibly be useful in SZE studies.

There are also exciting theoretical cluster feedback model developments on the horizon which will need observational investigation. Developments such as: how exactly are AGN fueled – through a combination of hot/cold accretion, mergers, and consumption of low entropy gas via cooling; or is there a universal mode underlying all these processes? Does accretion of the hot ICM/ISM proceed via Bondi-eque flows or is it more like Eddington accretion? What is the efficiency of accretion and is energy return from a SMBH really the presumed $\sim 10\%$? Why do we see steep metallicity gradients in the ICM/ISM when some amount of turbulent mixing should take place? How is feedback energy distributed symmetrically throughout the ICM?

Models of cluster formation, evolution, feedback, and dynamics are converging such that use of clusters in high precision cosmology is possible. I have the skill sets necessary to make meaningful and unique contributions both now and in the future of this field.




Figure 1: Radial entropy profiles of 169 clusters of galaxies in my thesis sample. The observed range of $K_0 \lesssim 40 \text{ keV cm}^2$ is consistent with models of episodic AGN heating. Color coding indicates global cluster temperature (in keV) derived from core excised apertures of size R_{2500} .




Figure 2: Distribution of central cooling times for 169 clusters in my thesis sample. The peak in the range of cooling times (several hundred Myrs) is consistent with inferred AGN duty cycles of both weak ($\sim 10^{40-50}$ ergs) and strong ($\sim 10^{60}$ ergs) outbursts. However, note the distinct gap at $0.6 - 1 \text{ Gyr}$. An explanation for this bimodality does not currently exist.




Figure 3: Central entropy plotted against $H\alpha$ luminosity. Orange dots are detections and black boxes with arrows are non-detection upper-limits. Notice the characteristic entropy threshold for star formation of $K_0 \lesssim 20 \text{ keV cm}^2$. This is also the entropy scale at which conduction no longer balances radiative cooling and condensation of low entropy gas onto a cD can proceed.




Figure 4: Central entropy plotted against NVSS or PKS radio luminosity. Orange dots are detections and black boxes with arrows are non-detection upper-limits. There appears to be a dichotomy which might be related to AGN fueling mechanisms: AGN which are feed via low entropy gas, and the smattering of points at $K_0 > 50 \text{ keV cm}^2$ which are likely fueled by mergers or have X-ray coronae which promote ICM cooling.