# Circuits, Problems


GSI: Caleb Eades

11/1

# 1 Circuits

## 1.1 Equivalent Resistance

Find the equivalent resistance of this circuit. Note that it cannot be decomposed into series and parallel.




(Source: Dan and Vetri)

#### 1.2 Kirchhoff Practice

Consider the circuit shown. Suppose the current form A to B is 3 A.

- (a) Find the current through each resistor.
- (b) Find the voltage V of the battery on the left.
- (c) Find the power generated by each battery.




(Source: http://physics.info/kirchhoff/practice.shtml)

# 1.3 Capacitors in a Circuit

Consider the circuit shown below that contains capacitors  $C_1$  and  $C_2$  and resistor R. Initially the switch is open and the capacitor  $C_1$  has charge  $Q_0$ . The switch is closed at t = 0.

- (a) What is the initial current that flows through the resistor right after the switch is closed?
- (b) After a very long time, what are the charges  $Q_1$  and  $Q_2$  on  $C_1$  and  $C_2$  respectively?
- (c) What is the charge  $Q_2(t)$  on  $C_2$  as a function of time?
- (d) How will  $Q_2(t)$  be modified if a dielectric of constant  $\epsilon$  is inserted in between the plates of capacitor  $C_2$ ?



(Source: Lanzara Fall 2013 Midterm 2)

## 1.4

Consider a circuit where a battery leads into a resistor r, which then splits into parallel resistors r and R. If you wanted the power through the resistor R to stay constant even if the resistance R varies slightly, then what value of resistance r should you use for the two other resistors in the circuit?