Phys 2010 (NSCC), Fall 2006 Problem Set #12

1. A horizontal 800-N merry-go-round of radius $1.50~\mathrm{m}$ is started from rest by a constant horizontal force of $50.0~\mathrm{N}$ applied tangentially to the merry-go-round. Find the kinetic energy of the merry-go-round after $3.00~\mathrm{s}$.


2. A 10.0-kg cylinder rolls without slipping on a rough surface. At an instant when its center of mass has a speed of $10.0 \frac{m}{s}$, determine (a) the translational kinetic energy of its center of mass (b) the rotational kinetic energy about its center of mass and (c) its total kinetic energy.


3. A solid sphere of mass 1.40 kg and radius 5.0 cm rolls without slipping on a horizontal surface; its *total* kinetic energy is 8.80 J.

Find the speed of the center of mass of the sphere. (Recall that for a rolling object $v_c = \omega r$.)


4. The system of small objects shown at the right is rotating at an angular speed of 2.0 rev/s. The objects are connected by light, flexible spokes which can be lengthened or shortened.

What is the new angular speed if the spokes are shortened to 0.50 m? (Assume that the shortening of the spokes does not change the angular momentum of the system.)





6. For the situation in Problem 5, find the change in kinetic energy due to the man's movement.



8. An archer pulls her bowstring back 0.400 m by exerting a force that increases uniformly form zero to 250 N. (a) What is the equivalent spring constant of the bow? (b) How much work is done in pulling the bow?