

## Exercise Sheet 1

### Exercise 1

Use the Norm to find factorizations of  $3 + 7i$  and  $23 + 14i$  into irreducible elements in  $\mathbb{Z}[i]$ .

#### Solution

$3 + 7i$

We want to find  $a, b \in \mathbb{Z}[i]$  such that  $ab = 3 + 7i$ . We have  $N(3 + 7i) = 9 + 49 = 58$  and the prime factorization is  $58 = 2 \cdot 29$ . Because of the multiplicative property of the Norm, we have  $N(3 + 7i) = N(a)N(b) = 2 \cdot 29$  or in other words,  $N(a) = 2$  and  $N(b) = 29$ .

Set  $a = 1 + i$  which is irreducible as  $N(a) = 2$ . Then, we have  $b = (3 + 7i) \cdot (1 + i)^{-1} = 5 + 2i$  which again is irreducible as  $N(b) \equiv 1 \pmod{4}$ .

Thus the solution is

$$3 + 7i = (1 + i)(5 + 2i). \quad (1)$$

$23 + 14i$

Similarly, we have  $N(23 + 14i) = 725 = 5^2 \cdot 29$ . Try out some  $a \in \mathbb{Z}[i]$  with  $N(a) = 29$  until  $(23 + 14i)a^{-1}$  is in  $\mathbb{Z}[i]$ .

$$(23 + 14i)(5 + 2i)^{-1} \notin \mathbb{Z}[i] \quad (2)$$

$$(23 + 14i)(-5 + 2i)^{-1} = -3 - 4i \in \mathbb{Z}[i] \quad (3)$$

Now try out some  $b \in \mathbb{Z}[i]$  with  $N(b) = 5$  until  $(-3 - 4i)b^{-1}$  is in  $\mathbb{Z}[i]$ .

$$(-3 - 4i)(1 + 2i)^{-1} \notin \mathbb{Z}[i] \quad (4)$$

$$(-3 - 4i)(-1 + 2i)^{-1} = -1 + 2i \in \mathbb{Z}[i] \quad (5)$$

$$(6)$$

As before,  $(-5 + 2i)$  and  $(-1 + 2i)$  are irreducible because the Norm is equivalent to 1 in mod 4. All together, we have

$$23 + 14i = (-1 + 2i)^2(-5 + 2i). \quad (7)$$